
Fellowes.

Railway™

Power and Data Solution



LT = call for on-hand availability



Black -BLK

All sizes LT

(LT) White -WHT

All sizes LT

Product Specs


- Four available widths: 36.0", 48.0", 60.0", and 72.0"
- 18.0"h x 3.3"w post
- 3.6"w x 12.0"d T foot (standard)
 3.6"w x 7.8"d L foot (optional)
- Power and data can be utilized on both sides of the rail
- Separate cable/data channel that allows for lay-in cable runs
- Up to ten rails can be connected to each other
 - (for anything over ten rails, contact a local electrician)
- Up to eight 125V AC outlets per rail and four inputs for data

- · Specify base or ceiling feed
- Flexible power feeds with 3.5" of extension through flexible metal conduit
- UL listed as an Office Furnishing Accessory (UL1286), UL183, and in full compliance with NEC electrical specifications
- Optional electric compliance available for municipal standards such as NY Box, California Title 24, and Chicago


Please reference the Railway Spec Guide for more details


· 20 amps


- Four circuits, eight wire Byrne™ 8trac system
 - Only receptacles 1 and 2 are sent with orders. Contact Customer Service if additional receptacles are needed
- Up to 13 duplex receptacles per circuit (total of 52 available duplex receptacles allowed)
- 12 AWG line conductors which share a 12 AWG ground and 10 AWG neutral
- Fourth circuit is isolated and dedicated




When considering space requirements, it is important to remember to include the total combination of rail and post measurements.









Railway™

Φ • Φ		End posts	
		MODEL #	
Rail		POSTKIT-END-DBL	LT
MODEL #			
RAIL-RWY36-DBL	LT		
RAIL-RWY36-DBL-CHI	LT	3-way posts	
RAIL-RWY36-DBL-CALI	LT	MODEL#	
RAIL-RWY48-DBL	LT	POSTKIT-3WAY-DBL	LT
RAIL-RWY48-DBL-CHI	LT		
RAIL-RWY48-DBL-CALI	LT		
RAIL-RWY60-DBL	LT		
RAIL-RWY60-DBL-CHI	LT	4-way posts	
RAIL-RWY60-DBL-CALI	LT	# MODEL#	
RAIL-RWY72-DBL	LT	POSTKIT-4WAY-DBL	LT
RAIL-RWY72-DBL-CHI	LT		
RAIL-RWY72-DBL-CALI	LT		
		90° posts	
		MODEL#	
4_ 1		POSTKIT-90-DBL	LT
Ceiling feed			
MODEL #			
CEILINGFEED-144	LT		
CEILINGFEED-144-NY	LT	180° posts	
CEILINGFEED-144-CALI	LT	MODEL #	
Power pole		POSTKIT-180-DBL	LT
MODEL #			
RAIL-POLE-142	LT		
NAILT OLL 142		+	
Base feed		120° posts	
MODEL #		MODEL#	
BASEFEED-72-END	LT	POSTKIT-120-DBL	LT
BASEFEED-72-END-NY	LT		
BASEFEED-72-END-CALI	LT		
		180° knock out posts	
Rail jumper		MODEL #	
MODEL #		POSTKIT-180KO-DBL	LT
RAIL-JUMPER-22	LT		



Model # for Linear configuration


2-pack

side view




profile view

with T-foot



4-pack

side view



two-sided power

profile view

Rail model

RAIL-KIT36-2PK-DBL-___ RAIL-KIT48-2PK-DBL-___ RAIL-KIT60-2PK-DBL-___ RAIL-KIT72-2PK-DBL-___

Rail kits include: rails, post kits, jumpers, and basefeed. Refer to Railway Spec guide for quantities.

Posts, rails, and feet will match specified finish

Rail model

RAIL-KIT36-4PK-DBL-___ RAIL-KIT48-4PK-DBL-___ RAIL-KIT60-4PK-DBL-___ RAIL-KIT72-4PK-DBL-_ _ _


Rail kits include: rails, post kits, jumpers, and basefeed. Refer to Railway Spec guide for quantities.

Posts, rails, and feet will match specified finish

6-pack

side view





two-sided power with T-foot.

profile view

Rail model

RAIL-KIT36-6PK-DBL-___ RAIL-KIT48-6PK-DBL-___ RAIL-KIT60-6PK-DBL-___ RAIL-KIT72-6PK-DBL-___

Rail kits include: rails, post kits, jumpers, and basefeed. Refer to Railway Spec guide for quantities.


Posts, rails, and feet will match specified finish

8-pack

side view



plan view



profile view



Rail model

RAIL-KIT36-8PK-DBL-___ RAIL-KIT48-8PK-DBL-___ RAIL-KIT60-8PK-DBL-___ RAIL-KIT72-8PK-DBL-___

Rail kits include: rails, post kits, jumpers, and basefeed. Refer to Railway Spec guide for quantities.

Posts, rails, and feet will match specified finish

