



Victory™ LX 3-Leg

Electric Height Adjustable Table Base



Available Base Finishes

- Silver - SLV
- Black - BLK
- White - WHT


Product Specs

- Electric height adjustment
- 360 lb. base lifting capacity
- 1.4"/sec adjustment speed
- 26.0" height adjustment range
 - 21.5"-47.5" (low/high)
 - (excluding worksurface)
- Three stage adjustable legs
- C-leg
- Adjustable width frame accommodates worksurfaces 48.0"-84.0"
- Three motors
- Soft start and stop
- Anti-collision safety feature
- Locking casters available
- Low standby power consumption
- ADA compliant
- 8'9" power cord
- Table base is UL962 listed
- Meets or exceeds BIFMA x5.5, GI and CSA CAN/CGSB44.227
- Works with peds or storage with 20.0" max. height
- Steel frame and foot construction
- Digital keypad with three memory settings
- Keypad can slide under worksurface to store out of the way
- Complete tables available
 - (base and top)

Victory™ LX 3-Leg



Drawers Easily Slide Over Feet



Universal Corner Bracket



Digital Keypad

Caster Kit

- Set of casters for table base
- Increases height by 2.0"
- Locking casters for security

Model # CASTERKIT-LX-3LEG-SLV




Model # CASTERKIT-LX-3LEG-BLK

Model # CASTERKIT-LX-3LEG-WHT



Locking Caster

Victory™ LX 3-Leg

Table bases		Available worksurfaces				
Table base model	Worksurface shape	Worksurface dimension	TFL standard	HPL standard	HPL premium	
			Quick ship	Standard ship	Standard ship	Standard ship
3VT-LX-C4848-24-___		60"wl x 60"wr x 24"d	—	3EC606024-TFL-__	3EC606024-HPL-__	3EC606024-PHPL-__
		72"wl x 72"wr x 24"d	—	3EC727224-TFL-__*	3EC727224-HPL-__*	3EC727224-PHPL-__*
3VT-LX-C4848-30-___		60"wl x 60"wr x 30"d	—	3EC606024-TFL-__*	3EC606030-HPL-__*	3EC606030-PHPL-__*
		72"wl x 72"wr x 30"d	—	3EC727230-TFL-__	3EC727230-HPL-__	3EC727230-PHPL-__
3VT-LX-C3636-24-___		48"w x 24"d	—	120-4824-TFL-__	120-4824-HPL-__	120-4824-PHPL-__
3VT-LX-C4848-24-___		60"w x 24"d	—	—	120-6024-HPL-__	120-6024-PHPL-__
3VT-LX-C3636-30-___		72"w x 24"d	—	—	120-7224-HPL-__	120-7224-PHPL-__
3VT-LX-C4848-30-___		48"w x 30"d	—	—	120-4830-HPL-__	120-4830-PHPL-__
3VT-LX-C4848-30-___		60"w x 30"d	—	—	120-6030-HPL-__	120-6030-PHPL-__
3VT-LX-C4848-30-___		72"w x 30"d	—	—	120-7230-HPL-__*	120-7230-PHPL-__*
3VT-LX-C3636-2430-___	" data-bbox="220 608 275 650"/>	Please contact our Customer Service Department to specify the dimensions and laminates for this style of worksurface				
3VT-LX-C4848-2430-___						
3VT-LX-C4836-2430-___						



24.0"/30.0"
Reversible configurations

*Equal Corner worksurfaces measuring 72x72x24 and 72x72x30 will ship in 2 pieces. 120-degree worksurfaces measuring 72x24 and 72x24 will ship in 3 pieces and include joining brackets.

Worksurface Program

- Multiple worksurface shapes and laminates are available. See the Complete Table & Worksurface Ordering Guide for worksurface details including pricing and laminate colors. TFL standard and HPL standard/premium worksurfaces ship within three weeks. Lead time may vary depending on quantities ordered and their availability
- Table bases and worksurfaces can be purchased independently or as a combination.
- Fellowes worksurfaces are made to exact dimensions. If nominal sizing is needed, please specify when ordering.

Victory™ LX 3-Leg


Table bases		Available worksurfaces				
Table base model	Worksurface shape	Worksurface dimension	TFL standard	HPL standard	HPL premium	
			Quick ship	Standard ship	Standard ship	Standard ship
3VT-LX-C4836-24-__		60"wr x 48"wl x 24'd	—	3OCL604824-TFL-__	3OCL604824-HPL-__	3OCL604824-PHPL-__
		72"wl x 48"wr x 24"d	—	3OCL724824-TFL-__	3OCL724824-HPL-__	3OCL724824-PHPL-__
		72"wl x 60"wr x 24"d	—	3OCL726024-TFL-__	3OCL726024-HPL-__	3OCL726024-PHPL-__
3VT-LX-C4848-24-__		84"wl x 48"wr x 24"d	—	3OCL844824-TFL-__	3OCL844824-HPL-__	3OCL844824-PHPL-__
84"wl x 60"wr x 24"d		—	—	3OCL846024-HPL-__	3OCL846024-PHPL-__	
3VT-LX-C4836-30-__		60"wl x 48"wr x 30"d	—	3OCL604830-TFL-__	3OCL604830-HPL-__	3OCL604830-PHPL-__
		72"wl x 48"wr x 30"d	—	3OCL724830-TFL-__	3OCL724830-HPL-__	3OCL724830-PHPL-__
		72"wl x 60"wr x 30"d	—	3OCL726030-TFL-__	3OCL726030-HPL-__	3OCL726030-PHPL-__
3VT-LX-C4848-30-__		84"wl x 48"wr x 30"d	—	—	3OCL844830-HPL-__	3OCL844830-PHPL-__
		84"wl x 60"wr x 30"d	—	—	3OCL846030-HPL-__	3OCL846030-PHPL-__
3VT-LX-C4836-24-__		48"wl x 60"wr x 24'd	—	3OCR486024-TFL-__	3OCR486024-HPL-__	3OCR486024-PHPL-__
		48"wl x 72"wr x 24'd	—	3OCR487224-TFL-__	3OCR487224-HPL-__	3OCR487224-PHPL-__
		60"wl x 72"wr x 24"d	—	3OCR607224-TFL-__	3OCR607224-HPL-__	3OCR607224-PHPL-__
3VT-LX-C4848-24-__		48"wl x 84"wr x 24"d	—	3OCR488424-TFL-__	3OCR488424-HPL-__	3OCR488424-PHPL-__
60"wl x 84"wr x 24"d		—	—	3OCR608424-HPL-__	3OCR608424-PHPL-__	
3VT-LX-C4836-30-__		48"wl x 60"wr x 30"d	—	3OCR486030-TFL-__	3OCR486030-HPL-__	3OCR486030-PHPL-__
		48"wl x 72"wr x 30"d	—	3OCR487230-TFL-__	3OCR487230-HPL-__	3OCR487230-PHPL-__
		48"wl x 84"wr x 30"d	—	3OCR607230-TFL-__	3OCR607230-HPL-__	3OCR607230-PHPL-__
3VT-LX-C4848-30-__		60"wl x 72"wr x 30"d	—	—	3OCR488430-HPL-__	3OCR488430-PHPL-__
		60"wl x 84"wr x 30"d	—	—	3OCR608430-HPL-__	3OCR608430-PHPL-__

Worksurface Program


- Multiple worksurface shapes and laminates are available. See the Complete Table & Worksurface Ordering Guide for worksurface details including pricing and laminate colors. TFL standard and HPL standard/premium worksurfaces ship within three weeks. Lead time may vary depending on quantities ordered and their availability
- Table bases and worksurfaces can be purchased independently or as a combination.
- Fellowes worksurfaces are made to exact dimensions. If nominal sizing is needed, please specify when ordering.

Victory™ LX 3-Leg

3VT-LX-C3636-24




3VT-LX-C3636-30




3VT-LX-C3636-24 & 3VT-LX-C3636-30


120° Configuration



3VT-LX-C4848-24




3VT-LX-C4848-30




3VT-LX-C4848-24 & 3VT-LX-C4848-30

120° Configuration




3VT-LX-C4836-24

(Reversible Configuration)




3VT-LX-C4836-30

(Reversible Configuration)



3VT-LX-C4836-24 & 3VT-LX-C4836-30

120° Configuration (Reversible)



The base dimensions as shown are actual.