

Fellowes®

*Complete Table &
Workspace Guide*

Table of Contents

Table base overview..... 5

All-Flex® 2-leg..... 7

All-Flex 3-leg..... 9

Victory™LX 2-leg..... 14

VictoryLX 3-leg 16

VictoryLX Disc Base 20

Triumph™LX..... 22

TriumphLX Disc Base..... 25

Trada™ 2-Leg 27

Trada 3-Leg 29

Levado™ 34

Rejuve™ 38

Weight Adjustable Espree™ 45

Q Crank..... 49

Worksurfaces overview..... 53

TFL quick ship worksurfaces..... 54

TFL standard worksurfaces..... 54

HPL standard worksurfaces..... 55

HPL premium worksurfaces 56

Laminate options..... 57

Motific™ 59

Zona™ 62

Please visit fellowes.com for current list pricing on all products included in this ordering guide.

Table bases & complete tables

Table base overview

How to order:

Most tables have multiple part numbers to accommodate varying worksurface dimensions. Depending on the series, available finishes are either Silver (-SLV), Black (-BLK), White (-WHT), Platinum (-PLT), or Designer White (-DWT). Use the table base code with the three letter color code to complete your part number.

Part number breakdown:

1. Pick your table base size

| 2T-LX-C28-24-SLV |

2. Pick your table base finish

| 2T-LX-C28-24-SLV |

| 2T-LX-C28-24-SLV |

This product number represents:
TriumphLX
Silver finish
Accommodates worksurfaces 36" w x 24" d, 42" w x 24" d or 48" w x 24" d

General Information

Worksurface program

Table bases and worksurfaces can be purchased independently or as a combination. Fellowes worksurfaces are made to exact dimensions. If nominal sizing is needed, please specify when ordering. Multiple worksurface shapes and laminates are available. See pages 53–57 for worksurface details including laminate colors. TFL quick ship worksurfaces are shipped out in 48 hours, contact Customer Service for lead times for TFL standard and HPL standard/ premium worksurfaces.

Lead times

The LT product marker indicates that the lead time may vary depending on quantities, orders and their availability. Please contact our Customer Service Department for on-hand inventory when placing orders for products marked with LT.

Two or Three Motors

All-Flex 2-leg Includes two motors and All-Flex 3-leg includes 3 motors allowing smooth height adjustment while supporting a broad range of worksurface weights.

Versatility and Flexibility

Provides adjustable cross channel, top support & feet making it one of the most adjustable table bases on the market.

Model Part Number

All-Flex uses only one model number for all 2-leg sizes and configurations and one model number for all 3-leg sizes and configurations.

3-leg Configurations

All-Flex 3-leg can be configured for 90° or 120° with the universal bracket.

Quality testing

Meets or exceeds BIFMA x5.5 guidelines.

Height Adjustable Tables

All-Flex®

All-Flex® 2-leg



All-Flex 2-leg

Electric Height Adjustable Table Base

MODEL # FLEX2- _ _

Features

Electric height adjustment

265lb. base lifting capacity

1.5" / sec. adjustment speed

26" height adjustment range

23.3"-49.3" (low/high)

(excluding worksurface)

Three stage adjustable legs

C-Leg

Foot is adjustable to 22" or 28"

(patented design)

Leg columns fold out for easy assembly

Adjustable width frame accommodates worksurfaces 36"-72"

Digital keypad with four memory settings

Soft start and stop

Anti-collision

Table base is UL962 listed

Locking casters available

Warranty: Lifetime



Caster Kit

MODEL # CASTERKIT-FLEX2

Set of four casters for table base

Increases height by 2"

Locking casters for security

Available Finishes:

○ Silver - SLV

● Black - BLK

○ White - WHT


All-Flex® 2-leg

Table Bases		Available Worksurfaces			
Table base Model	Worksurface Shape	Worksurface Dimension	TFL Standard	HPL Standard	HPL Premium
			Quick ship	Standard ship	Standard ship
FLEX2-_-_-	<div><div></div><div>D</div><div>W</div><div>Rectangle</div></div>	36"w x 24"d	–	•	•
		42"w x 24"d	–	•	•
		48"w x 24"d	•	•	•
		60"w x 24"d	•	•	•
		72"w x 24"d	–	•	•
		36"w x 30"d	–	•	•
		42"w x 30"d	–	•	•
		48"w x 30"d	•	•	•
		60"w x 30"d	•	•	•
		72"w x 30"d	–	•	•

Worksurface Program

Multiple worksurface shapes and laminates are available. See pages 53–57 or worksurface details including pricing and laminate colors. TFL quick ship worksurfaces are shipped out in 48 hours. Contact Customer Service for current lead times for TFL standard and HPL standard/premium worksurfaces.

Table bases and worksurfaces can be purchased independently or as a combination. Fellowes worksurfaces are made to exact dimensions. If nominal sizing is needed, please specify when ordering.



All-Flex® 3-leg



All-Flex 3-leg

Electric Height Adjustable Table Base

MODEL # FLEX3-_-_-

Features

- Electric height adjustment
- 330 lb. base lifting capacity
- 1.5" / sec. adjustment speed
- 26" height adjustment range
23.3"–49.3" (low/high)
(excluding worksurface)
- Three stage adjustable legs
- C-Leg
- Foot is adjustable to 22" or 28"
(patented design)
- Leg columns fold out for easy assembly
- Adjustable width frame accommodates worksurfaces 48"–84"
- Digital keypad with four memory settings
- Soft start and stop
- Anti-collision
- Table base is UL962 listed
- Locking casters available
- Warranty: Lifetime



Caster Kit





MODEL # CASTERKIT-FLEX3

- Set of five casters for table base
- Increases height by 2"
- Locking casters for security

Available Finishes:

- Silver – SLV
- Black – BLK
- White – WHT

All-Flex® 3-leg


Table Bases		Available Worksurfaces				
Table Base Model	Worksurface Shape	Worksurface Dimension	TFL Standard		HPL Standard	HPL Premium
			Quick Ship	Standard Ship	Standard Ship	Standard Ship
FLEX3- _ _ _		60"wl x 60"wr x 24"d	–	•	•	•
		72"wl x 72"wr x 24"d	–	•	•	•
		60"wl x 60"wr x 30"d	–	•	•	•
		72"wl x 72"wr x 30"d	–	•	•	•
FLEX3- _ _ _		48"w x 24"d	–	•	•	•
		60"w x 24"d	–	–	•	•
		72"w x 24"d	–	–	•	•
		48"w x 30"d	–	–	•	•
		60"w x 30"d	–	–	•	•
		72"w x 30"d	–	–	•	•
FLEX3- _ _ _		60"wl x 48"wr x 24"d	–	•	•	•
		72"wl x 48"wr x 24"d	–	•	•	•
		72"wl x 60"wr x 24"d	–	•	•	•
		84"wl x 48"wr x 24"d	–	•	•	•
		84"wl x 60"wr x 24"d	–	–	•	•
		60"wl x 48"wr x 30"d	–	•	•	•
		72"wl x 48"wr x 30"d	–	•	•	•
		72"wl x 60"wr x 30"d	–	•	•	•
		84"wl x 48"wr x 30"d	–	–	•	•
FLEX3- _ _ _		84"wl x 60"wr x 30"d	–	–	•	•
		48"wl x 60"wr x 24"d	–	•	•	•
		48"wl x 72"wr x 24"d	–	•	•	•
		60"wl x 72"wr x 24"d	–	•	•	•
		48"wl x 84"wr x 24"d	–	•	•	•
		60"wl x 84"wr x 24"d	–	–	•	•
		48"wl x 60"wr x 30"d	–	•	•	•
		48"wl x 72"wr x 30"d	–	•	•	•
		60"wl x 72"wr x 30"d	–	•	•	•
		48"wl x 84"wr x 30"d	–	–	•	•
		60"wl x 84"wr x 30"d	–	–	•	•

Worksurface Program

Multiple worksurface shapes and laminates are available. See pages 53–57 or worksurface details including pricing and laminate colors. TFL quick ship worksurfaces are shipped out in 48 hours. Contact Customer service for current lead times for TFL standard and HPL standard/premium worksurfaces.

Table bases and worksurfaces can be purchased independently or as a combination. Fellowes worksurfaces are made to exact dimensions. If nominalizing is needed, please specify when ordering. Equal Corner worksurfaces measuring 72x72x24 and 72x72x30 will ship in 2 pieces. 120-degree worksurfaces measuring 72x24 and 72x24 will ship in 3 pieces and include joining brackets.

All-Flex® 3-leg



The base dimensions as shown are actual.

All-Flex® 2-leg Complete Table



Complete Quick Ship Table Model # Breakdown:

2F__-R4824-QS-T__

 | | | | | | | |

 c d e f g h i

48" x 24" Quick Ship Complete Table

All-Flex 2-leg table base with a 48"w x 24"d rectangle TFL worksurface

MODEL # 2F__-R4824-QS-T__

48" x 30" Quick Ship Complete Table

All-Flex 2-leg table base with a 48"w x 30"d rectangle TFL worksurface

MODEL # 2F__-R4830-QS-T__

60" x 24" Quick Ship Complete Table

All-Flex 2-leg table base with a 60"w x 24"d rectangle TFL worksurface

MODEL # 2F__-R6024-QS-T__

60" x 30" Quick Ship Complete Table

All-Flex 2-leg table base with a 60"w x 30"d rectangle TFL worksurface

MODEL # 2F__-R6030-QS-T__

■ base finish notation ■ laminate color notation

All-Flex 2-leg Table

Quick ship complete table options include: silver, black, or white table bases; 48"w x 24"d, 48"w x 30"d, 60"w x 24"d and 60"w x 30"d rectangle worksurfaces; all five TFL laminates. For all other combinations, please call our Customer Service Department for the estimated lead time and cost.

Multiple worksurface shapes and laminates are available. See pages 53–57 or worksurface details including laminate colors.

- a: number of legs
- b: type of table base
- c: finish of base
- d: worksurface shape
- e: worksurface width
- f: worksurface depth
- g: quick ship indicator
- h: laminate material
- i: laminate color

Available Base Finishes

- ☐ Silver – S
- ☒ Black – B
- ☐ White – W

Available TFL Quick Ship Laminates

- ☒ Beigewood – BG
- ☒ Black – BK
- ☐ Designer White – DW
- ☐ Light Gray – GR
- ☐ NeoWalnut – NW

Height Adjustable Tables

Victory™ LX



Quick Assembly

Frame and column connect and lock for quick and efficient assembly requiring minimal tools.

Two and Three Motors

Victory 2-leg includes two motors and Victory 3-leg includes 3 motors allowing smooth height adjustment while supporting a broad range of worksurface weights.

Cross Channels

With adjustable cross channels, the table base can adapt over time with the changing technology and accessory needs of the user.

Quality Materials

Steel frame and foot construction offers outstanding stability.

3-Leg Configurations

Can be configured for 90° or 120° with the universal bracket.

Height Range

Low to high adjustment range meets needs of the largest variety of users. Works with peds and storage with maximum 20 inches in height.

Quality Testing

Meets or exceeds BIFMA x5.5 guidelines.

Victory™LX 2-leg



VictoryLX 2-leg

Electric Height Adjustable Table Base

- MODEL # 2VT-LX-C36-24- _ _ _
- MODEL # 2VT-LX-C36-30- _ _ _
- MODEL # 2VT-LX-C48-24- _ _ _
- MODEL # 2VT-LX-C48-30- _ _ _

See key below for available finish options

Features

Electric height adjustment

250 lb. base lifting capacity

1.4" / sec. adjustment speed

26" height adjustment range

21.5"–47.5" (low/high)

(excluding worksurface)

Three stage adjustable legs

C-Leg

Frame and column connect and lock for quick and easy assembly

Adjustable width frame accommodates worksurfaces 36"–72"

Digital keypad with three memory settings

Soft start and stop

Gyro sensor anti-collision

Table base is UL962 listed

Locking casters available

Warranty: Lifetime



Lifetime Warranty

Caster Kit


MODEL # CASTERKIT-LX-2LEG

Set of four casters for table base

Increases height by 2"

Locking casters for security


Diagram



Available Finishes:

- Silver – SLV
- Black – BLK
- White – WHT





Victory™LX 2-leg

Table Bases		Available Worksurfaces					
Table base Model	Worksurface Shape	Worksurface Dimension	TFL Standard		HPL Standard	HPL Premium	
			Quick Ship	Standard Ship	Standard Ship	Standard Ship	
2VT-LX-C36-24- _ _ _	 D W Rectangle	36"w x 24"d	–	•	•	•	
		42"w x 24"d	–	•	•	•	
		48"w x 24"d	•	•	•	•	
2VT-LX-C48-24- _ _ _		60"w x 24"d	•	•	•	•	
		72"w x 24"d	–	•	•	•	
2VT-LX-C36-30- _ _ _		36"w x 30"d	–	•	•	•	
		42"w x 30"d	–	•	•	•	
		48"w x 30"d	•	•	•	•	
2VT-LX-C48-30- _ _ _		60"w x 30"d	•	•	•	•	
		72"w x 30"d	–	•	•	•	

Worksurface Program

Multiple worksurface shapes and laminates are available. See pages 53–57 or worksurface details including pricing and laminate colors. TFL quick ship worksurfaces are shipped out in 48 hours Contact Customer Service for current lead times for TFL standard and HPL standard/premium worksurfaces.

Table bases and worksurfaces can be purchased independently or as a combination. Fellowes worksurfaces are made to exact dimensions. If nominal sizing is needed, please specify when ordering.



The base dimensions as shown are actual.

Victory™LX 3-leg



VictoryLX 3-leg

Electric Height Adjustable Table Base

- MODEL # 3VT-LX-C3636-24- _ _ _
- MODEL # 3VT-LX-C3636-30- _ _ _
- MODEL # 3VT-LX-C4836-24- _ _ _
- MODEL # 3VT-LX-C4836-30- _ _ _
- MODEL # 3VT-LX-C4848-24- _ _ _
- MODEL # 3VT-LX-C4848-30- _ _ _

See key below for available finish options

Features

Electric height adjustment

360lb. base lifting capacity

1.4" / sec. adjustment speed

26" height adjustment range

21.5"–47.5" (low/high)

(excluding worksurface)

Three stage adjustable legs

C-Leg

Adjustable width frame accommodates
worksurfaces 48"–84"

Digital keypad with three memory settings

Soft start and stop

Anti-collision

Table base is UL962 listed

Locking casters available

Warranty: Lifetime



Caster Kit

- MODEL # CASTERKIT-LX-3LEG-SLV
- MODEL # CASTERKIT-LX-3LEG-BLK







MODEL # CASTERKIT-LX-3LEG-WHT

Set of six casters for table base

Includes third foot for caster installation

Increases height by 2"

Locking casters for security

Table Bases		Available Worksurfaces				
Table Base Model	Worksurface Shape	Worksurface Dimension	TFL Standard		HPL Standard	HPL Premium
			Quick Ship	Standard Ship	Standard Ship	Standard Ship
3VT-LX-C4848-24- _ _ _		60"wl x 60"wr x 24"d	–	•	•	•
		72"wl x 72"wr x 24"d*	–	•	•	•
3VT-LX-C4848-30- _ _ _	 Equal corner	60"wl x 60"wr x 30"d	–	•	•	•
		72"wl x 72"wr x 30"d*	–	•	•	•
3VT-LX-C3636-24- _ _ _		48"w x 24"d	–	•	•	•
60"w x 24"d		–	–	•	•	
72"w x 24"d*		–	–	•	•	
48"w x 30"d		–	–	•	•	
60"w x 30"d		–	–	•	•	
72"w x 30"d*		–	–	•	•	
3VT-LX-C4836-24- _ _ _	 Offset corner left	60"wl x 48"wr x 24"d	–	•	•	•
		72"wl x 48"wr x 24"d	–	•	•	•
		72"wl x 60"wr x 24"d	–	•	•	•
84"wl x 48"wr x 24"d		–	•	•	•	
84"wl x 60"wr x 24"d		–	–	•	•	
60"wl x 48"wr x 30"d		–	•	•	•	
72"wl x 48"wr x 30*d		–	•	•	•	
72"wl x 60"wr x 30*d		–	•	•	•	
3VT-LX-C4848-30- _ _ _		84"wl x 48"wr x 30*d	–	–	•	•
		84"wl x 60"wr x 30*d	–	–	•	•
3VT-LX-C4836-24- _ _ _	 Offset corner right	48"wl x 60"wr x 24"d	–	•	•	•
		48"wl x 72"wr x 24"d	–	•	•	•
		48"wl x 84"wr x 24*d	–	•	•	•
60"wl x 72"wr x 24*d		–	•	•	•	
60"wl x 84"wr x 24*d		–	–	•	•	
48"wl x 60"wr x 30*d		–	•	•	•	
48"wl x 72"wr x 30*d		–	•	•	•	
48"wl x 84"wr x 30*d		–	•	•	•	
3VT-LX-C4848-30- _ _ _		60"wl x 72"wr x 30*d	–	–	•	•
		60"wl x 84"wr x 30*d	–	–	•	•
3VT-LX-C3636-2430- _ _ _		Please contact our Customer Service Department to specify the dimensions and laminates for this style of worksurface				
3VT-LX-C4848-2430- _ _ _						
3VT-LX-C4836-2430- _ _ _						

Available Finishes:










- Silver – SLV
- Black – BLK
- White – WHT

Worksurface Program

Multiple worksurface shapes and laminates are available. See pages 53–57 or worksurface details including pricing and laminate colors. TFL quick ship worksurfaces are shipped out in 48 hours. Contact Customer Service for current lead times for TFL standard and HPL standard/premium worksurfaces.

Table bases and worksurfaces can be purchased independently or as a combination. Fellowes worksurfaces are made to exact dimensions. If nominal sizing is needed, please specify when ordering. Equal Corner worksurfaces measuring 72x72x24 and 72x72x30 will ship in 2 pieces. 120-degree worksurfaces measuring 72x24 and 72x24 will ship in 3 pieces and include joining brackets.

Victory™LX 3-leg



Victory™LX 2-leg Complete Table

Complete Quick Ship Table Model # Breakdown:

2VT_-R4824-QS-T_

a b c d e f g h i

a: number of legs
b: type of table base
c: finish of base
d: worksurface shape
e: worksurface width
f: worksurface depth
g: quick ship indicator
h: laminate material
i: laminate color

48" x 24" Quick Ship Complete Table

VictoryLX 2-leg table base with a 48"w x 24"d rectangle TFL worksurface

MODEL # 2VT_-R4824-QS-T_

48" x 30" Quick Ship Complete Table

VictoryLX 2-leg table base with a 48"w x 30"d rectangle TFL worksurface

MODEL # 2VT_-R4830-QS-T_

60" x 24" Quick Ship Complete Table

VictoryLX 2-leg table base with a 60"w x 24"d rectangle TFL worksurface

MODEL # 2VT_-R4824-QS-T_

60" x 30" Quick Ship Complete Table

VictoryLX 2-leg table base with a 60"w x 30"d rectangle TFL worksurface

MODEL # 2VT_-R6030-QS-T_

Available Base Finishes

- Silver – S
- Black – B
- White – W

Available TFL Quick Ship Laminates

- Beigewood – BG
- Black – BK
- Designer White – DW
- Light Gray – GR
- NeoWalnut – NW

Complete Table UL Certification available. Please contact your Representative or Fellowes Customer Service for ordering information.

base finish notation laminate color notation

VictoryLX 2-leg Table

Quick ship complete table options include: silver, black, or white table bases; 48"w x 24"d, 48"w x 30"d, 60"w x 24"d and 60"w x 30"d rectangle worksurfaces; all five TFL laminates. Quick ship worksurfaces will be pre-drilled to accommodate the VictoryLX 2-leg table base. For all other combinations, please call our Customer Service Department for the estimated lead time and cost.

Multiple worksurface shapes and laminates are available. See pages 53–57 or worksurface details including laminate colors.

Victory™LX 2-leg Disc Base



VictoryLX 2-leg Disc Base

Electric Height Adjustable Disc Foot Table Base

MODEL # 2VT-LX-C48Z-T30D- _ _ _

See key below for available finish options

Features

Designed to accomodate
P-Top and D-Top worksurfaces

Electric height adjustment

250 lb. base lifting capacity

1.4"/sec adjustment speed

26.0" height adjustment range
21.5"–47.5" (low/high)
(excluding worksurface)

Three stage adjustable legs

One 30" T-Foot, One 26" Diameter
Disc Foot

Frame and column connect and
lock for quick and easy assembly

Contact Fellowes Customer Service for
allowable worksurface dimensions

Soft start and stop

Gyro sensor anti-collision

Two motors

ADA compliant

8'9" power cord

Table base is UL962 listed

Meets or exceeds BIFMA x5.5 guidelines

Works with peds or storage with
18.5" max.height

Low standby power consumption

Steel frame and foot construction

Digital keypad with three
memory settings

Warranty: Lifetime



Available Finishes:

○ Silver – SLV

● Black – BLK

○ White – WHT

Height Adjustable Tables

Triumph™LX



Quick Assembly

Frame and column connect and lock for quick and efficient
assembly requiring minimal tools.

Gyro sensor Anti-Collision

The sensor provides superior safety and customizable
sensitivity settings.

Two Motors

Includes two motors allowing smooth height adjustment
while supporting a broad range of worksurface weights.

Cross Channels

With adjustable cross channels, the table base can adapt over time
with the changing technology and work gear needs of the user.

Quality Materials

Steel frame and foot construction offers outstanding stability.

Quality Testing

Meets or exceeds BIFMA x5.5 guidelines.

Triumph™LX



TriumphLX
Electric Height Adjustable Table Base

MODEL # 2T-LX-C36-24- _ _ _
MODEL # 2T-LX-C36-30- _ _ _
MODEL # 2T-LX-C48-24- _ _ _
MODEL # 2T-LX-C48-30- _ _ _
See key below for available finish options

Features

- Electric height adjustment
- 250 lb. base lifting capacity
- 1.4" / sec. adjustment speed
- 17" height adjustment range
26.5"-43.5" (low/high)
(excluding worksurface)
- Two stage adjustable legs
- C-Leg

Frame and column connect and lock
for quick and easy assembly

Adjustable width frame accommodates
worksurfaces 36"-72"

Digital keypad with three memory settings

Soft start and stop

Gyro sensor anti-collision

Table base is UL962 listed

Locking casters available

Warranty: Lifetime



Caster Kit

MODEL # CASTERKIT-LX-2LEG

Set of four casters for table base
Increases height by 2"
Locking casters for security

W

D

Rectangle

Available
Finishes:

- ☐ Silver – SLV
- ☒ Black – BLK
- ☐ White – WHT


Triumph™LX

Table Bases		Available Worksurfaces					
Table base Model	Worksurface Shape	Worksurface Dimension	TFL Standard		HPL Standard	HPL Premium	
			Quick Ship	Standard Ship	Standard Ship	Standard Ship	
2T-LX-C36-24- _ _ _	<div><div></div><div>W</div></div> <div><div>D</div><div>Rectangle</div></div>	36"w x 24"d	–	•	•	•	
		42"w x 24"d	–	•	•	•	
		48"w x 24"d	•	•	•	•	
2T-LX-C48-24- _ _ _		60"w x 24"d	•	•	•	•	
		72"w x 24"d	–	•	•	•	
		2T-LX-C36-30- _ _ _		36"w x 30"d	–	•	•
42"w x 30"d				–	•	•	•
48"w x 30"d				•	•	•	•
2T-LX-C48-30- _ _ _		60"w x 30"d	•	•	•	•	
		72"w x 30"d	–	•	•	•	

Worksurface Program

Multiple worksurface shapes and laminates are available. See pages 53–57 or worksurface details including pricing and laminate colors. TFL quick ship worksurfaces are shipped out in 48 hours. Contact Customer Service for current lead times for TFL standard and HPL standard/premium worksurfaces.

*Table bases and worksurfaces can be purchased independently or as a combination.
Fellowes worksurfaces are made to exact dimensions. If nominal sizing is needed, please specify when ordering.*



The base dimensions as shown are actual.

Triumph™LX Complete Table

Complete Quick Ship Table Model # Breakdown:

2T_-R4824-QS-T__

a b c d e f g h i

48" x 24" Quick Ship Complete Table

TriumphLX 2-leg table base with a 48"w x 24"d rectangle TFL worksurface

MODEL # 2T -R4824-QS-T

48" x 30" Quick Ship Complete Table

TriumphLX 2-leg table base with a 48"w x 30"d rectangle TFL worksurface

MODEL # 2T -R4830-QS-T

60" x 24" Quick Ship Complete Table

TriumphLX 2-leg table base with a 60"w x 24"d rectangle TFL worksurface

MODEL # 2T -R6024-QS-T

60" x 30" Quick Ship Complete Table

TriumphLX 2-leg table base with a 60"w x 30"d rectangle TFL worksurface

MODEL # 2T -R6030-QS-T

base finish notation laminate color notation

a: number of legs
b: type of table base
c: finish of base
d: worksurface shape
e: worksurface width
f: worksurface depth
g: quick ship indicator
h: laminate material
i: laminate color

Available Base Finishes

- Silver – S
- Black – B
- White – W

Available TFL Quick Ship Laminates

- Beigewood – BG
- Black – BK
- Designer White – DW
- Light Gray – GR
- NeoWalnut – NW

Complete Table UL Certification available. Please contact your Representative or Fellowes Customer Service for ordering information.

Triumph™LX Disc Base



TriumphLX Disc Base

Electric Height Adjustable Disc Foot Table Base

MODEL # 2T-LX-C48Z-T30D- _ _ _

See key below for available finish options

Features

Designed to accomodate P-Top worksurfaces

Electric height adjustment

250 lb. base lifting capacity

14"/sec. adjustment speed

17" height adjustment range
26.5"–43.5"(low/high)
(excluding worksurface)

Two stage adjustable legs

One 30" T-Foot, One 26" Diameter Disc Foot

Frame and column connect and lock for quick and easy assembly

Contact Fellowes Customer Service for allowable worksurface dimensions

Two motors

Digital keypad with three memory settings

Soft start and stop

Gyro sensor anti-collision

ADA compliant

8'9" power cord

Steel frame and foot construction

Works with peds or storage with 23.5" max. height

Low standby power consumption

Meets or exceeds BIFMA x5.5 guidelines

Warranty: Lifetime



Available Finishes:

- Silver – SLV
- Black – BLK
- White – WHT

Height Adjustable Tables

Trada™

Two Motors

Includes two motors allowing smooth height adjustment while supporting a broad range of worksurface weights.

Cross Channels

With adjustable cross channels, the table base can adapt over time with the changing technology and work gear needs of the user.

Quality Materials

Steel frame and foot construction offers outstanding stability.

Quality Testing

Meets or exceeds BIFMA x5.5 guidelines.

Trada™ 2-leg



Trada 2-leg

Electric Height Adjustable Table Base

Standard Keypad:

MODEL # 2TD-C48-24- _ _ _

MODEL # 2TD-C48-30- _ _ _

Digital 4-Memory Keypad:

MODEL # 2TDM-C48-24- _ _ _

MODEL # 2TDM-C48-30- _ _ _

See key below for available finish options

Features

Electric height adjustment

265 lb. base lifting capacity

1.5" / sec. adjustment speed

25.5" height adjustment range

24.5"–50" (*low/high*)

(*excluding worksurface*)

Anti-collision

Three stage adjustable legs

C-Leg

Adjustable width frame accommodates worksurfaces 48"–72"

Standard keypad with up and down buttons or digital 4-memory keypad available

Soft start and stop

Table base is UL962 listed

Low standby power consumption

Complete tables available (base and top)

Warranty: Lifetime



Schedule



Lifetime Warranty

Digital 4 Memory Keypad

MODEL # 2TDM-DGTLKPD

Digital Programmable Keypad with 4 memory settings

Includes up and down buttons, a digital read out, 4 memory presets and a programmable upper and lower limit

Sleep Mode to decrease power consumption

Caster Kit

MODEL # CASTERKIT-2TD

Set of four casters for table base

Increases height by 2"

Locking casters for security

Available Finishes:

○ Silver – SLV

● Black – BLK

○ White – WHT


Trada™ 2-leg

Table Bases		Available Workspaces				
Table Base Model	Workspace Shape	Workspace Dimension	TFL Standard		HPL Standard	HPL Standard
			Quick Ship	Standard Ship	Standard Ship	Standard Ship
2TD-C48-24-_-_- 2TDM-C48-24-_-_-	<div><div></div><div>D</div><div>W</div><div>Rectangle</div></div>	48"w x 24"d
		60"w x 24"d	—	.	.	.
		72"w x 24"d	—	.	.	.
		48"w x 30"d	—	.	.	.
		60"w x 30"d
		72"w x 30"d	—	.	.	.

Worksurface Program

Multiple worksurface shapes and laminates are available. See pages 53–57 or worksurface details including pricing and laminate colors. TFL quick ship worksurfaces are shipped out in 48 hours. Contact Customer Service for current lead times for TFL standard and HPL standard/premium worksurfaces.

Table bases and worksurfaces can be purchased independently or as a combination. Fellowes worksurfaces are made to exact dimensions. If nominal sizing is needed, please specify when ordering.



The base dimensions as shown are actual.

Trada™ Complete Table



Complete Quick Ship Table Model # Breakdown:

2TD_-R4824-QS-T_-

2TDM_-R4824-QS-T__

| | | | | | | | | |

a b c d e f g h i j

- b: type of table base
- c: 4-memory digital keypad
- a: number of legs
- d: finish of base
- e: worksurface shape
- f: worksurface width
- g: worksurface depth
- h: quick ship indicator
- i: laminate material (TFL)
- j: laminate

48" x 24" Quick Ship Complete Table

Trada table base with a 48" w x 24" d rectangle TFL worksurface with standard keypad

MODEL # 2TD-R4824-QS-T

Trada table base with a 48" w x 24" d rectangle TFL worksurface with digital keypad

MODEL # 2TDM-R4824-QS-T

48" x 30" Quick Ship Complete Table

Trada table base with a 48" w x 30" d
rectangle TFL worksurface with
standard keypad

MODEL # 2TD-R4830-QS-T

Trada table base with a 48" w x 30" d rectangle TFL worksurface with digital keypad

MODEL # 2TDM-R4830-QS-T =

■ base finish notation ■ laminate color notation

Trada Table

Quick ship complete table options include: silver, black, or white table bases; 48" w x 24" d, 48" w x 30" d, 60" w x 24" d and 60" w x 30" d rectangle worksurfaces; all five TFL laminates. For all other combinations, please call our Customer Service Department for the estimated lead time and cost.

Multiple worksurface shapes and laminates are available.

60" x 24" Quick Ship Comple

Trada table base with a 60" w x 24" d rectangle TFL worksurface with standard keypad

MODEL # 2TD-R6024-QS-T

Trada table base with a 60"w x 24"d
rectangle TFL worksurface with
digital keypad

MODEL # 2TDM-R6024-QS-T

60" x 30" Quick Ship Complete Table

Trada table base with a 60"w x 30"d rectangle TFL worksurface with standard keypad

MODEL # 2TD-R6030-QS-T

Trada table base with a 60"w x 30"d rectangle TFL worksurface with digital keypad

MODEL # 2TDM-R6030-QS-T

Available Base Finishes

- ☐ Silver – S
☒ Black – B
☐ White – W

Available TFL Quick Ship Laminates

-  Beigewood – BG
-  Black – BK
-  Designer White – DW
-  Light Gray – GR
-  NeoWalnut – NW

Trada™ 3-leg



Trada 3-leg

Electric Height Adjustable Table Base

Standard Keypad:

- 3TD-C4848-24- _ _ _
- 3TD-C4848-30- _ _ _

Digital 4-Memory Keypad:

- 3TDM-C4848-24- _ _ _
 - 3TDM-C4848-30- _ _ _
- See key below for available finish options

Features

- Electric height adjustment
- 397lb. base lifting capacity
- 1.5"/sec adjustment speed
- 25.5" height adjustment range
- 24.5"-50" (low/high) (excluding worksurface)
- Anti-collision safety feature
- Three stage adjustable legs
- C-leg
- Adjustable width frame accommodates worksurfaces 48"-72"
- Soft start and stop
- Locking casters available
- Three motors

- ADA compliant
- 9' power cord
- Table base is UL962 listed
- Meets or exceeds BIFMA x5.5 guidelines
- Works with peds or storage with 22" max. height
- Low standby power consumption
- Steel frame and foot construction
- Standard keypad with up and down buttons or digital 4-memory keypad available
- Complete tables available (base and top)
- Warranty: Lifetime



Digital 4 Memory Keypad

MODEL # 2TDM-DGTLKPD

Digital Programmable Keypad with 4 memory settings

Includes up and down buttons, a digital read out, 4 memory presets and a programmable upper and lower limit

Sleep Mode to decrease power consumption

Caster Kit

MODEL # CASTERKIT-2TD

Set of four casters for table base
Increases height by 2"
Locking casters for security

3TD-C4848-24- _ _ _ 3TDM-C4848-24- _ _ _	<div><div>WR</div><div>WL</div><div>D</div><div>D</div></div> Offset Corner Leftt	60"wr x 48"wl x 24"d	–	•	•	•
		72"wl x 48"wr x 24"d	–	•	•	•
		72"wl x 60"wr x 24"d	–	•	•	•
3TD-C4848-24- _ _ _ 3TDM-C4848-24- _ _ _		84"wl x 48"wr x 24"d	–	•	•	•
	<div><div>WR</div><div>WL</div><div>D</div><div>D</div></div> Offset Corner Leftt	84"wl x 60"wr x 24"d	–	–	•	•
		60"wl x 48"wr x 30"d	–	•	•	•
3TD-C4848-30- _ _ _ 3TDM-C4848-30- _ _ _		72"wl x 48"wr x 30"d	–	•	•	•
		72"wl x 60"wr x 30"d	–	•	•	•
	<div><div>WR</div><div>WL</div><div>D</div><div>D</div></div> Offset Corner Leftt	84"wl x 48"wr x 30"d	–	–	•	•
		84"wl x 60"wr x 30"d	–	–	•	•

	<div><div>WR</div><div>WL</div><div>D</div><div>D</div></div> Offset Corner Leftt	48"wl x 60"wr x 24"d	–	•	•	•
3TD-C4848-24- _ _ _ 3TDM-C4848-24- _ _ _		48"wl x 72"wr x 24"d	–	•	•	•
		60"wl x 72"wr x 24"d	–	•	•	•
3TD-C4848-24- _ _ _ 3TDM-C4848-24- _ _ _	<div><div>WR</div><div>WL</div><div>D</div><div>D</div></div> Offset Corner Right	48"wl x 84"wr x 24"d	–	•	•	•
		60"wl x 84"wr x 24"d	–	–	•	•
		48"wl x 60"wr x 30"d	–	•	•	•
		48"wl x 72"wr x 30"d	–	•	•	•
3TD-C4848-30- _ _ _ 3TDM-C4848-30- _ _ _	<div><div>WR</div><div>WL</div><div>D</div><div>D</div></div> Offset Corner Right	48"wl x 84"wr x 30"d	–	•	•	•
		60"wl x 72"wr x 30"d	–	–	•	•
		60"wl x 84"wr x 30"d	–	–	•	•

Trada™ 3-leg

Table Bases		Available Worksurfaces				
Table base Model	Worksurface Shape	Worksurface Dimension	TFL Standard	HPL Standard	HPL Premium	
			Quick Ship	Standard Ship	Standard Ship	Standard Ship
3TD-C4848-24- _ _ _ 3TDM-C4848-24- _ _ _	<div><div>WR</div><div>WL</div><div>D</div><div>D</div></div>	60"wr x 48"wl x 24"d	–	•	•	•
		72"wl x 48"wr x 24"d	–	•	•	•
		72"wl x 60"wr x 24"d	–	•	•	•
		84"wl x 48"wr x 24"d	–	•	•	•
3TD-C4848-24- _ _ _ 3TDM-C4848-24- _ _ _	<div><div>WR</div><div>WL</div><div>D</div><div>D</div></div>	84"wl x 60"wr x 24"d	–	–	•	•
		60"wl x 48"wr x 30"d	–	•	•	•
		72"wl x 48"wr x 30"d	–	•	•	•
		72"wl x 60"wr x 30"d	–	•	•	•
3TD-C4848-30- _ _ _ 3TDM-C4848-30- _ _ _	<div><div>WR</div><div>WL</div><div>D</div><div>D</div></div>	84"wl x 48"wr x 30"d	–	–	•	•
		84"wl x 60"wr x 30"d	–	–	•	•
3TD-C4848-24- _ _ _ 3TDM-C4848-24- _ _ _	<div><div>WR</div><div>WL</div><div>D</div><div>D</div></div>	48"wl x 60"wr x 24"d	–	•	•	•
		48"wl x 72"wr x 24"d	–	•	•	•
		60"wl x 72"wr x 24"d	–	•	•	•
3TD-C4848-24- _ _ _ 3TDM-C4848-24- _ _ _	<div><div>WR</div><div>WL</div><div>D</div><div>D</div></div>	48"wl x 84"wr x 24"d	–	•	•	•
		60"wl x 84"wr x 24"d	–	–	•	•
		48"wl x 60"wr x 30"d	–	•	•	•
		48"wl x 72"wr x 30"d	–	•	•	•
3TD-C4848-30- _ _ _ 3TDM-C4848-30- _ _ _	<div><div>WR</div><div>WL</div><div>D</div><div>D</div></div>	48"wl x 84"wr x 30"d	–	•	•	•
		60"wl x 72"wr x 30"d	–	–	•	•
		60"wl x 84"wr x 30"d	–	–	•	•

Worksurface Program

Multiple worksurface shapes and laminates are available. See pages 53–57 or worksurface details including pricing and laminate colors. TFL quick ship worksurfaces are shipped out in 48 hours. Contact Customer Service for current lead times for TFL standard and HPL standard/premium worksurfaces.



Table bases and worksurfaces can be purchased independently or as a combination. Fellowes worksurfaces are made to exact dimensions. If nominal sizing is needed, please specify when ordering.

Available Finishes:

- ☐ Silver – SLV
- ☒ Black – BLK
- ☐ White – WHT

The base dimensions as shown are actual.


Trada™ 3-leg

Table Bases		Available Worksurfaces				
Table base Model	Worksurface Shape	Worksurface Dimension	TFL Standard	HPL Standard	HPL Premium	
			Quick Ship	Standard Ship	Standard Ship	Standard Ship
3TD-C4848-24-_-_- 3TDM-C4848-24-_-_-		60"wl x 60"wr x 24"d	–	•	•	•
		72"wl x 72"wr x 24"d	–	•	•	•
3TD-C4848-30-_-_- 3TDM-C4848-30-_-_-		60"wl x 60"wr x 30"d	–	•	•	•
		72"wl x 72"wr x 30"d	–	•	•	•

Worksurface Program

Multiple worksurface shapes and laminates are available. See pages 53–57 or worksurface details including pricing and laminate colors. TFL quick ship worksurfaces are shipped out in 48 hours. Contact Customer Service for current lead times for TFL standard and HPL standard/premium worksurfaces.

Table bases and worksurfaces can be purchased independently or as a combination. Fellowes worksurfaces are made to exact dimensions. If nominal sizing is needed, please specify when ordering.



Height Adjustable Tables

Levado™





Wire Management Tray

Levado

Electric Height Adjustable Table Base

MODEL # 2LV-PLT

Features

- Electric height adjustment
- 220lb. base lifting capacity
- 1.4"/sec adjustment speed
- 24" height adjustment range
- 24.5"–48.5" (low/high) (excluding worksurface)
- Three stage adjustable legs
- Ships complete in the box with no frame assembly
- C-leg
- Foot depth is 27.5" (patented design)

Patent Pending SwiftLock™ – foldable legs that lock in place

Adjustable width frame supports worksurfaces 24–30" deep and 48"–72" wide


9' power cord

4 program digital read out intuitive Feather Lift™ control paddle

- Anti-collision safety feature
- Soft start and stop
- Wire management tray included
- Steel construction
- Low standby power consumption
- Table base is UL962 listed
- Two motors
- ADA compliant
- Complete tables available (base and top)
- Warranty: Lifetime




- Available Finishes:
- Platinum – PLT

Table Bases		Available Worksurfaces				
Table base Model	Worksurface Shape	Worksurface Dimension	TFL Standard		HPL Standard	HPL Premium
			Quick Ship	Standard Ship	Standard Ship	Standard Ship
2LV-PLT	 D W Rectangle	48"w x 24"d	•	•	•	•
		60"w x 24"d	•	•	•	•
		72"w x 24"d	-	•	•	•
		36"w x 30"d	-	•	•	•
		42"w x 30"d	-	•	•	•
		48"w x 30"d	•	•	•	•
		60"w x 30"d	•	•	•	•
		72"w x 30"d	-	•	•	•

Worksurface Program

Multiple worksurface shapes and laminates are available. See pages 53–57 or worksurface details including pricing and laminate colors. TFL quick ship worksurfaces are shipped out in 48 hours. Contact Customer Service for current lead times for TFL standard and HPL standard/premium worksurfaces.

Table bases and worksurfaces can be purchased independently or as a combination. Fellowes worksurfaces are made to exact dimensions. If nominal sizing is needed, please specify when ordering.



Levado™ Complete Table

Complete Quick Ship Table Model # Breakdown:

2LP-R4824-QS-T--
| | | | | | | | |
a b c d e f g h i

- a: number of legs
- b: type of table base
- c: finish of base
- d: worksurface shape
- e: worksurface width
- f: worksurface depth
- g: quick ship indicator
- h: laminate material
- i: laminate color

48" x 24" Quick Ship Complete Table

Levado 2-leg table base with a 48" w x 24" d rectangle TFL worksurface

MODEL # 2L-R4824-QS-T

48" x 30" Quick Ship Complete Table

Levado 2-leg table base with a 48" w x 30" d rectangle TFL worksurface

MODEL # 2L-R4830-QS-T

60" x 24" Quick Ship Complete Table

Levado 2-leg table base with a 60" w x 24" d rectangle TFL worksurface

MODEL # 2L-R6024-QS-T

60" x 30" Quick Ship Complete Table

Levado 2-leg table base with a 60" w x 30" d rectangle TFL worksurface

MODEL # 2L-R6030-QS-T

base finish notation laminate color notation

Available Base Finishes

Platinum – P

Available TFL Quick Ship Laminates

Beigewood – BG

Black – BK

Designer White – DW

Light Gray – GR

NeoWalnut – NW

Levado 2-Leg Table

Quick ship complete table options include: platinum table bases; 48" w x 24" d, 48" w x 30" d, 60" w x 24" d and 60" w x 30" d rectangle worksurfaces; all five TFL laminates. For all other combinations, please call our Customer Service Department for the estimated lead time and cost.

Multiple worksurface shapes and laminates are available.

Height Adjustable Tables

Rejuve™





Rejuve

Electric Height Adjustable Table Bases

2–stage:

- MODEL # REJ-2S-C3624- _ _ _
- MODEL # REJ-2S-C3630- _ _ _
- MODEL # REJ-2S-C4824- _ _ _
- MODEL # REJ-2S-C4830- _ _ _

3–stage:

- MODEL # REJ-3S-C3624- _ _ _
- MODEL # REJ-3S-C3630- _ _ _
- MODEL # REJ-3S-C4824- _ _ _
- MODEL # REJ-3S-C4830- _ _ _

See key below for available finish options

Features

- Electric height adjustment
- 220lb. base lifting capacity
- 1.4"/sec. adjustment speed
- Height adjustment range
 - Two-Stage: 17": 26.5"–43.5" (*low/high*)
 - Three-Stage: 26": 21.5"–47.5" (*low/high*) (*excluding worksurface*)
- C-leg
- Adjustable width frame accommodates worksurfaces 36"–72"
- Two motors
- Digital keypad with two memory settings
- Soft start and stop

- Gyro sensor anti-collision
- ADA compliant
- 8'9" power cord
- Steel frame and foot construction
- Works with peds or storage with 23.5" max. height
- Low standby power consumption
- Meets or exceeds BIFMA x5.5 guidelines
- Complete tables available (*base and top*)
- Warranty: Lifetime



Lifetime Warranty

Available Finishes:

- ☐ Platinum – PLT
- ☒ Black – BLK
- ☐ White – WHT


Table Bases			Available Worksurfaces			
Table Base Model	Worksurface Shape	Worksurface Dimension	TFL Standard		HPL Standard	HPL Premium
			Quick Ship	Standard Ship	Standard Ship	Standard Ship
REJ-2S-C3624_ _ _ or REJ-3S-C3624_ _ _	<div><div></div><div>W</div><div>D</div><div>Rectangle</div></div>	36"w x 24"d	—	•	•	•
		42"w x 24"d	—	•	•	•
		48"w x 24"d	•	•	•	•
REJ-2S-C48-24_ _ _ or REJ-3S-C48-24_ _ _		60"w x 24"d	•	•	•	•
72"w x24"d		—	•	•	•	
REJ-2S-C36-30_ _ _ or REJ-3S-C36-30_ _ _		36"w x 30"d	—	•	•	•
42"w x 30"d		—	•	•	•	
48"w x 30"d	•	•	•	•		
REJ-2S-48-30_ _ _ or REJ-3S-48-30_ _ _	60"w x 30"d	•	•	•	•	
72"w x 30"d	—	•	•	•		



Worksurface Program

Multiple worksurface shapes and laminates are available. See pages 53–57 or worksurface details including pricing and laminate colors. TFL quick ship worksurfaces are shipped out in 48 hours. Contact Customer Service for current lead times for TFL standard and HPL standard/premium worksurfaces.

Table bases and worksurfaces can be purchased independently or as a combination. Fellowes worksurfaces are made to exact dimensions. If nominal sizing is needed, please specify when ordering.

REJ-2S-C3624





Complete Quick Ship Table Model # Breakdown:

2R__-R4824-QS-T__

a b c d e f g h i

a: number of legs
b: type of table base
c: finish of base
d: worksurface shape
e: worksurface width
f: worksurface depth
g: quick ship indicator
h: laminate material
i: laminate color

48" x 24" Quick Ship Complete Table

Rejuve 2 or 3-Stage Table Base with a 48"w x 24"d rectangle TFL worksurface

MODEL # 2R__-R4824-QS-T__

48" x 30" Quick Ship Complete Table

Rejuve 2 or 3-Stage Table Base with a 48"w x 30"d rectangle TFL worksurface

MODEL # 2R__-R4830-QS-T__

60" x 24" Quick Ship Complete Table

Rejuve 2 or 3-Stage Table Base with a 60"w x 24"d rectangle TFL worksurface

MODEL # 2R__-R6024-QS-T__

60" x 30" Quick Ship Complete Table

Rejuve 2 or 3-Stage Table Base with a 60"w x 30"d rectangle TFL worksurface

MODEL # 2R__-R6030-QS-T__

base finish notation laminate color notation

Available Base Types

R2 – 2-stage Base

R3 – 3-stage Base

Available Base Finishes

Platinum – P

Black – B

Designer White – W

Available TFL Quick Ship Laminates

Beigewood – BG

Black – BK

Designer White – DW

Light Gray – GR

NeoWalnut – NW

Rejuve Table

Quick ship complete table options include: silver, black, or white table bases; 48"w x 24"d, 48"w x 30"d, 60"w x 24"d and 60"w x 30"d rectangle worksurfaces; all five TFL laminates.

For all other combinations, please call our Customer Service Department for the estimated lead time and cost.

Multiple worksurface shapes and laminates are available.

Height Adjustable Tables

Weight Adjustable
Espree™

The Weight Adjustable Espree includes a gauge that supports a broad range of worksurface weights for easy height adjustment. This allows the table to adapt over time with the changing technology and work tool needs of the user.



Weight Adjustable Espree™



Weight Adjustable Espree

Pneumatic Height Adjustable Table Base

MODEL # 2ESP-WA-C48- _ _ _

MODEL # 2ESP-WA-C60- _ _ _

See key below for available finish options

Features

- Pneumatic height adjustment
- 44 lb.-143 lb. base lifting capacity (2ESP-WA-C48)
- 52 lb.-163 lb. base lifting capacity (2ESP-WA-C60)
- 19.5" height adjustment range
- 26.3"–45.8" (low/high) (excluding worksurface)
- Three stage adjustable legs
- C-Leg
- Foot is adjustable to 22" or 28" (patented design)
- Fixed width frame
- Weight adjustable with adjustment gauge
- Includes adjustment tools
- Locking casters available
- Warranty: Lifetime




Caster Kit

MODEL # CASTERKIT-ESP-WA

Set of four casters for table base
Increases height by 2"
Locking casters for security

Available
Finishes:



- Silver – SLV
- Black – BLK
- White – WHT

Table Bases		Available Worksurfaces					
Table Base Model	Worksurface Shape	Worksurface Dimension	TFL Standard		HPL Standard	HPL Standard	
			Quick Ship	Standard Ship	Standard Ship	Standard Ship	
2ESP-WA-C48- _ _ _		48"w x 24"d	
		48"w x 30"d	
2ESP-WA-C60- _ _ _		60"w x 24"d	
		60"w x 30"d	


Worksurface Program

Multiple worksurface shapes and laminates are available. See pages 53–57 or worksurface details including pricing and laminate colors. TFL quick ship worksurfaces are shipped out in 48 hours. Contact Customer Service for current lead times for TFL standard and HPL standard/premium worksurfaces.

Table bases and worksurfaces can be purchased independently or as a combination.
Fellowes worksurfaces are made to exact dimensions. If nominal sizing is needed, please specify when ordering.



The base dimensions as shown are actual.



Weight resistance gauge is easily adjustable according to the weight of the worksurface.

Complete Quick Ship Table Model # Breakdown:

2ESPWA _ -R4824-QS-T _ _
| | | | | | | | |
a b c d e f g h i

- a: number of legs
- b: type of table base
- c: finish of base
- d: worksurface shape
- e: worksurface width
- f: worksurface depth
- g: quick ship indicator
- h: laminate material (TFL)
- i: laminate color

48" x 24" Quick Ship Complete Table

Weight Adjustable Espree 2-leg table base with a 48"w x 24"d rectangle TFL worksurface

MODEL # 2ESPWA -R4824-QS-T 

48" x 30" Quick Ship Complete Table

Weight Adjustable Espree 2-leg table base with a 48"w x 30"d rectangle TFL worksurface

MODEL # 2ESPWA -R4830-QS-T 

60" x 24" Quick Ship Complete Table

Weight Adjustable Espree 2-leg table base with a 60"w x 24"d rectangle TFL worksurface

MODEL # 2ESPWA -R6024-QS-T 




60" x 30" Quick Ship Complete Table

Weight Adjustable Espree 2-leg table base with a 60"w x 30"d rectangle TFL worksurface


MODEL # 2ESPWA -R6030-QS-T 

 base finish notation  laminate color notation

Available Base Finishes

-  Silver – S
-  Black – B
-  White – W

Available TFL Quick Ship Laminates

-  Beigewood – BG
-  Black – BK
-  Designer White – DW
-  Light Gray – GR
-  NeoWalnut – NW

Weight Adjustable Espree Table

Quick ship complete table options include: silver, black or white table base; 48"w x 24"d, 48"w x 30"d, 60"w x 24"d and 60"w x 30"d rectangle worksurfaces; all five TFL laminates. For all other combinations, please call our Customer Service Department for the estimated lead time and cost.

Multiple worksurface shapes and laminates are available. See pages 53–57 or worksurface details including laminate colors.

Height Adjustable Tables

Q Crank



Environmentally friendly

With no power needed, it is both environmentally friendly and easy to retrofit any space with power limitations.

Hand crank

Fold the hand crank under the worksurface when not in use.5.5 guidelines.

Q Crank



Q Crank

Crank Height Adjustable Table Base

- MODEL # QCRANK-24S-SLV
- MODEL # QCRANK-24L-SLV
- MODEL # QCRANK-30S-SLV
- MODEL # QCRANK-30L-SLV

Features

- Crank height adjustment
- 220 lb. base lifting capacity
- 1" per two cranks adjustment speed
- 17.5" height adjustment range
- 24.8"-42.3" (low/high) (excluding worksurface)
- Two stage adjustable legs
- C-Leg
- Adjustable width frame accommodates worksurfaces 36"-72"
- Locking casters available
- Warranty: Lifetime



Lifetime Warranty


Caster Kit

- MODEL # CASTERKIT-QCRANK
- Set of four casters for table base
- Increases height by 2"
- Locking casters for security

Available Finishes:

- Silver – SLV


Q Crank

Table Bases		Available Worksurfaces				
Table Base Model	Worksurface Shape	Worksurface Dimension	TFL Standard		HPL Standard	HPL Premium
			Quick Ship	Standard Ship	Standard Ship	Standard Ship
QCRANK-24S-SLV	 D W Rectangle	36" w x 24" d	–	•	•	•
		42" w x 24" d	–	•	•	•
		48" w x 24" d	•	•	•	•
QCRANK-24L-SLV		60" w x 24" d	•	•	•	•
		72" w x 24" d	–	•	•	•
QCRANK-30S-SLV		36" w x 30" d	–	•	•	•
		42" w x 30" d	–	•	•	•
		48" w x 30" d	•	•	•	•
QCRANK-30L-SLV		60" w x 30" d	•	•	•	•
		72" w x 30" d	–	•	•	•

Worksurface Program

Multiple worksurface shapes and laminates are available. See pages 53–57 or worksurface details including pricing and laminate colors. TFL quick ship worksurfaces are shipped out in 48 hours. Contact Customer Service for current lead times for TFL standard and HPL standard/premium worksurfaces.

Table bases and worksurfaces can be purchased independently or as a combination. Fellowes worksurfaces are made to exact dimensions. If nominal sizing is needed, please specify when ordering.



The base dimensions as shown are actual.

Q Crank Complete Table

Complete Quick Ship Table Model # Breakdown:

2QCS-R4824-QS-T__

a b c d e f g h i

- a: number of legs
- b: type of table base
- c: finish of base
- d: worksurface shape
- e: worksurface width
- f: worksurface depth
- g: quick ship indicator
- h: laminate material
- i: laminate color

48" x 24" Quick Ship Complete Table

Q Crank 2-leg table base with a 48"w x 24"d rectangle TFL worksurface

MODEL # 2QCS-C4824-QS-T

48" x 30" Quick Ship Complete Table

Q Crank 2-leg table base with a 48"w x 30"d rectangle TFL worksurface

MODEL # 2QCS-R4830-QS-T

60" x 24" Quick Ship Complete Table

Q Crank 2-leg table base with a 60"w x 24"d rectangle TFL worksurface

MODEL # 2QCS-R6024-QS-T

60" x 30" Quick Ship Complete Table

Q Crank 2-leg table base with a 60"w x 30"d rectangle TFL worksurface

MODEL # 2QCS-R6030-QS-T

laminate color notation

Q Crank Table

Quick ship complete table options include: silver table bases; 48"w x 24"d, 48"w x 30"d, 60"w x 24"d and 60"w x 30"d rectangle worksurfaces; all five TFL laminates. For all other combinations, please call our Customer Service Department for the estimated lead time and cost.

Multiple worksurface shapes and laminates are available. See pages 53–57 or worksurface details including laminate colors.

Available Base Finishes

Silver – S

Available TFL Quick Ship Laminates

- Beigewood – BG
- Black – BK
- Designer White – DW
- Light Gray – GR
- NeoWalnut – NW

Worksurfaces

Worksurfaces Overview

How to order:

Worksurfaces have multiple model numbers based on worksurface dimensions.

Fellowes offers Thermally Fused Laminate (TFL) in 5 colors for both quick ship and standard worksurfaces. Additionally we offer High Pressure Laminate (HPL) in 9 standard colors and 10 premium colors.

Use the worksurface two letter color code to complete your model number.

Worksurface part number breakdown:

2R4824-TFL-DW

a b c d e

- a: worksurface shape
- b: worksurface width
- c: worksurface depth
- d: laminate material
- e: laminate color

*This product number represents:
Rectangle shape 48.0" wide and 24.0" deep
TFL standard Designer White laminate*

General information:

Worksurfaces

Worksurfaces can be sold separately or in combination with a table base.

Warranty: Lifetime 

Sizing

Fellowes worksurfaces are made to exact dimensions. If nominal sizing is needed, please specify when ordering. TFL worksurfaces are 1.0" thick. HPL worksurfaces are 1.125" thick.

*Lead times

For standard colors and sizes the leads times are as follows. Lead time may vary depending on quantities ordered and their availability. For custom sizes and laminates please see below:

TFL quick ship: 48 hours

TFL standard: Contact Customer Service for current lead times

HPL standard: Contact Customer Service for current lead times

HPL premium: Contact Customer Service for current lead times

Custom options

For more information on alternative worksurface shapes, thicknesses, edge detail, laminate options, and pre-drilling, contact our Customer Service Department. Extended lead times and upcharges will apply on all custom requests. Orders with custom laminates or custom edge detailing will both require a standard solid edge banding.


Worksurface pre-drilled holes

For your convenience, all quick ship worksurfaces will be pre-drilled to accommodate the Victory-LX 2-leg and the Triumph-LX table bases. Pre-drilling for any other height adjustable table base series will require extended lead time and an additional cost.

**Fellowes worksurfaces are designed to work with Fellowes height adjustable table bases. If a different application is going to be used, please contact customer service for more details.*

Edge detail

Worksurfaces ship with standard square edge profile and coordinating 3mm edge band with a 3mm top radius. Alternative edge detail options are available at additional cost.



Laminate materials

Worksurfaces are available in select Wilsonart®, Formica, and Panolam laminate options. Fellowes worksurfaces are either Thermally Fused Laminates, High Pressure Laminates or Premium High Pressure Laminates. Please indicate laminate color choice Zby adding the 2-letter code at the end of the worksurface model number.

Thermally fused laminates (TFL)

Quick-ship and standard worksurfaces consist of a single printed decor paper fused directly by heat and pressure to the core material of MDF or particle board. TFL benefits: cost efficient, consistent and uniform, water resistant, scratch resistant.

High pressure laminates (HPL)


Standard and premium worksurfaces consist of a melamine treated printed decor paper fused to multiple sheets of kraft paper. Heat and pressure bond all the sheets together creating a flexible and durable piece of plastic type material which is then adhered to MDF or particle board.

Standard HPL benefits: durable, versatile, stylish, heat resistant, water resistant, scratch resistant, impact resistant, hygienic qualities.

Premium HPL benefits: Same as standard HPL, plus enhanced performance to durability and scratch resistance.

Woodgrain pattern direction:

Please see the diagrams for the direction of the woodgrain pattern on each worksurface shape.



All register marks are property of their respective owners.


TFL Quick Ship Worksurfaces

TFL quick ship worksurfaces ship within 48 hours and are available in five colors. Please see page 57 for the laminate options that are available.


TFL standard worksurfaces

TFL standard worksurfaces are available in five colors. Please see pages 142–143 for the laminate options that are available.


Worksurface Pricing:

Rectangle		
	Surface model	Dimensions
	2R3624-TFL- _ _	36"w x 24"d
	2R4224-TFL- _ _	42"w x 24"d
	2R4824-TFL- _ _	48"w x 24"d
	2R6024-TFL- _ _	60"w x 24"d
	2R7224-TFL- _ _	72"w x 24"d
	2R3630-TFL- _ _	36"w x 30"d
	2R4230-TFL- _ _	42"w x 30"d
	2R4830-TFL- _ _	48"w x 30"d
	2R6030-TFL- _ _	60"w x 30"d
	2R7230-TFL- _ _	72"w x 30"d


120 degree




Equal corner




Offset corner left




Offset corner right




Worksurface Pricing:

Rectangle		
	Surface model	Dimensions
	2R4824-QS-TFL- _ _	48" w x 24"d
	2R4830-QS-TFL- _ _	48" w x 60"d
	2R6024-QS-TFL- _ _	60"w x 24"d
	2R6030-QS-TFL- _ _	60"w x 30"d

Peninsula Right



Peninsula Left




Surface model	Dimensions
2PR723630-TFL- _ _	72"w x 30"d x 36"r

Surface model	Dimensions
2PL723630-TFL- _ _	72"w x 30"d x 36"r


HPL Standard Worksurfaces

HPL standard worksurfaces available in nine colors. Please see page 57 for the laminate options that are available.


Worksurface Pricing:

Rectangle		
	Surface model	Dimensions
	2R3624-HPL- _ _	36"w x 24"d
	2R4224-HPL- _ _	42"w x 24"d
	2R4824-HPL- _ _	48"w x 24"d
	2R6024-HPL- _ _	60"w x 24"d
	2R7224-HPL- _ _	72"w x 24"d
	2R3630-HPL- _ _	36"w x 30"d
	2R4230-HPL- _ _	42"w x 30"d
	2R4830-HPL- _ _	48"w x 30"d
	2R6030-HPL- _ _	60"w x 30"d
	2R7230-HPL- _ _	72"w x 30"d


120 degree




Equal corner



Offset corner left



Offset corner right



Surface model	Dimensions
2R3624-HPL- _ _	36"w x 24"d
2R4224-HPL- _ _	42"w x 24"d
2R4824-HPL- _ _	48"w x 24"d
2R6024-HPL- _ _	60"w x 24"d
2R7224-HPL- _ _	72"w x 24"d
2R3630-HPL- _ _	36"w x 30"d
2R4230-HPL- _ _	42"w x 30"d
2R4830-HPL- _ _	48"w x 30"d
2R6030-HPL- _ _	60"w x 30"d
2R7230-HPL- _ _	72"w x 30"d


Surface model	Dimensions
120-4824-HPL- _ _	48"w x 24"d
120-6024-HPL- _ _	60"w x 24"d
120-7224-HPL- _ _	72"w x 24"d
120-4830-HPL- _ _	48"w x 30"d
120-6030-HPL- _ _	60"w x 30"d
120-7230-HPL- _ _	72"w x 30"d

Surface model	Dimensions
3EC606024-HPL- _ _	60"wl x 60"wr x 24"d
3EC606030-HPL- _ _	60"wl x 60"wr x 30"d
3EC727224-HPL- _ _	72"wl x 72"wr x 24"d
3EC727230-HPL- _ _	72"wl x 72"wr x 30"d


Surface model	Dimensions
3OCL604824-HPL- _ _	60"wl x 48"wr x 24"d
3OCL724824-HPL- _ _	72"wl x 48"wr x 24"d
3OCL844824-HPL- _ _	84"wl x 48"wr x 24"d
3OCL726024-HPL- _ _	72"wl x 60"wr x 24"d
3OCL846024-HPL- _ _	84"wl x 60"wr x 24"d
3OCL604830-HPL- _ _	60"wl x 48"wr x 30"d
3OCL724830-HPL- _ _	72"wl x 48"wr x 30"d
3OCL844830-HPL- _ _	84"wl x 48"wr x 30"d
3OCL726030-HPL- _ _	72"wl x 60"wr x 30"d
3OCL846030-HPL- _ _	84"wl x 60"wr x 30"d

Surface model	Dimensions
3OCR486024-HPL- _ _	48"wl x 60"wr x 24"d
3OCR487224-HPL- _ _	48"wl x 72"wr x 24"d
3OCR488424-HPL- _ _	48"wl x 84"wr x 24"d
3OCR607224-HPL- _ _	60"wl x 72"wr x 24"d
3OCR608424-HPL- _ _	60"wl x 84"wr x 24"d
3OCR486030-HPL- _ _	48"wl x 60"wr x 30"d
3OCR487230-HPL- _ _	48"wl x 72"wr x 30"d
3OCR488430-HPL- _ _	48"wl x 84"wr x 30"d
3OCR607230-HPL- _ _	60"wl x 72"wr x 30"d
3OCR608430-HPL- _ _	60"wl x 84"wr x 30"d

Peninsula Right



Peninsula Left



Surface model	Dimensions
2PR723630-HPL- _ _	72"w x 30"d x 36"r

Surface model	Dimensions
2PL723630-HPL- _ _	72"w x 30"d x 36"r

HPL Premium Worksurfaces



HPL premium worksurfaces are available in ten colors.
Please see page 57 for the laminate options that are available.


Worksurface Pricing

Rectangle




Surface model	Dimensions
2R3624-PHPL-_-_-	36"w x 24"d
2R4224-PHPL-_-_-	42"w x 24"d
2R4824-PHPL-_-_-	48"w x 24"d
2R6024-PHPL-_-_-	60"w x 24"d
2R7224-PHPL-_-_-	72"w x 24"d
2R3630-PHPL-_-_-	36"w x 30"d
2R4230-PHPL-_-_-	42"w x 30"d
2R4830-PHPL-_-_-	48"w x 30"d
2R6030-PHPL-_-_-	60"w x 30"d
2R7230-PHPL-_-_-	72"w x 30"d

120 degree




Surface model	Dimensions
120-4824-PHPL-_-_-	48"w x 24"d
120-6024-PHPL-_-_-	60"w x 24"d
120-7224-PHPL-_-_-	72"w x 24"d
120-4830-PHPL-_-_-	48"w x 30"d
120-6030-PHPL-_-_-	60"w x 30"d
120-7230-PHPL-_-_-	72"w x 30"d

Equal corner




Surface model	Dimensions
3EC606024-PHPL-_-_-	60"wl x 60"wr x 24"d
3EC606030-PHPL-_-_-	60"wl x 60"wr x 30"d
3EC727224-PHPL-_-_-	72"wl x 72"wr x 24"d
3EC727230-PHPL-_-_-	72"wl x 72"wr x 30"d

Offset corner left



Surface model	Dimensions
3OCL604824-PHPL-_-_-	60"wl x 48"wr x 24"d
3OCL724824-PHPL-_-_-	72"wl x 48"wr x 24"d
3OCL844824-PHPL-_-_-	84"wl x 48"wr x 24"d
3OCL726024-PHPL-_-_-	72"wl x 60"wr x 24"d
3OCL846024-PHPL-_-_-	84"wl x 60"wr x 24"d
3OCL604830-PHPL-_-_-	60"wl x 48"wr x 30"d
3OCL724830-PHPL-_-_-	72"wl x 48"wr x 30"d
3OCL844830-PHPL-_-_-	84"wl x 48"wr x 30"d
3OCL726030-PHPL-_-_-	72"wl x 60"wr x 30"d
3OCL846030-PHPL-_-_-	84"wl x 60"wr x 30"d


Offset corner right



Surface model	Dimensions
3OCR486024-PHPL-_-_-	48"wl x 60"wr x 24"d
3OCR487224-PHPL-_-_-	48"wl x 72"wr x 24"d
3OCR488424-PHPL-_-_-	48"wl x 84"wr x 24"d
3OCR607224-PHPL-_-_-	60"wl x 72"wr x 24"d
3OCR608424-PHPL-_-_-	60"wl x 84"wr x 24"d
3OCR486030-PHPL-_-_-	48"wl x 60"wr x 30"d
3OCR487230-PHPL-_-_-	48"wl x 72"wr x 30"d
3OCR488430-PHPL-_-_-	48"wl x 84"wr x 30"d
3OCR607230-PHPL-_-_-	60"wl x 72"wr x 30"d
3OCR608430-PHPL-_-_-	60"wl x 84"wr x 30"d


Table bases and worksurfaces can be purchased independently or as a combination.
Fellowes worksurfaces are made to exact dimensions. If nominal sizing is needed,
please specify when ordering.

Peninsula Right



Surface model	Dimensions
2PR723630-PHPL-_-_-	72"w x 30"d x 36"r

Peninsula Left



Surface model	Dimensions
2PL723630-PHPL-_-_-	72"w x 30"d x 36"r

Laminates

TFL options: Available for TFL standard worksurfaces and for 48 hour quick ship

Woodgrains




Color code: **BG**
Color name: Beigewood
Finish: Matte
Manufacturer: Wilsonart
Wilsonart Part #: 7850-60




Color code: **NW**
Color name: NeoWalnut
Finish: Softgrain
Manufacturer: Wilsonart
Wilsonart Part #: 7991K-12

Solids



Color code: **DW**
Color name: Designer White
Finish: Matte
Manufacturer: Wilsonart
Wilsonart Part #: D354-60



Color code: **GR**
Color name: Light Gray
Finish: Matte
Manufacturer: Wilsonart
Wilsonart Part #: 1500-60



Color code: **BK**
Color name: Black
Finish: Matte
Manufacturer: Wilsonart
Wilspontart Part #:1595-60

HPL standard options: Available for HPL standard worksurfaces


Woodgrains



Color code: **BG**
Color name: Beigewood
Finish: Matte
Manufacturer: Wilsonart
Wilsonart Part #: 7850-60



Color code: **FC**
Color name: Fawn Cypress
Finish: Casual Rustic
Manufacturer: Wilsonart
Wilsonart Part #: 8208K-16



Color code: **BZ**
Color name: Brazilwood
Finish: Fine velvet
Manufacturer: Wilsonart
Wilsonart Part #: 7946-38



Color code: **NW**
Color name: NeoWalnut
Finish: Softgrain
Manufacturer: Wilsonart
Wilsonart Part #: 7991K-12




Color code: **CO**
Color name: Coronado Oak
Finish: Gloss Line
Manufacturer: Wilsonart
Wilsonart Part #: 8244K-28



Color code: **PO**
Color name: Pasadena Oak
Finish: Fine Velvet
Manufacturer: Wilsonart
Wilsonart Part #: 7986-38


Solids



Color code: **DW**
Color name: Designer White
Finish: Matte
Manufacturer: Wilsonart
Wilsonart Part #: D354-60



Color code: **GR**
Color name: Light Gray
Finish: Matte
Manufacturer: Wilsonart
Wilsonart Part #: 1500-60



Color code: **BK**
Color name: Black
Finish: Matte
Manufacturer: Wilsonart
Wilsonart Part #: 1595-60



Color code: **FM**
Color name: Fusion Maple
Finish: Matte
Manufacturer: Wilsonart
Wilsonart Part #: 7909-60

HPL premium options: Available for HPL premium worksurfaces

Woodgrains



Color code: **PP**
Color name: Phantom Pearl
Finish: Gloss line finish with Aeon
Manufacturer: Wilsonart
Wilsonart Part #: 8211K-28




Color code: **SA**
Color name: Italian Silver Ash
Finish: Casual Rustic
Manufacturer: Wilsonart
Wilsonart Part #: 8217K-16




Color code: **DT**
Color name: Daintree
Finish: Timbergrain finish with Aeon
Manufacturer: Wilsonart
Wilsonart Part #: 8235K-05



Color code: **PE**
Color name: Phantom Ecru
Finish: Gloss line finish with Aeon
Manufacturer: Wilsonart
Wilsonart Part #: 8212K-28



Color code: **EM**
Color name: Empire Mahogany
Finish: Fine velvet
Manufacturer: Wilsonart
Wilsonart Part #: 7122-38



Color code: **FW**
Color name: Florence Walnut
Finish: Fine Velvet
Manufacturer: Wilsonart
Wilsonart Part #: 7993-38



Color code: **DF**
Color name: Dering Forest
Finish: Timbergrain finish with Aeon
Manufacturer: Wilsonart
Wilsonart Part #: 8226K-05



Color code: **FE**
Color name: Field Elm
Finish: Softgrain finish with Aeon
Manufacturer: Wilsonart
Wilsonart Part #: 7999K-12



Color code: **PC**
Color name: Phantom Charcoal
Finish: Gloss line finish with Aeon
Manufacturer: Wilsonart
Wilsonart Part #: 8214K-28



Color code: **UW**
Color name: Uptown Walnut
Finish: Softgrain finish with Aeon
Manufacturer: Wilsonart
Wilsonart Part #: 7971K-12

Mobile tables

Motific™ Height Adjustable



Motific Height Adjustable

Portable Tech Table

MOADJSS-AMPAW
MOADJSS-AMPDW
MOADJSS-RNDAW
MOADJSS-RNDDW

Quick ship complete tables listed

Features

Laptop or occasional table

Multiple color combinations for unique and elegant design options

Thermofoil formed top

Two available top sizes, 0.75" thick:
– Round 22" diameter
– Amorphic 25" width and 22" depth

5.5" height adjustment range
22.5"–27.8"(*low/high*)
(*excluding top*)

Includes a accessory hook

Non-marring, easy-to-slide glides

25 lb. max weight capacity

Base dimensions:
19.7" depth
23.5" width (*widest point*)

Warranty: Lifetime



Available Base Finishes

- ☐ Silver – S
- ☐ White – W **LT**
- ☒ Black – B **LT**
- ☐ Polished Aluminum – A **LT**

Available Column Finishes


- ☐ Silver – S
- ☐ White – W **LT**
- ☒ Black – B **LT**

Available Tops and Colors

- ☐ Round – RND
- ☐ Amorphic – AMP
- ☒ Amati Walnut – AW
- ☐ Designer White – DS

*Woodgrain pattern runs left to right
The combination of a silver column and silver base
with either shape top in Amati Walnut or Designer
White is available to ship in 48 hours.*

Motific™ Height Adjustable



The base dimensions as shown are actual.

Training
Tables

