



Workspace Accessories

June 2025

Who We Are



 $\mathbf{\nabla}$ 0

 \leq

For over 100 years, Fellowes has delivered powerful innovations that shape the way people work. And we're just getting started.

We build products that last! Our contract interiors products are designed, engineered and produced to the highest standards and backed by an industry leading lifetime warranty.



Whether you are a dealer, architect, or end user, when you partner with Fellowes, you are supported by fully-integrated services and sales teams – all working together to deliver an extraordinary final result.

Our locations

Fellowes Brands Headquarters

1789 Norwood Avenue Itasca, IL 60143

Chicago Design & Experience Center

800 W Fulton Market 1314 N Recker Rd Suite 950 Mesa, AZ 85205 Chicago, IL 60607

Mesa Office & Showroom

Online

Toll Free: 800.833.3746 fellowes.com



Table of Contents

Customer Commitment......6 BIFMA Level Certified Products12

Monitor Arm Considerations 20	
Monitor Arm Movement21	
Rising™ 22	
Rising ID™ 33	
Kata™	
Edge®47	
Evolve	
Sena™65	
Eppa™75	
Monitor Arm Accessories	

Height Adjustable Tables.....82

fellowes.com 800.833.3746

All-Flex [®]
Victory™LX91
Triumph™LX 99
Rejuve™104
Trada™111
Levado™119
Weight Adjustable
Espree™124
Q Crank 128
Casters 132
Motific™ Height Adjustable 133

4 Feljowes

Worksurfaces
Worksurfaces Overview 138
TFL Quick Ship Worksurfaces 139
TFL Standard Worksurfaces 139
HPL Standard Worksurfaces 140
HPL Premium Worksurfaces141
Laminates142
Training Tables144
Zona™146
Table Enhancements 148
Rising Loft™150
PrivacyScreens & Modesty Panels157
Wire Management
CPU Holders & Carts
Technology Accessories 164
Storage Solutions
MP [™] 170
Kuva™172
Sit to Stand174
Lotus™176
Power Solutions
Railway™
FlexCharge™ Personal Desktop Power187
FlexCharge™ Power Hubs 190

Markerboards	192
Wall Mount	. 194
Mobile	. 196
Accessories	. 198
Markerboard ID™	.200
Keyboard Manager	202
Combo Solutions	204
Keyboard Platforms & Articulating Arms	.209
Keyboard Accessories	. 215
Lighting	216
Glimor™	218
Lustre	220
Lily™	222
Lucera	. 224
Seating	226
Elea®	. 228
Monitor Arm Measurement Standards	230
Terms and Conditions	240

Committed to our Customers

Customer Service & Orders

48 Hours

Fellowes can fulfill orders

in as little as 48 hours

availability. We do this

inventory levels of the

our customer can meet

schedules. Fellowes'

service ensures you

get the products you

want, when you want

specified, most of

them. Unless otherwise

Fellowes' products ship

within two business days

after the order is placed

and acknowledged.

exceptional fulfillment

ambitious deadlines and

most popular products so

by maintaining high

based on product

Toll Free: 800.833.3746

Please e-mail orders to ci-orders@fellowes.com.

Fellowes' customer obsessive, award-winning team is on-call to assist with any workspace needs. We are ready to answer questions or recommend products that help customers achieve their best at work.

Fellowes honors a no restocking fee for our customers, if the return is approved in advance.

> Reserved Inventory

The Fellowes team is focused on helping our customers execute large projects on time. A Reserved Inventory Program is offered for projects totaling at least \$15,000 net. Find out how this program can help make your projects a success by contacting our Customer Service Department.

Warranties Many Fellowes' workspace accessories are backed by an industry-leading lifetime product warranty. Ask us about our labor warranty reimbursement program. View the full warranty policy at **fellowes.com**

or contact our Customer

Service Department for

more information.

Lifetime



Fellowes' products are available in the following furniture specification software programs:

CET Designer | Configura 2020 | Cyncly **Commercial Interiors** Library | Configura ICE Edge KISP HEDBERG Thumbprint

Fellowes also utilizes My Resource Library (MRL), a virtual library for all our digital cutsheets and catalogs.



The **LT** product marker indicates that the lead time may vary depending on quantities ordered and their availability. Please contact our Customer Service Department for on-hand availability when placing orders for products marked with LT. Purchase Orders that include LT designated products will be shipped based on the lead time of those products. Split shipments are available for orders that include both LT and non-LT products.



All prices in the catalog are effective June 5, 2025 and are list price in U.S. dollars. Visit Fellowes' website **fellowes.com** for additional specs, dimensional drawings, alternative images and more resources for all of Fellowes' products.







Form Meets Function Meets Sophistication

At Fellowes, we believe that the beauty of modern design goes hand in hand with practicality. Our in-house industrial design team works tirelessly to craft products that don't just serve their purpose but elevate the workplace. With a focus on innovation and functionality, we aim to create solutions that not only help businesses operate more efficiently but also leave a lasting impression—proving that style and substance can go together seamlessly.



Power Modules





Monitor Arms



Height Adjustable Tables



2-leg Triumph

Popular Product Categories

Power Modules

In today's fast-paced, tech-driven work environment, desktop power is no longer just a convenience—it's a necessity. The NEW FlexCharge 65W Series now offers enough output to power laptops and charge mobile devices even faster.

See details starting on page 187

Monitor Arms

Monitor Arms are a must when considering productivity and ergonomic value. A few of the top sellers in this category are RISING EX2-MS, SENA2-MS, EVOLVE2-MS and EDGE2-MS.. This particular configuration fits most workstation designs and is easy to specify. Simply choose the Series that best fits your budget.

See details starting on page 18

Height Adjustable Tables

Height Adjustable Tables are perhaps the most important piece of the workstation by providing not only a work area that can be adjusted to the user's comfort but also for its' well-known health benefits. The Triumph and Victory Series are the most popular due to the wide selection of height, finishes and price points.

See details starting on page 82





3-leg Victory

LEVEL Certified Products

Monitor Arms

PRODUCT NAME
Rising [™] Series
Kata™ Series
Edge® Series
Evolve Series
Sena™ Series
Rising [™] Loft

Monitor Arm Accessories

PRODUCT NAME VESA..... Weighted VESA..... Tech Dock

Tables & Accessories

PRODUCT NAME
All-Flex® Series
Victory™ Series
Triumph™ Series
Rejuve [™]
Trada™ Series
Levado™
Zona™
Conceal
CPU Mini
CPU05
Pencil Drawer

Articulating Arms

PRODUCT NAME	•	·	•	•	•	•	•	• •	•
AA330									
AA360									
AA100-PTLO									
AA750DAT									
AA370									
AA780DAT									

For all of us. For our future.

What works for us also works for our planet. As a company, we're committed to providing solutions that foster sustainability and a focused attention on maintaining good environmental practices. That means selecting products that reflect this commitment. Adopting procedures that promote sustainability. Creating recycling programs. Reviewing and enhancing our operations. Because for us, it's the right thing to do.

Spare Parts Recycling

Fellowes' Rising, RisingEX, Evolve, Edge, Sena, SenaEX and Eppa series monitor arms are shipped with both a desk clamp and grommet mount included-making them simple to order and install. After the installation is complete, the unused desk clamp or grommet mount can be sent back to Fellowes at no cost to you. Fellowes will then recycle the parts as appropriate. Our Spare Parts Recycling Program prevents leftover parts from taking up space in your facility or in a landfill. Contact our Customer Service Department to participate.

LEVEL Certification

LEVEL was created to deliver the most open and transparent means of evaluating and communicating the environmental and social impacts of furniture products in the built environment. To put it simply, LEVEL is to commercial furniture as LEED is to buildings. Also like LEED, LEVEL is comprehensive. It addresses criteria across corporate, facility and product impacts in a way that few other certifications do. If you see a LEVEL certified product, you can be assured that every part of the process from manufacturing to delivery has been tested to ensure that you are getting quality products made safely and ethically, with a minimal environmental footprint.

Source: http://www.levelcertified.org/learn-about-level/ See page 13 for a complete list of Fellowes' LEVEL certified products.



Fellowes



•								 L	_E	EV	E	L	 		• •						PÆ	٩C	ĥΕ
										2										2	2-	-3	34
										2										3	5-	-4	6
										2										4	7-	-5	52
										2										5	3-	-6	64
										2										6	5	-7	74
										2								1	5	0	-	15	6

		 						L	E	V	E	L				 			F	PA	Gl	Е
										2											8	1
										2											8	1
										2										1	6	5

 LEVEL	PAGE
 2	84–90
 2	91–98
 2	99–103
 2	104–110
 2	111–118
 2	119–123
 2	144–147
 2	
 2	
 2	
2	

•		 			•		. เ	_E	EVE	EL	 					 Ρ	AC	ĞΕ	
	 								2.								2	12	
	 								2.								2	12	
	 								2.								2	13	
	 								2.								2	13	
	 								2.								2	14	
	 								2.								2	14	

Rooted in a fourth-generation family business, Fellowes is dedicated to enhancing workplace environments with high-quality furnishings, and innovative workspace tools. Our commitment to superior design and functionality reflects a deep understanding of what makes a workspace thrive.

We believe that the best work begins with the right environment which in turn, inspires success.

A Legacy of Excellence

Vertical Market Solutions

Providing federal agencies, state and local government, higher education, healthcare, and non-profit organizations with the tools to create high performance work environments. As a leader in ergonomic workspace accessories, our products help you to enhance productivity and wellness in every area of your facility.

Known for our award-winning customer service and high quality products, we make it easy for agencies to get what they need to improve ergonomics and support technology through all areas of the workspace. Partnering with resellers across the U.S. and internationally, we can meet any socio-economic goal your agency needs. We stand ready to help facilitate contracting objectives for your projects quickly and efficiently.

Contracts

GSA Contract: GS-28F-0028Y





GSA Schedule NAICS Codes:

337214; 339999; 423210; 423450: 424120

33721: Office Furniture

UEI: K8NWH19KR1N1

OLM: Order-Level Materials

CAGE: 63090

Socio-economic partners

8a Native Americar Alaskan Native HubZone **SDVOSB** EDWOSB WOSB MBE MWBE Veteran owned

State Contracts

Alabama University of Alabama Arkansas Baltimore Metro - MAPT California (CMAS) Connecticut Florida Georgia Kansas Kentucky Massachusetts Higher Education (MHEC) Mississippi New Jersey New Mexico New York North Carolina Ohio IUC Pennsylvania Rhode Island South Carolina South Dakota University of Alabama University of Minnesota University of Wisconsin Wisconsin

equalis

the lowest total cost

NCPA

Contract Number: 07-87 NCPA (National Cooperative Purchasing Alliance) is a leading national government purchasing cooperative working to reduce the cost of goods and services by leveraging the purchasing power of public agencies in all 50 states. NCPA utilizes state of the art procurement resources and solutions that result in cooperative purchasing contracts



in the country.

at preferred rates



Contract Number: R221001



Contract Number: 230301 TIPS is a national purchasing cooperative that provides a proven process to eliminate purchasing related stress for governmental entities by satisfying the typical lengthy and complicated bid and contractor gualification process. Terms and conditions vary by contract. Please visit fellowes.com for the most updated informatior

Sourcewell 💦

Contract Number: 091423-FELL A self-sustaining government organization, Sourcewell has over 40 years of dedicated service helping government and education entities operate more efficiently through a variety of solutions such as nationally solicited contract purchasing, technology solutions for schools, and regional programs and services for area schools and communities



Contract Number: MA3971



Contracted Expolier

Cooperative purchasing agreements



Contract Numbers: COG-2152C and R10-1136E

Equalis Group is a national public sector purchasing cooperative that develops and administers a diverse portfolio of cooperative purchasing programs that cover a wide range of products and services. Each program in Equalis' rapidly growing portfolio provides its members with a legal and compliant exemption to the traditional bid/request for proposals (RFP) process and the ability to configure the solution that best meets their individual needs while achieving





Contract Number: 091423-FELL

Long before the Trans-Canada Highway or even the Canadian Pacific Railway, exploration and trade throughout Canada was facilitated by Canoe. In keeping with that entrepreneurial spirit, municipal associations across Canada have partnered to create the Canoe Procurement Group of Canada, one of the largest public sector buying groups

By combining the purchasing power of over 5,000 public and not-for-profit organizations throughout Canada, Canoe is uniquely positioned to get members access to a wide range of trade-compliant products and services



OMNIA Partners, Public Sector is the nation's largest and most experienced cooperative purchasing organization dedicated to public sector procurement





The National Association of State Procurement Officials (NASPO) is a non-profit association dedicated to advancing public procurement through leadership, excellence, and integrity

Group purchasing agreements

Premier Contract - Numbers PP-FA-1037 & PP-FA-2103

Premier is a leading healthcare improvement company, uniting an alliance of approximately 4,100 U.S. hospitals and 200,000 other providers to transform healthcare. With integrated data and analytics, collaboratives, supply chain solutions and advisory and other services, Premier enables better care and outcomes at a lower cost.

Monitor Arms

As Flexible As You Are

Make the most of your desk space and make the most of your day, with flexible monitor arms that move with you, boosting productivity and providing you with clearer sight lines. You can easily adjust up to six monitors, maximizing and transforming a mere desk into a true command center.



What to Consider When Selecting a Monitor Arm

Number of Monitors

Fellowes offers solutions for as few as one to as many as six monitors. Should the needs of the user change, the Rising, Edge, Evolve, and Kata series can all be easily modified in the field to accommodate additional monitors and changing work environments.

Height Adjustment

Monitor arms offer various types of height adjustability. The most user-friendly option is dynamic height adjustment which allows the user to adjust the monitor height quickly and easily with just the touch of a finger.

Weight of Monitor(s)

Fellowes' standard monitor arms in the Eppa, Edge, and Evolve series support the average monitor weights between 6 to 17 pounds. Kata and KataEX support 4 to 20 pounds, Sena and SenaEX support 2.2-19.8 pounds, while Rising and RisingEX support 3.5–28 pounds. For heavier monitors, the Edge-Max will support 17–42 pounds. The weight of the monitor arms should also include any additional monitor accessories (i.e. speakers, cables, or locks).

Size of Monitor(s)

Most users prefer to have their monitors side-by-side as close as possible with no gaps between them. The versatility of Fellowes monitor arms allow multiple wide monitors to fit side-by-side. Max width is contingent on the monitor meeting the weight capacity of the arms. Configurations that include a slider will provide additional horizontal adjustability, allowing monitors of varying sizes to fit together seamlessly.

Size and Shape of the Worksurface


Shallow worksurface depths of 24 inches or less, are best suited for monitor arm configurations with fewer limbs. For applications that require extended reach, Fellowes recommends a RisingEX, Evolve, SenaEX or KataEX configuration with multiple limbs. When positioning two or more monitors side-by-side in a 90° corner, the maximum monitor size will be reduced. Please contact our Customer Service Department to discuss your specific applications and requirements.

If you need further assistance in specifying the correct monitor arms or would like to take advantage of our demo program, please contact our Customer Service Department.

Monitor Arm Movement

Within the Fellowes monitor arm collection, there are many common movements.

Extension/Retraction




Tilt



VESA mounts tilt forward and backward, providing varied viewing angle options.

Slider



Sliders move your monitor left and right providing more ability to position multiple monitors flush to each other

Rotation






Landscape

Portrait

Height Adjustment



Fixed Arms: The arms can be mounted at any height along the pole.



Dynamic Motion Arms: Motion arms can move up and down with finger touch adjustment. The arms can be mounted at any height along the pole

Rising Motion Arms

Rising configurations that include a motion arm (M) offer finger touch dynamic height adjustment. That means the monitor can reposition up and down with ease.

Rising Fixed Arms

Rising configurations using fixed arms (F) have manual height adjustment. They rotate left and right along the pole, offering flexibility with lateral adjustments.

Crossbar Mount

Launching Q3 2025, the Rising Crossbar can transform a single arm into a dual arm configuration quickly and easily. Supports monitors up to 30" (bezel measured left to right) and will support a max combined monitor weight of 25 lbs.

Flexible Growth

Because Rising is is designed with SnapKinect™ installation technology, arms can be easily added as needed to support additional monitors.

Quality Testing

Meets or exceeds BIFMA x5.5 guidelines.

Slider Mount

Position virtually any monitor side-by-side with a slider. The slider (S) offers eight and a half inches of horizontal adjustability, so even monitors of varying sizes can be positioned flush.

Monitor Arms

Rising[™] Series

Rising™



Rising Single Monitor Arm

Standard Finishes: \$523 Premium Finishes: \$694 In-Trend Finishes: \$601

MODEL # RSNG-___ See key below for available finish options

Features

Finger touch dynamic height adjustment

36" deep or less 11.7" height adjustment range

- 8.2"-19.9" (low-high)

22.4" arm extension

3.5" arm retraction

+45%-30° monitor tilt

+/-90° VESA rotation

4.5lb.-28lb. weight capacity

VESA 75mm/100mm quick release

RotationStop lock-out feature (14 distinct locations)

Desk clamp and grommet mount included Meets or exceeds BIFMA x5.5 guidelines Warranty: Lifetime

Standard Finishes

O Designer White - DWT

O Platinum – PLT

Black – BLK







Premium Finishes

Bronze/Black - BRZ Polished Aluminum/

Minimum Order Quantity: 200 Lead Time 10 weeks

Available

Finishes:

Rising2 Dual Monitor Arm

Standard Finishes: \$973 Premium Finishes: \$1,283 In-Trend Finishes: \$1.119

MODEL # RSNG2-___ See key below for available finish options

Features

Recommended for worksurfaces 36" deep or less 11.7" height adjustment range

22.4" arm extension

3.5" arm retraction

+45%-30° monitor tilt

+/-90° VESA rotation

4.5lb.-28lb. weight capacity (per arm)

Max monitor width (bezel measured from left to right): 42.3"

RotationStop lock-out feature (14 distinct locations)

Desk clamp and grommet mount included

Meets or exceeds BIFMA x5.5 guidelines

GSA Schedule

Designer White – POL

Recommended for worksurfaces





Rising[™]2

Rising[™] Crossbar




Finger touch dynamic height adjustment

- 8.2"-19.9" (low-high)

VESA 75mm/100mm quick release







Available August 2025

Rising Crossbar Dual Monitors on Single Arm

Black Finish: **\$1,095** Bronze Finish: \$1.266

MODEL # RSNG-CRSBAR-BLK MODEL # RSNG-CRSBAR-BRZ

Features

Finger touch dynamic height adjustment Recommended for worksurfaces 36" deep or less 11.7" height adjustment range - 8.2"-19.9" (low-high) 22.4" arm extension 3.5" arm retraction +45%/-30° monitor tilt +/-90° VESA rotation 4.5lb.-28lb. weight capacity VESA 75mm/100mm quick release RotationStop lock-out feature (14 distinct locations) Weight Capacity: 25 lbs total (2 monitors) Max Monitor Width: 27" (bezel measured left to right) Desk clamp and grommet mount included Meets or exceeds BIFMA x5.5 guidelines Warranty: Lifetime (on Complete Assembly)



Available Finishes: Black - BLK Bronze – BRZ

Rising[™]EX1

Rising[™]EX1



RisingEX1-F Single Fixed Monitor Arm Standard Finishes: \$395 Premium Finishes: \$480 In-Trend Finishes: \$454

MODEL # RSNGEX1-F-___ See key below for available finish options

Features

Manual height adjustment Recommended for worksurfaces 30" deep or less 21.9" height adjustment range

- 8.4"-21.9" (low-high)

15" arm extension

- 3.6" arm retraction
- +45%-30° monitor tilt
- +/-90° VESA rotation
- 60lb. weight capacity
- 16" pole height (includes base)
- VESA 75mm/100mm quick release

RotationStop lock-out feature (14 distinct locations)

Desk clamp and grommet mount included Meets or exceeds BIFMA x5.5 guidelines Warranty: Lifetime





RisingEX1-FF Single Fixed + Fixed Monitor Arm

Standard Finishes: \$508 Premium Finishes: **\$617** In-Trend Finishes: **\$584**

MODEL # RSNGEX1-FF-___ See key below for available finish options

Features

Manual height adjustment Recommended for worksurfaces 36" deep or less 13.5" height adjustment range - 26.3"-12.8" (low-high)

25.3" arm extension

- 3.6" arm retraction
- +45%-30° monitor tilt
- +/-90° VESA rotation
- 60lb. weight capacity 16" pole height (includes base)
- VESA 75mm/100mm quick release
- RotationStop lock-out feature (14 distinct locations)

Desk clamp and grommet mount included Meets or exceeds BIFMA x5.5 guidelines Warranty: Lifetime





RisingEX1-FM Single Fixed + Motion Monitor Arm Standard Finishes: \$587 Premium Finishes: \$782 In-Trend Finishes: \$676

MODEL # RSNGEX1-FM-___ See key below for available finish options

Features

Finger touch dynamic height adjustment Recommended for worksurfaces 36" deep or less 25.3" height adjustment range - 6.6"-31.9" (low-high) 15.0" arm extension 3.6" arm retraction +45%-30° monitor tilt +/-90° VESA rotation 4.5lb.–28lb. weight capacity 16" pole height (includes base) VESA 75mm/100mm quick release RotationStop lock-out feature (14 distinct locations)

Desk clamp and grommet mount included Meets or exceeds BIFMA x5.5 guidelines Warranty: Lifetime







RisingEX1-M Single Motion Monitor Arm

Standard Finishes: \$480 Premium Finishes: \$644 In-Trend Finishes: \$552

MODEL # RSNGEX1-M-___ See key below for available finish options

Features

Finger touch dynamic height adjustment Recommended for worksurfaces 30" deep or less 24" height adjustment range - 3.5"-27.5" (low-high)

15.5" arm extension 3.6" arm retraction

+45%/-30° monitor tilt

+/-90° VESA rotation

4.5lb.-28lb. weight capacity

16" pole height (includes base)

VESA 75mm/100mm quick release

RotationStop lock-out feature (14 distinct locations)

Desk clamp and grommet mount included Meets or exceeds BIFMA x5.5 guidelines Warranty: Lifetime





Available Finishes:

* Minimum Order Quantity: 200 Lead Time 10 weeks

Available Finishes:

Black – BLK

Standard Finishes

* Minimum Order Quantity: 200 Lead Time 10 weeks

*In-Trend Finishes (LT) Azure – AZR Sage – SGE Stardust – STR

Slate - SLT

Premium Finishes Bronze/Black - BRZ O Polished Aluminum/ Designer White – POL

O Platinum – PLT O Designer White – DWT



GSA Schedule



RisinaEX1-MS Single Motion + Slider Monitor Arm

Standard Finishes: \$534 Premium Finishes: \$715 In-Trend Finishes: \$614

MODEL # RSNGEX1-MS-___ See key below for available finish options

Finger touch dynamic height adjustment

- Recommended for worksurfaces
- 30" deep or less

Features

- 24" height adjustment range
- 3.6"-27.6" (low-high)
- 17.8" arm extension
- 5.8" arm retraction
- +45%-30° monitor tilt
- +/-90° VESA rotation
- 3.5lb.-28lb. weight capacity
- 16" pole height (includes base)
- VESA 75mm/100mm quick release
- RotationStop lock-out feature
- Desk clamp and grommet mount included
- Meets or exceeds BIFMA x5.5 guidelines
- Warranty: Lifetime



Standard Finishes

- O Platinum PLT Black – BLK
- O Designer White DWT

Premium Finishes



O Polished Aluminum/ Designer White – POL

*In-Trend Finishes (LT) Azure – AZR Sage – SGE Stardust – STR Slate - SLT

Rising[™]EX2

Rising[™]EX2



RisinaEX2-F Dual Fixed Monitor Arm Standard Finishes: \$641 Premium Finishes: \$780 In-Trend Finishes: \$737

MODEL # RSNGEX2-F-___ See key below for available finish options

Features

Manual height adjustment

- Recommended for worksurfaces 30" deep or less
- 13.5" height adjustment range - 8.4"-21.9" (low-high)

13.05" arm extension

3.6" arm retraction

+45%-30° monitor tilt

+/-90° VESA rotation

60lb. weight capacity

Max monitor width (bezel measured from left to right): 26.5"

16" pole height (includes base)

VESA 75mm/100mm guick release

RotationStop lock-out feature (14 distinct locations)

Desk clamp and grommet mount included Meets or exceeds BIFMA x5.5 guidelines

Warranty: Lifetime





RisingEX2-FF Dual Fixed + Fixed Monitor Arm

Standard Finishes: \$876 Premium Finishes: \$1,069 In-Trend Finishes: \$1,008

MODEL # RSNGEX2-FF-___ See key below for available finish options

Features

Manual height adjustment Recommended for worksurfaces

36" deep or less 13.5" height adjustment range

- 12.8"-26.3" (low-high) 23.3" arm extension

3.6" arm retraction

+45%-30° monitor tilt

+/-90° VESA rotation

60lb. weight capacity

Max monitor width (bezel measured from left to right): 48"

16" pole height (includes base) VESA 75mm/100mm guick release

RotationStop lock-out feature (14 distinct locations)

Desk clamp and grommet mount included Meets or exceeds BIFMA x5.5 guidelines Warranty: Lifetime



Available Finishes:

O Platinum – PLT Black – BLK O Designer White – DWT

Premium Finishes Bronze/Black - BRZ Polished Aluminum/ Designer White – POL

* Minimum Order Quantity: 200 Lead Time 10 weeks



RisinaEX2-FM Dual Fixed + Motion Monitor Arm Standard Finishes: \$1.037 Premium Finishes: \$1.390 In-Trend Finishes: \$1,192

MODEL # RSNGEX2-FM-___ See key below for available finish options

Features

Finger touch dynamic height adjustment Recommended for worksurfaces

36" deep or less 25.2" height adjustment range - 6.6"-31.8" (low-high)

23.8" arm extension

3.5" arm retraction

+45%-30° monitor tilt

+/-90° VESA rotation

4.5lb.-28lb. weight capacity (per arm, not to exceed a total of 60lb.)

Max monitor width (bezel measured from left to right): 47"

16" pole height (includes base)

VESA 75mm/100mm quick release

RotationStop lock-out feature

(14 distinct locations)

Desk clamp and grommet mount included

Meets or exceeds BIFMA x5.5 guidelines

Warranty: Lifetime



*In-Trend Finishes (LT) Azure – AZR Sage – SGE

Stardust – STR Slate - SLT



Features

RisingEX2-FMS

Dual Fixed + Motion + Slider Monitor Arm

Standard Finishes: \$1.140 Premium Finishes: \$1,497 In-Trend Finishes: \$1.310

MODEL # RSNGEX2-FMS-___ See key below for available finish options

Features

Finger touch dynamic height adjustment

36" deep or less 25.2" height adjustment range - 6.8"-32" (low-high)

Recommended for worksurfaces

23.8" arm extension

5.8" arm retraction

+45%-30° monitor tilt

+/-90° VESA rotation

3.5lb.-27lb. weight capacity (per arm, not to exceed a total of 60lb.)

Max monitor width (bezel measured from left to right): 56.7"

16" pole height (includes base)

VESA 75mm/100mm quick release

RotationStop lock-out feature (14 distinct locations)

Desk clamp and grommet mount included Meets or exceeds BIFMA x5.5 guidelines Warranty: Lifetime





Available Finishes:

* Minimum Order Quantity: 200 Lead Time 10 weeks

GSA Schedule

Standard Finishes



RisingEX2-FS

Dual Fixed + Slider Monitor Arm Standard Finishes: \$748 Premium Finishes: \$887 In-Trend Finishes: \$860

MODEL # RSNGEX2-FS-___ See key below for available finish options

Manual height adjustment

Recommended for worksurfaces 30" deep or less

13.5" height adjustment range - 8.5"-22" (low-high)

15.36" arm extension

5.8" arm retraction

+45%/-30° monitor tilt

+/-90° VESA rotation

60lb. weight capacity

Max monitor width (bezel measured from left to right): 35.3"

16" pole height (includes base)

VESA 75mm/100mm guick release

RotationStop lock-out feature (14 distinct locations)

Desk clamp and grommet mount included

Meets or exceeds BIFMA x5.5 guidelines

Warranty: Lifetime



RisingEX2-M Dual Motion Monitor Arm

Standard Finishes: \$812 Premium Finishes: \$1,105

In-Trend Finishes: \$934

MODEL # RSNGEX2-M-___ See key below for available finish options

Features

Finger touch dynamic height adjustment

Recommended for worksurfaces 30" deep or less

23.9" height adjustment range - 3.5"-27.4" (low-high)

13.5" arm extension

5.8" arm retraction

+45°/-30° monitor tilt

+/-90° VESA rotation

4.5lb.-28lb. weight capacity (per arm, not to exceed a total of 60lb.)

Max monitor width (bezel measured from left to right): 27.4"

16" pole height (includes base)

VESA 75mm/100mm guick release

RotationStop lock-out feature (14 distinct locations)

Desk clamp and grommet mount included

Meets or exceeds BIFMA x5.5 guidelines

Warranty: Lifetime



Standard Finishes

O Platinum – PLT

Black – BLK O Designer White – DWT

Premium Finishes

Bronze/Black - BRZ

 Polished Aluminum/ Designer White – POL

*In-Trend Finishes (LT) Azure – AZR Sage – SGE Stardust – STR Slate - SLT

Rising[™]EX2



RisingEX2-MS Dual Motion + Slider Monitor Arm Standard Finishes: \$908 Premium Finishes: \$1,176 In-Trend Finishes: \$1.045

MODEL # RSNGEX2-MS-___ See key below for available finish options

Features

Finger touch dynamic height adjustment

Recommended for worksurfaces 30" deep or less

24" height adjustment range - 3.6"-27.6" (low-high)

15.8" arm extension

5.8" arm retraction

+45%/-30° monitor tilt

+/-90° VESA rotation

3.5lb.–27lb. weight capacity (per arm, not to exceed a total of 60lb.)

Max monitor width (bezel measured from left to right): 36.3"

16" pole height (includes base)

VESA 75mm/100mm quick release

RotationStop lock-out feature (14 distinct locations)

Desk clamp and grommet mount included

Meets or exceeds BIFMA x5.5 guidelines

Warranty: Lifetime





RisingEX2-MS-9

Dual Motion + Slider Monitor Arm

Standard Finishes: \$906 Premium Finishes: \$1,174 In-Trend Finishes: **\$1.039**


MODEL # RSNGEX2-MS-9-___ See key below for available finish options

Features

Finger touch dynamic height adjustment Recommended for worksurfaces 30" deep or less 12.9" height adjustment range - 3.8"-18.7" (low-high) 15.8" arm extension 5.8" arm retraction +45%/-30° monitor tilt +/-90° VESA rotation 3.5lb.–27lb. weight capacity (per arm, not to exceed a total of 60lb.) Max monitor width (bezel measured from left to right): 36.3" 9" pole height (includes base) VESA 75mm/100mm guick release RotationStop lock-out feature (14 distinct locations) Desk clamp and grommet mount included

Meets or exceeds BIFMA x5.5 guidelines

Warranty: Lifetime G5A Schedule



LW

* Minimum Order Quantity: 200 Lead Time 10 weeks

*In-Trend Finishes (LT) Azure – AZR Sage – SGE

Rising[™]EX3



RisingEX3-FF

Triple Fixed + Fixed Monitor Arm

Standard Finishes: \$876 Premium Finishes: \$1,042

In-Trend Finishes: **\$1.008**

MODEL # RSNGEX3-FF-___ See key below for available finish options

Features

Manual height adjustment

Recommended for worksurfaces 30" deep or less

4.7" height adjustment range - 12.8"-17.5" (low-high)

23.3" arm extension

3.6" arm retraction

+45%-30° monitor tilt

+/-90° VESA rotation

60lb. weight capacity

Max monitor width (bezel measured from left to right): 23.4"

VESA 75mm/100mm quick release

RotationStop lock-out feature (14 distinct locations)

Desk clamp and grommet mount included Meets or exceeds BIFMA x5.5 guidelines

Warranty: Lifetime

GSA Schedule



Available Finishes:

* Minimum Order Quantity: 200 Lead Time 10 weeks

Slate - SLT



MODEL # RSNGEX3-FMS-___

Features



RisingEX3-FMS

Triple Fixed + Motion + Slider Monitor Arm

Standard Finishes: \$1.272 Premium Finishes: \$1,604 In-Trend Finishes: **\$1.463**

See key below for available finish options

Finger touch dynamic height adjustment

Recommended for worksurfaces 36" deep or less

10.7" height adjustment range - 6.8"-17.5" (low-high)

26.1" arm extension

5.8" arm retraction

+45%-30° monitor tilt

+/-90° VESA rotation

Up to 20lb. weight capacity (center arm)

3.5lb.–27lb. weight capacity (per outside arms, not to exceed a total of 60lb.)

Max monitor width (bezel measured from left to right): 28.4"

16" pole height (includes base)

VESA 75mm/100mm quick release

RotationStop lock-out feature (14 distinct locations)

Desk clamp and grommet mount included

Meets or exceeds BIFMA x5.5 guidelines

Warranty: Lifetime



Schedule

Standard Finishes

O Platinum – PLT Black – BLK

O Designer White - DWT

Premium Finishes

Bronze/Black - BRZ O Polished Aluminum/ Designer White – POL

*In-Trend Finishes (LT) Azure – AZR Sage – SGE Stardust – STR Slate - SLT

Rising[™]4



Available July 2025

RisingEX4-FF Quad Fixed + Fixed Monitor Arm Standard Finishes: \$1,772 Premium Finishes: \$2,063

In-Trend Finishes: \$2.071

MODEL # RSNGEX4-FF-___ See key below for available finish options

Features

Finger touch dynamic height adjustment Recommended for worksurfaces 36" deep or less

23.3" arm extension

3.6" arm retraction

+45°/-30° monitor tilt

+/-90° VESA rotation

22.5 lbs. weight capacity (per arm. Not to exceed a total of 90 lbs.)

Max monitor width (bezel measured from leg to right): 47"

28" pole height (includes base)

VESA 75mm/100mm quick release

RotationStop lock-out feature (14 distinct locations)

Desk clamp included

Meets or exceeds BIFMA x5.5 guidelines

Lifetime Warranty





Available July 2025

RisingEX4-FM Quad Fixed + Motion Monitor Arm

Standard Finishes: \$2,080 Premium Finishes: \$2,699 In-Trend Finishes: \$2.425

MODEL # RSNGEX4-FM-___ See key below for available finish options

Features

Available

Finishes:

* Minimum Order Quantity: 200 Lead Time 10 weeks

	Finger touch dynamic height adjustment
	Recommended for worksurfaces 36" deep or less
	11.7" height adjustment range - 6.6"–31.8" <i>(low–high)</i>
	23.8" arm extension
	3.5" arm retraction
	+45°/-30° monitor tilt
	+/-90° VESA rotation
eft	4.5lb.–22.5lb. weight capacity (per arm. Not to exceed a total of 90 lbs.)
	Max monitor width <i>(bezel measured from left to right):</i> 48"
	28" pole height <i>(includes base)</i>
	VESA 75mm/100mm quick release
	RotationStop lock-out feature (14 distinct locations)
	Desk clamp included
	Meets or exceeds BIFMA x5.5 guidelines
	Lifetime Warranty







Features

deep or less

Available July 2025

RisingEX4-FMS Quad Fixed + Motion + Slider Monitor Arm

Standard Finishes: \$2,166 Premium Finishes: \$2,928 In-Trend Finishes: \$2.617

MODEL # RSNGEX4-FMS-___ See key below for available finish options

Features

Finger touch dynamic height adjustment Recommended for worksurfaces 36" deep or less

11.7" height adjustment range - 6.8"-32" (low-high)

23.8" arm extension

5.8" arm retraction

+45%-30° monitor tilt +/-90° VESA rotation

3.2lb.-21.2lb. weight capacity (per arm, not to exceed a total of 90lb.)

Max monitor width (bezel measured from left to right): 56.9"

28" pole height (includes base)

VESA 75mm/100mm quick release RotationStop lock-out feature

(14 distinct locations)

Desk clamp included

Meets or exceeds BIFMA x5.5 guidelines Lifetime Warranty

Lifetime Warranty

> Available Finishes:

* Minimum Order Quantity: 200 Lead Time 10 weeks

30 Feljowes

Standard Finishes

O Designer White - DWT

O Platinum – PLT

Black – BLK

Premium Finishes

Bronze/Black - BRZ

O Polished Aluminum/

Designer White – POL

*In-Trend

Finishes (LT)

Azure – AZR

Sage – SGE

Slate - SLT

Stardust – STR

Schedule_

RotationStop lock-out feature (14 distinct locations)

Desk clamp included



Available July 2025 RisingEX4-MS Quad Motion + Slider Monitor Arm Standard Finishes: \$1,875

Premium Finishes: \$2,538 In-Trend Finishes: \$2,189

MODEL # RSNGEX4-MS-___ See key below for available finish options

Finger touch dynamic height adjustment Recommended for worksurfaces 36"

11.7" height adjustment range - 6.8"-27.6" (low-high)

25.8" arm extension

5.8" arm retraction

+45°/-30° monitor tilt

+/-90° VESA rotation

3.2lb.-21.2lb. weight capacity (per arm, not to exceed a total of 90lb.)

Max monitor width (bezel measured from left to right): 39.1"

28" pole height (includes base)

VESA 75mm/100mm quick release

Meets or exceeds BIFMA x5.5 guidelines

LW chedule.

Standard Finishes O Platinum – PLT

Black – BLK

O Designer White – DWT



Bronze/Black - BRZ O Polished Aluminum/ Designer White – POL

*In-Trend Finishes (LT) Azure – AZR Sage – SGE Stardust – STR Slate – SLT

Rising™6



Available July 2025

RisingEX6-FF Six Fixed + Fixed Monitor Arm

Standard Finishes: **\$2,206** Premium Finishes: **\$2,410** In-Trend Finishes: **\$2,420**

MODEL # RSNGEX6-FF-___ See key below for available finish options

Features

Manual height adjustment Recommended for worksurfaces 36" deep or less

23.3" arm extension

3.6" arm retraction

+45°/-30° monitor tilt

+/-90° VESA rotation

Up to 15lb. weight capacity (center arm)

15lb. weight capacity (per arm, not to exceed a total of 90lb.)

Max monitor width (bezel measured from left to right): 47"

28" pole height *(includes base)*

VESA 75mm/100mm quick release

RotationStop lock-out feature (14 distinct locations)

Desk clamp included

Meets or exceeds BIFMA x5.5 guidelines

Lifetime Warranty





Available July 2025

RisingEX6-FMS Six Fixed + Motion + Slider Monitor Arm

Standard Finishes: **\$2,470** Premium Finishes: **\$3,274** In-Trend Finishes: **\$3,262**

MODEL # RSNGEX6-FMS-___ See key below for available finish options

Features

Finger touch dynamic height adjustment Recommended for worksurfaces 36" deep or less 11.7" height adjustment range - 6.8"-32" (low-high) 23.8" arm extension 5.8" arm retraction +45°/-30° monitor tilt +/-90° VESA rotation 3.2lb.–21.2lb. weight capacity (per arm, not to exceed a total of 90lb.) Max monitor width (bezel measured from left to right): 56.9" 28" pole height (includes base) VESA 75mm/100mm quick release RotationStop lock-out feature (14 distinct locations)

Desk clamp included Meets or exceeds BIFMA x5.5 guidelines

Lifetime Warranty

Available Standard Finishes Finishes: OPlatinum - PLT

 Platinum - PLT
 I

 Black - BLK
 I

O Designer White – DWT

 Premium Finishes
 'II

 Bronze/Black - BRZ
 II

 Polished Aluminum/ Designer White - POL
 II

* Minimum Order Quantity: 200 Lead Time 10 weeks

 In-Trend Finishes (LT)
 Azure - AZR
 Sage - SGE
 Stardust - STR

Slate – SLT

Monitor Arms

Rising ID[™] Custom Color & Logo Program



Live Your Brand

With Fellowes exclusive Rising custom color and logo program, design one-of-a-kind Rising arms with creative freedom – including any configuration, logo, and colors –to strengthen your brand recognition, inspire your teams, and enhance your workspace.

Minimum Order Quantities & Pricing

A minimum order quantity of 200 pieces per design and configuration (model) is required. List pricing is determined by the configuration chosen and is inclusive of 3 custom colors, non-polished finish, logo if desired (configuration must include a motion arm), color samples, first articles for approval, and freight costs.

Note: Polished finish models incur a slight increase in pricing.




Rising ID™






	RSNGEX2-F	RSNGEX2-FS	RSNGEX2-FF	RSNGEX2-FM	RSNGEX2-FMS
Non-polished	\$1,125	\$1,271	\$1,457	\$1,770	\$1,914
Polished	\$1,264	\$1,405	\$1,690	\$2,152	\$2,293



	RSINGEAZ-IM	RSINGEAZ-INS	RSINGEAS-FF	RSINGE/
Non-polished	\$1,448	\$1,588	\$1,699	\$2,156
Polished	\$1,742	\$1,879	\$1,943	\$2,553

Contact your Fellowes Contract Interiors Representative or our Customer Service Team at 800-833-3746 to learn more or to begin the process of designing your custom monitor arm.



RSNG1-MS

\$1,177

\$1,231

Monitor Arms

Kata[™] Series

Proprietary Design

Kata has been uniquely designed for Fellowes. The tension adjustment indicator, a clear gauge on the back of the motion arm, allows users to see tension levels while adjusting the arm for various weight levels.

KataEX Motion Arms

KataEX configurations that include a motion arm (M) offer finger touch dynamic height adjustment. That means the monitor can reposition up and down with ease.

KataEX Fixed Arms

KataEX configurations using fixed arms (F) have manual height adjustment. They rotate left and right along the pole, offering flexibility with lateral adjustments.

Flexible Growth

Because the KataEX is pole mounted, arms can be added as needed to support additional monitors.

Quality Testing

Meets or exceeds ANSI/BIFMA x5.5 guidelines.

Slider Mount

Position virtually any monitor side-by-side with a slider. The slider (S) offers nine and a half inches of horizontal adjustability, so even monitors of varying sizes can be positioned flush.

Kata™

Kata™2

KATA-DC



\$520

MODEL # KATA-DC-___ MODEL # KATA-GM-___ See key below for available finish options

Features

Finger touch dynamic height adjustment Recommended for worksurfaces 36" deep or less

13.72" height adjustment range

7.79"-21.51" (low/high)

22.40" arm extension

3.46" arm retraction

+90%-25° monitor tilt

±90° VESA rotation

4lb.-20lb. weight capacity

VESA 75mm/100mm quick release

180° lock-out feature

Specify a grommet mount or a desk clamp mount

Tension adjustment indicator for precision installation

Partially assembled for quick installation

Integrated cord management

Integrated tool holder

Warranty: Lifetime



36 Feljowes



Kata2 Dual Monitor Arm

\$978

MODEL # KATA2-DC-___ MODEL # KATA2-GM-___ See key below for available finish options

Features

Finger touch dynamic height adjustment

Recommended for worksurfaces 36" deep or less

13.72" height adjustment range

7.79-21.47" (low/high)

22.41" arm extension

3.44" arm retraction

+90%-25° monitor tilt ±90° VESA rotation

4lb.-20lb. weight capacity (per arm)

VESA 75mm/100mm quick release

180° lock-out feature Specify a grommet mount or a desk

clamp mount Tension adjustment indicator for precision installation

Partially assembled for quick installation

Integrated cord management

Integrated tool holder

42.04" max. monitor width Bezel measured left to right. Max. width is contingent on weight capacity.

Warranty: Lifetime



Available Monitor Mounting Options: Arm Key: Desk Clamp – DC Fixed Monitor Arm – F Grommet Mount – GM Motion Monitor Arm – M Slider Mount – S

Kata2 Conversion Kit

MODEL # KATA2KIT-DC-___

MODEL # KATA2KIT-GM-___ Available in silver, black and white

arm to a Kata2 dual arm.

(specify a grommet mount or

Converts an existing Kata single monitor

\$458

Kit includes:

One Static Arm

 One Motion Arm One Dual Base

a desk clamp mount)

Available Finishes: Silver – SLV Black – BLK White - WHT Kata[™]2-MS

Kata[™]FX1





KataEX-Stem

\$383

Features

Finger touch dynamic height adjustment Recommended for worksurfaces

+90%-25° monitor tilt

2.5 lb.–18.5 lb. weight capacity (per arm) VESA 75mm/100mm quick release

180° lock-out feature

Specify a grommet mount or a desk clamp mount

Tension adjustment indicator for precision installation

Partially assembled for quick installation

Integrated cord management

Integrated tool holder

36.43" max. monitor width Bezel measured left to right. Max. width is contingent on weight capacity.

Warranty: Lifetime



All prices are in U.S. dollars



Kata2-MS Dual Monitor Arm

\$978

MODEL # KATA2-MS-DC-___ MODEL # KATA2-MS-GM-___ See key below for available finish options

Features

30" deep or less 13.72" height adjustment range

3.53"-17.24" (low/high)

16.05" arm extension

6.36" arm retraction

±90° VESA rotation



KATAEX1-DC-ST

Single Short Fixed Monitor Arm

MODEL # KATAEX1-DC-ST-___ MODEL # KATAEX1-GM-ST-___ See key below for available finish options

Manual height adjustment

Recommended for worksurfaces 24" deep or less

8.52" arm extension

4.27" arm retraction

+90%-45° monitor tilt

±90° VESA rotation

Up to 20lb. weight capacity

15.99" pole height (includes base)

VESA 75mm/100mm guick release

Specify a grommet mount or a desk

Warranty: Lifetime

clamp mount





KataEX1-F Single Fixed Monitor Arm

\$448

MODEL # KATAEX1-DC-F-___ MODEL # KATAEX1-GM-F-___ See key below for available finish options

Features

Manual height adjustment Recommended for worksurfaces 30" deep or less 18.78" arm extension 4.27" arm retraction +90%-45° monitor tilt ±90° VESA rotation Up to 20lb. weight capacity 15.99" pole height (includes base) VESA 75mm/100mm guick release 180° lock-out feature Specify a grommet mount or a desk clamp mount Warranty: Lifetime GSA Schedule

Available Mounting Options:

Desk Clamp – DC Grommet Mount – GM

Monitor Arm Key:

Fixed Monitor Arm – F Motion Monitor Arm – M Slider Mount – S

Available Finishes:

Kata™EX1



KataEX1-FF

Single Fixed + Fixed Monitor Arm

\$528

MODEL # KATAEX1-DC-FF-___ MODEL # KATAEX1-GM-FF-___ See key below for available finish options

Features

Manual height adjustment

Recommended for worksurfaces 36" deep or less

33.28" arm extension

4.27" arm retraction

+90%-45° monitor tilt

±90° VESA rotation

Up to 20lb. weight capacity

15.99" pole height (includes base)

VESA 75mm/100mm guick release

180° lock-out feature

Specify a grommet mount or a desk clamp mount

Warranty: Lifetime





KataEX1-FM Single Fixed + Motion Monitor Arm

\$647

MODEL # KATAEX1-DC-FM-___ MODEL # KATAEX1-GM-FM-___ See key below for available finish options

Features

Finger touch dynamic height adjustment

Recommended for worksurfaces 36" deep or less

29.52" arm extension

2.89" arm retraction

+90%-45° monitor tilt

±90° VESA rotation

4lb.–20lb. weight capacity

15.99" pole height (includes base)

VESA 75mm/100mm guick release

180° lock-out feature Specify a grommet mount or a desk clamp mount



Warranty: Lifetime



KataEX1-M Single Motion Monitor Arm

\$568

MODEL # KATAEX1-DC-M-___ MODEL # KATAEX1-GM-M-___ See key below for available finish options

Features

Finger touch dynamic height adjustment Recommended for worksurfaces 30" deep or less

19.26" arm extension

2.89" arm retraction

+90%-45° monitor tilt

±90° VESA rotation

4lb.–20lb. weight capacity

15.99" pole height (includes base)

VESA 75mm/100mm guick release 180° lock-out feature

Specify a grommet mount or a desk clamp mount



Warranty: Lifetime



KataEX1-MS Single Motion + Slider Monitor Arm

\$645

MODEL # KATAEX1-DC-MS-___ MODEL # KATAEX1-GM-MS-___ See key below for available finish options

Features

Finger touch dynamic height adjustment Recommended for worksurfaces 30" deep or less 20.33" arm extension 3.95" arm retraction +90%-45° monitor tilt ±90° VESA rotation 2.5lb.–18.5lb. weight capacity 15.99" pole height *(includes base)* VESA 75mm/100mm guick release 180° lock-out feature Specify a grommet mount or a desk clamp mount Warranty: Lifetime



Available Mounting Options:	Monitor Arm Key:	Available Finishes:
Desk Clamp – DC	Fixed Monitor Arm – F	Silver – SLV
Grommet Mount – GM	Motion Monitor Arm – M	Black – BLK
	Slider Mount – S	🔵 White – WHT
	Slider Mount – S	🔵 White – WHT

Customize the KataEX

As workstation needs change, so can the KataEX configurations. Additional components are sold separately:

- Motion Arms
- Fixed Arms
- Stem Arms
- 25.99" Pole (height includes base)
- Slider Mounts

Contact our Customer Service Department for compatibility and pricing for custom configurations.



KataEX Conversion Kit

\$492

MODEL # KATAEXKIT-1MS2MS-___ Available in silver, black and white

Converts an existing KataEX1-MS single monitor arm to a KataEX2-MS dual arm.

Kit Includes:

- One Slider
- One Motion Arm
- One Arm Stem

Available Mounting Options:

Desk Clamp – DC Grommet Mount – GM

Monitor Arm Key:

Fixed Monitor Arm – F Motion Monitor Arm – M Slider Mount – S

Available Finishes:



KataEX2-F Dual Fixed Monitor Arm

\$721

MODEL # KATAEX2-DC-F-___ MODEL # KATAEX2-GM-F-___ See key below for available finish options

Features

Manual height adjustment

- Recommended for worksurfaces 30" deep or less
- 14.52" arm extension
- 5.12" arm retraction
- +90%-45° monitor tilt
- ±90° VESA rotation
- Up to 20lb. weight capacity (per arm)
- 15.99" pole height (includes base)
- VESA 75mm/100mm guick release
- 180° lock-out feature

Specify a grommet mount or a desk clamp mount

29.04" max. monitor width Bezel measured left to right. Max. width is contingent on weight capacity.

Warranty: Lifetime





KataEX2-FF Dual Fixed + Fixed Monitor Arm

\$881

MODEL # KATAEX2-DC-FF-___ MODEL # KATAEX2-GM-FF-___ See key below for available finish options

Features

Manual height adjustment Recommended for worksurfaces 36" deep or less

- 24.77" arm extension
- 5.12" arm retraction
- +90%-45° monitor tilt
- ±90° VESA rotation
- Up to 20lb. weight capacity (per arm)
- 15.99" pole height (includes base)
- VESA 75mm/100mm guick release
- 180° lock-out feature
- Specify a grommet mount or a desk clamp mount

49.54" max. monitor width Bezel measured left to right. Max. width is contingent on weight capacity. Warranty: Lifetime





KataEX2-FS Dual Fixed + Slider Monitor Arm

\$899

MODEL # KATAEX2-DC-FS-___ MODEL # KATAEX2-GM-FS-___ See key below for available finish options

Features

Manual height adjustment Recommended for worksurfaces 30" deep or less 15.58" arm extension 6.18" arm retraction +90%-45° monitor tilt ±90° VESA rotation Up to 20lb. weight capacity (per arm) 15.99" pole height (includes base) VESA 75mm/100mm guick release 180° lock-out feature Specify a grommet mount or a desk clamp mount 38.55" max. monitor width Bezel measured left to right. Max. width is contingent on weight capacity. Warranty: Lifetime



Kata™FX2



14

KataEX2-FMS

\$1.295

MODEL # KATAEX2-DC-FMS-___ MODEL # KATAEX2-GM-FMS-___ See key below for available finish options

Features

Recommended for worksurfaces 36" deep or less

±90° VESA rotation

VESA 75mm/100mm guick release

53.22" max. monitor width Bezel measured left to right. Max. width is contingent on weight capacity.

Warranty: Lifetime







clamp mount

Available Mounting Options:	Monitor Arm Key:	Available Finishes:
Desk Clamp – DC	Fixed Monitor Arm – F	O Silver – SLV
Grommet Mount – GM	Motion Monitor Arm – M	Black – BLK
	Slider Mount – S	🔵 White – WHT



KataEX2-FM

Dual Fixed + Motion Monitor Arm

\$1.065

MODEL # KATAEX2-DC-FM-___ MODEL # KATAEX2-GM-FM-___ See key below for available finish options

Features

Finger touch dynamic height adjustment

36" deep or less

25.26" arm extension

3.49" arm retraction

+90%-45° monitor tilt

4lb.-20lb. weight capacity (per arm)

15.99" pole height (includes base)

180° lock-out feature

Specify a grommet mount or a desk clamp mount





KATAEX2-DC-FMS

Dual Fixed + Motion + Slider Monitor Arm

Finger touch dynamic height adjustment

- Recommended for worksurfaces
- 26.32" arm extension
- 4.91" arm retraction
- +90%-45° monitor tilt
- ±90° VESA rotation
- 2.5lb.–18.5lb. weight capacity (per arm)
- 15.99" pole height (includes base)
- VESA 75mm/100mm quick release
- 180° lock-out feature
- Specify a grommet mount or a desk
- 62.79" max. monitor width Bezel measured left to right.
- Max. width is contingent on weight capacity.
- Warranty: Lifetime

Available Mounting Options:

Desk Clamp – DC Grommet Mount – GM

Monitor Arm Key:

Fixed Monitor Arm – F Motion Monitor Arm – M Slider Mount – S

Available Finishes:



KataEX2-M Dual Motion Monitor Arm

\$960

MODEL # KATAEX2-DC-M-___ MODEL # KATAEX2-GM-M-___ See key below for available finish options

Features

Finger touch dynamic height adjustment

- Recommended for worksurfaces 30" deep or less
- 15.01" arm extension
- 3.39" arm retraction
- +90%-45° monitor tilt
- ±90° VESA rotation
- 4lb.-20lb. weight capacity (per arm)
- 15.99" pole height (includes base)
- VESA 75mm/100mm guick release
- 180° lock-out feature

Specify a grommet mount or a desk clamp mount

32.72" max. monitor width Bezel measured left to right. Max. width is contingent on weight capacity.

Warranty: Lifetime





KataEX2-MS Dual Motion + Slider Monitor Arm

\$1.137

MODEL # KATAEX2-DC-MS-___ MODEL # KATAEX2-GM-MS-___ See key below for available finish options

Features

Finger touch dynamic height adjustment

Recommended for worksurfaces 30" deep or less 16.07" arm extension 5.86" arm retraction

- +90%-45° monitor tilt
- ±90° VESA rotation
- 2.5lb.-18.5lb. weight capacity (per arm) 15.99" pole height (includes base)
- VESA 75mm/100mm quick release
- 180° lock-out feature

Specify a grommet mount or a desk clamp mount

42.29" max. monitor width Bezel measured left to right. Max. width is contingent on weight capacity. Warranty: Lifetime



Customize the KataEX

As workstation needs change, so can the KataEX configurations. Additional components are sold separately:

- Motion Arms
- Fixed Arms
- Stem Arms
- 25.99" Pole (height includes base) Slider Mounts

Contact our Customer Service Department for compatibility and pricing for custom configurations.



KataEX3-FF

Triple Fixed + Fixed Monitor Arm

\$1.075

MODEL # KATAEX3-DC-FF-___ MODEL # KATAEX3-GM-FF-___ See key below for available finish options

Features

Manual height adjustment Recommended for worksurfaces 30" deep or less 24.77" outside arm extension

8.52" center arm extension

5.12" arm retraction +90%-45° monitor tilt

±90° VESA rotation

Up to 20lb. weight capacity (per arm)

15.99" pole height (includes base) VESA 75mm/100mm quick release

180° lock-out feature

Specify a grommet mount or a desk clamp mount

26.14" max. monitor width Bezel measured left to right. Max. width is contingent on weight capacity. Warranty: Lifetime

GSA Schedule





KataEX3-FMS

\$1.488

Features

30" deep or less 26.32" outside arm extension 8.52" center arm extension 4.91" arm retraction +90%-45° monitor tilt

(slider & standard mount) ±90° VESA rotation

(per outside arm)

180° lock-out feature

clamp mount

26.63" max. monitor width Bezel measured left to right. Max. width is contingent on weight capacity.

GSA Schedule, Lifetime Warrach

Available Mounting Options:	Monitor Arm Key:	Available Finishes:
Desk Clamp – DC	Fixed Monitor Arm – F	O Silver – SLV
Grommet Mount – GM	Motion Monitor Arm – M	Black – BLK
	Slider Mount – S	◯ White – WHT

Kata[™]FX3



KATAEX3-DC-FMS

Triple Fixed + Motion + Slider Monitor Arm

MODEL # KATAEX3-DC-FMS-___ MODEL # KATAEX3-GM-FMS-___ See key below for available finish options

Finger touch dynamic height adjustment

Recommended for worksurfaces

- Up to 20lb. weight capacity (center arm)
- 2.5 lb.-18.5 lb. weight capacity
- 15.99" pole height (includes base)
- VESA 75mm/100mm guick release
- Specify a grommet mount or a desk



Available Mounting Options:

Desk Clamp – DC Grommet Mount – GM

Customize the KataEX

As workstation needs change, so can the KataEX configurations. Additional components are sold separately:

- Motion Arms
- Fixed Arms
- Stem Arms
- 25.99" Pole (height includes base)
- Slider Mounts

Contact our Customer Service Department for compatibility and pricing for custom configurations.

Monitor Arm Key:

Fixed Monitor Arm – F Motion Monitor Arm – M Slider Mount – S

Available Finishes:

Kata[™]FX4



KataEX4-FF Quad Fixed + Fixed Monitor Arm

\$1.601

MODEL # KATAEX4-DC-FF-___ See key below for available finish options Grommet mount not available for this configuration

Features

Manual height adjustment

Recommended for worksurfaces 36" deep or less

24.77" arm extension

- 5.12" arm retraction
- +90%-45° monitor tilt
- ±90° VESA rotation
- Up to 20lb. weight capacity (per arm)
- 25.99" pole height *(includes base)*
- VESA 75mm/100mm guick release

180° lock-out feature

Desk clamp mount only

49.54" max. monitor width Bezel measured left to right. Max. width is contingent on weight capacity. Note: monitor height/weight might limit size.

Warranty: Lifetime





KataEX4-FM Quad Fixed + Motion Monitor Arm

\$2,075

MODEL # KATAEX4-DC-FM-___ See key below for available finish options Grommet mount not available for this configuration

Features

Finger touch dynamic height adjustment Recommended for worksurfaces

- 36" deep or less
- 25.26" arm extension
- 3.49" arm retraction
- +90%-45° monitor tilt
- ±90° VESA rotation
- 4lb.–20lb. weight capacity (per arm)
- 25.99" pole height (includes base)
- VESA 75mm/100mm quick release
- 180° lock-out feature Desk clamp mount only
- 53.22" max. monitor width Bezel measured left to right. Max. width is contingent on weight capacity. Note: monitor height/weight might limit size. Warranty: Lifetime





KataEX4-FMS Quad Fixed + Motion + Slider Monitor Arm

\$2,430

MODEL # KATAEX4-DC-FMS-___ See key below for available finish options Grommet mount not available for this configuration

Features

Finger touch dynamic height adjustment Recommended for worksurfaces 36" deep or less 25.26" arm extension 3.49" arm retraction +90%-45° monitor tilt ±90° VESA rotation 2.5lb.–18.5lb. weight capacity (per arm) 25.99" pole height (includes base) VESA 75mm/100mm guick release 180° lock-out feature Desk clamp mount only 53.22" max. monitor width Bezel measured left to right. Max. width is contingent on weight capacity. Note: monitor height/weight might limit size. Warranty: Lifetime





KataEX4-MS Quad Motion + Slider Monitor Arm

\$2.111

MODEL # KATAEX4-DC-MS-___ See key below for available finish options Grommet mount not available for this configuration

Features

Finger touch dynamic height adjustment Recommended for worksurfaces 30" deep or less 16.07" arm extension 5.86" arm retraction +90%-45° monitor tilt ±90° VESA rotation 2.5 lb.–18.5lb. weight capacity (per arm) 25.99" pole height (includes base) VESA 75mm/100mm guick release 180° lock-out feature Desk clamp mount only 42.29" max. monitor width Bezel measured left to right. Max. width is contingent on weight capacity. Note: monitor height/weight might limit size. Warranty: Lifetime



Monitor Arm Key:	Available Finishes:
Fixed Monitor Arm – F	Silver – SL
Motion Monitor Arm – M	Black – BL
Slider Mount – S	🔵 White – W

Customize the KataEX

As workstation needs change, so can the KataEX configurations. Additional components are sold separately:

- Motion Arms
- Fixed Arms
- Stem Arms
- 15.99" Pole (height includes base)
- Slider Mounts

Contact our Customer Service Department for compatibility and pricing for custom configurations.

Monitor Arm Key:

Fixed Monitor Arm – F Motion Monitor Arm – M Slider Mount – S

Available Finishes:



KataEX6-FF Six Fixed + Fixed Monitor Arm

\$1,988

MODEL # KATAEX6-DC-FF-___ See key below for available finish options Grommet mount not available for this configuration

Features

Manual height adjustment

Recommended for worksurfaces 30" deep or less

24.77" outside arm extension

8.52" center arm extension

5.12" arm retraction

+90%-45° monitor tilt

±90° VESA rotation

Up to 20lb. weight capacity (per arm)

25.99" pole height *(includes base)*

VESA 75mm/100mm guick release

180° lock-out feature

Desk clamp mount only

26.14" max. monitor width Bezel measured left to right. Max. width is contingent on weight capacity. Note: monitor height/weight might limit size.

Warranty: Lifetime G5A Schedule, Lifetine Warranty



KataEX6-FMS Six Fixed + Motion + Slider Monitor Arm

\$2,816

MODEL # KATAEX6-DC-FMS-___ See key below for available finish options Grommet mount not available for this configuration

Features

Finger touch dynamic height adjustment

Recommended for worksurfaces 30" deep or less

26.32" outside arm extension

8.52" center arm extension

4.91" arm retraction +90%-45° monitor tilt

(slider & standard mounts) ±90° VESA rotation

Up to 20lb. weight capacity (per center arm)

2.5 lb.–18.5 lb. weight capacity (per outside arm)

25.99" pole height (includes base)

VESA 75mm/100mm quick release

180° lock-out feature

Desk clamp mount only

26.63" max. monitor width Bezel measured left to right. Max. width is contingent on weight capacity. Note: monitor height/weight might limit size.

Warranty: Lifetime



Monitor Arm Key: Fixed Monitor Arm – F Motion Monitor Arm – M Slider Mount – S

Available Finishes: Silver – SLV Black – BLK White – WHT



Edge®



Edge Single Monitor Arm

\$487

MODEL # EDGE-___ See key below for available finish options

Features

Finger touch dynamic height adjustment

Recommended for worksurfaces 36" deep or less

12.09" height adjustment range – 7.68"–19.78" (low/high)

21.55" arm extension

3.22" arm retraction

±90° monitor tilt

±90° VESA rotation

6.5 lb.–17.6 lb. weight capacity

VESA 75mm/100mm quick release

180° lock-out feature

Desk clamp and grommet mount included

Warranty: Lifetime





Edge2 Conversion Kit

\$495

MODEL # EDGE2KIT-___ Available in silver, black and white

Converts an existing Edge single monitor arm to an Edge2 dual arm

Kit Includes:

- One Fixed Arm
- One Motion Arm
- One Dual Base
- One Clamp Mount
- One Grommet Mount

Edge[®]2



Edge2 Dual Monitor Arm

\$916

MODEL # EDGE2-___ See key below for available finish options

Features

Finger touch dynamic height adjustment

Recommended for worksurfaces 36" deep or less

12.09" height adjustment range – 7.68"–19" (low/high)

21.55" arm extension

3.22" arm retraction

±90° monitor tilt

±90° VESA rotation

6.5 lb.–17.6 lb. weight capacity (per arm)

VESA 75mm/100mm quick release

180° lock-out feature

Desk clamp and grommet mount included

41.08" max. monitor width

Bezel measured left to right,

Max width is contingent on weight capacity.

Warranty: Lifetime



Available Finishes: O Silver – SLV Black – BLK White – WHT

48 Feljowes





Edge2-MS

Dual Monitor Arm

\$916

MODEL # EDGE2-MS-___ See key below for available finish options

Features

Finger touch dynamic height adjustment

Recommended for worksurfaces 30" deep or less

10.58" height adjustment range - 3.76"-14.34" (low/high)

15.41" arm extension

5.74" arm retraction

+80%-60° monitor tilt

±90° VESA rotation

4.4 lb.–15.4 lb. weight capacity (per arm)

VESA 75mm/100mm quick release

180° lock-out feature

Desk clamp and grommet mount included

28" max. monitor width Bezel measured left to right. Max. width is contingent on weight capacity.

Warranty: Lifetime



Monitor Arm Key:

Fixed Monitor Arm – F Motion Monitor Arm – M Slider Mount – S

Available Finishes:

Edge[®]2-Max



Edge2-Max

Dual Monitor Arm

\$939

MODEL #EDGE2-MAX-___ See key below for available finish options

Features

Finger touch dynamic height adjustment

Recommended for worksurfaces 36" deep or less

14.14" height adjustment range – 9.52"–22.8" (low/high)

28.51" arm extension

7.5" arm retraction

±55° monitor tilt

±90° VESA rotation

12lb.-38.5lb. weight capacity (combined weight of both monitors)

180° lock-out feature

Desk clamp and grommet mount included

25.18" max. monitor width Bezel measured left to right. Max. width is contingent on weight capacity.

Warranty: Lifetime



Edge[®]2Combo



Edge2Combo Edge2 + LTH-Edge

\$1,168 MODEL # EDGE2-COMBO-SLV

Features

Finger touch dynamic height adjustment Recommended for worksurfaces 36" deep or less

12.09" height adjustment range - 7.68"-19" (low/high)

21.55" arm extension

±90°/-25 monitor tilt

±90° VESA rotation

6.5lb.-17.6lb. weight capacity (monitor supporting arm)

1.1 lb.-12.2lb. weight capacity (laptop supporting arm)

VESA 75mm/100mm quick release

180° lock-out feature

Desk clamp and grommet mount included

41.08" max. monitor width Bezel measured left to right. Max. width is contingent on weight capacity.


Warranty: Lifetime



Edge[®]-Max

Edge[®]-Max-Dual





Edge-Max Heavy Duty Single Monitor Arm

\$737

Features

36" deep or less

MODEL # EDGE-MAX-___

See key below for available finish options

Finger touch dynamic height adjustment

Recommended for worksurfaces

Recommended for heavy monitors

14.04" height adjustment range

– 9.2"–23.3" (low/high)

17.6lb.-42lb. weight capacity

VESA 75mm/100mm quick release

Desk clamp and grommet mount included

25.19" arm extension

4.15" arm retraction

+85%-35° monitor tilt

±90° VESA rotation

180° lock-out feature

Warranty: Lifetime

\$1,473

Features

adjustment

36" deep or less

14.16" height adjustment range - 9.89"-24.05" (low/high)

25.18" arm extension

4.14" arm retraction

±90° VESA rotation

17.6lb.-42lb. weight capacity

(per arm)

180° lock-out feature

Desk clamp and grommet mount included

Bezel measured left to right.

Warranty: Lifetime



Available Finishes: O Silver – SLV Black - BLK

All prices are in U.S. dollars

Available Finishes: Silver – SLV

fellowes.com 800.833.3746

GSA Schedule



Edge-Max-Dual Heavy Duty Dual Monitor Arm

MODEL # EDGE-MAX-DUAL-SLV

Finger touch dynamic height

Recommended for worksurfaces

Recommended for heavy monitors

+85%-35° monitor tilt

VESA 75mm/100mm quick release

51.18" max. monitor width

Max. width is contingent on weight capacity.





Edge-Max Dual Conversion Kit

\$738

MODEL # EDGE-MAX-DUAL-KIT

Converts an existing Edge-Max single monitor arm to an Edge-Max-Dual arm

Kit Includes:

- One Fixed Arm
- One Motion Arm
- One Dual Base
- One Clamp Mount
- One Grommet Mount

Available Finishes: Silver – SLV

Edge[®]–Wall



Edge-Wall Heavy Duty, Wall-Mounted Single Monitor Arm


\$487

MODEL # EDGE-WALL-SLV

Features

Finger touch dynamic height adjustment For wall mount applications 12" height adjustment range 22" arm extension 2.6" arm retraction +90%-25° monitor tilt ±90° VESA rotation 6.5lb.–17.6lb. weight capacity VESA 75mm/100mm guick release Warranty: Lifetime







Edge-Slat Heavy Duty, Slat-Mounted Single Monitor Arm

\$493

MODEL # EDGE-SLAT-SLV

Features

Finger touch dynamic height adjustment

For slat wall applications 0.8"–2.8" wide (slat wall not included, shown for illustration purposes only) 12" height adjustment range 13" arm extension 2.6" arm retraction


+90%-25° monitor tilt ±90° VESA rotation

6.5lb.–17.6lb. weight capacity VESA 75mm/100mm quick release

Warranty: Lifetime



Monitor Arms



needed to support additional monitors.

Quality Testing

Meets or exceeds BIFMA x5.5 guidelines.

Slider Mount

Position virtually any monitor side-by-side with a slider. The slider (S) offers eight and a half inches of horizontal adjustability, so even monitors of varying sizes can be positioned flush.

Available Finishes: O Silver – SLV

Evolve1



Evolve Stubby Single Short Fixed Monitor Arm

\$346

MODEL # EVOLVE-STUBBY-___ See key below for available finish options

Features

Manual height adjustment

Recommended for worksurfaces 24" deep or less

8" arm extension

8" arm retraction

+90%-25° monitor tilt

±90° VESA rotation

Up to 20lb. weight capacity

19.7" pole height (includes base)

VESA 75mm/100mm quick release

Desk clamp and grommet mount included

Warranty: Lifetime





Evolve1-F Single Fixed Monitor Arm

\$421

MODEL # EVOLVE1-F-___ See key below for available finish options

Features

Manual height adjustment Recommended for worksurfaces

30" deep or less 12.82" arm extension

2.55" arm retraction

+90%-25° monitor tilt

±90° VESA rotation

Up to 20lb. weight capacity

19.70" pole height (includes base)

VESA 75mm/100mm quick release

180° lock-out feature

Desk clamp and grommet mount included

Warranty: Lifetime





Evolve1-FF Single Fixed + Fixed Monitor Arm

\$494

MODEL # EVOLVE1-FF-___ See key below for available finish options

Features

Manual height adjustment Recommended for worksurfaces 36" deep or less 23.10" arm extension 2.55" arm retraction +90%-25° monitor tilt ±90° VESA rotation Up to 20lb. weight capacity 19.70" pole height (includes base) VESA 75mm/100mm guick release 180° lock-out feature Desk clamp and grommet mount included Warranty: Lifetime





Evolve1



EVOLVE1-M

\$530

Features

Evolve1-FM Single Fixed + Motion Monitor Arm

\$606

ΞĽ.

MODEL # EVOLVE1-FM-___ See key below for available finish options

Features

Finger touch dynamic height adjustment Recommended for worksurfaces 36" deep or less 23.17" arm extension 2.55" arm retraction +90%-25° monitor tilt ±90° VESA rotation 6.5lb.–17.6lb. weight capacity 19.7" pole height (includes base) VESA 75mm/100mm quick release

180° lock-out feature

Desk clamp and grommet mount included Warranty: Lifetime

GSA Schedule



Monitor Arm Key:	Available Finishes:
Fixed Monitor Arm – F	O Silver – SLV
Motion Monitor Arm – M	Black – BLK
Slider Mount – S	White – WHT

54 Feljowes





Evolve1-M

Single Motion Monitor Arm

MODEL # EVOLVE1-M-___ See key below for available finish options

Finger touch dynamic height adjustment

Recommended for worksurfaces

30" deep or less

12.89" arm extension

2.55" arm retraction

+90%-25° monitor tilt

±90° VESA rotation

6.5 lb.–17.6 lb. weight capacity

19.7" pole height (includes base)

VESA 75mm/100mm quick release

180° lock-out feature

Desk clamp and grommet

mount included

Warranty: Lifetime

Monitor Arm Key:

Fixed Monitor Arm – F Motion Monitor Arm – M Slider Mount – S

Available Finishes:

Evolve1



Evolve1-MS

Single Motion + Slider Monitor Arm

\$605

MODEL # EVOLVE1-MS-___ See key below for available finish options

Features

Finger touch dynamic height adjustment

Recommended for worksurfaces 30" deep or less

15.41" arm extension

5.07" arm retraction

+80%-60° monitor tilt

±90° VESA rotation

4.4lb.–15.4lb. weight capacity

19.7" pole height (includes base)

VESA 75mm/100mm quick release

180° lock-out feature

Desk clamp and grommet mount included

Warranty: Lifetime



Customize the Evolve

As workstation needs change, so can the Evolve configurations. Additional components are sold separately:

Motion Arms

- Fixed Arms
- Stem Arms
- 29.7" Pole (height includes base)
- Slider Mounts

Contact our Customer Service Department for compatibility and pricing for custom configurations.



Evolve Conversion Kit

\$458

MODEL # EVOLVEKIT-1MS2MS-___ Available in silver, black and white

Converts an existing Evolve-MS single monitor arm to a Evolve2-MS dual arm.

Kit Includes:

- One Slider
- One Motion Arm
- One Arm Stem

Fvolve2





Evolve2-FF Dual Fixed + Fixed Monitor Arm

\$825

Features

MODEL # EVOLVE2-F-___ See key below for available finish options

Features

Manual height adjustment

Recommended for worksurfaces 30" deep or less

18.2" arm extension

4.1" arm retraction +90%-25° monitor tilt

±90° VESA rotation

Up to 20lb. weight capacity (per arm)

19.70" pole height (includes base)

VESA 75mm/100mm guick release

180° lock-out feature

Desk clamp and grommet mount included

28" max. monitor width Bezel measured left to right. Max. width is contingent on weight capacity.

Warranty: Lifetime







included

capacity.

Monitor Arm Key:	Available Finishes:
Fixed Monitor Arm – F	O Silver – SLV
Motion Monitor Arm – M	Black – BLK
Slider Mount – S	🔵 White – WHT

56 Feljowes





Evolve2-F



EVOLVE2-FF

MODEL # EVOLVE2-FF-___ See key below for available finish options

Manual height adjustment

Recommended for worksurfaces 36" deep or less

23.1" arm extension

3.4" arm retraction

+90%-25° monitor tilt

±90° VESA rotation

Up to 20lb. weight capacity (per arm)

19.7" pole height (includes base)

VESA 75mm/100mm quick release

180° lock-out feature

Desk clamp and grommet mount

48.98" max. monitor width Bezel measured left to right. Max. width is contingent on weight

Warranty: Lifetime





Evolve2-FS

Dual Fixed + Slider Monitor Arm

\$841

MODEL # EVOLVE2-FS-___ See key below for available finish options

Features

Manual height adjustment

Recommended for worksurfaces 30" deep or less

15.35" arm extension

5.74" arm retraction

+80%-60° monitor tilt

±90° VESA rotation

Up to 18.5lb. weight capacity (per arm)

19.7" pole height (includes base)

VESA 75mm/100mm guick release

180° lock-out feature

Desk clamp and grommet mount included

37.01" max. monitor width Bezel measured left to right. Max. width is contingent on weight capacity.

Warranty: Lifetime



Monitor Arm Key:

Fixed Monitor Arm – F

Slider Mount – S

Motion Monitor Arm – M



Available Finishes:

Fvolve2

EVOLVE2

Evolve2-FM Dual Fixed + Motion Monitor Arm

\$997

MODEL # EVOLVE2-FM-___ See key below for available finish options

Features

Finger touch dynamic height adjustment

Recommended for worksurfaces 36" deep or less

23.17" arm extension

3.22" arm retraction

+90%-25° monitor tilt

±90° VESA rotation

6.5lb.-17.6lb. weight capacity (per arm)

19.7" pole height (includes base)

VESA 75mm/100mm quick release

180° lock-out feature

Desk clamp and grommet mount included

49.11" max. monitor width Bezel measured left to right. Max. width is contingent on weight capacity.

Warranty: Lifetime





Evolve2-FMS Dual Fixed + Motion + Slider Monitor Arm

MODEL # EVOLVE2-FMS-___ See key below for available finish options

Features

\$1.212

Finger touch dynamic height adjustment

Recommended for worksurfaces 36" deep or less

25.69" arm extension

5.74" arm retraction

+80%-60° monitor tilt ±90° VESA rotation

4.4lb.–15.4lb. weight capacity (per arm)

19.7" pole height (includes base)

VESA 75mm/100mm quick release

180° lock-out feature

Desk clamp and grommet mount included

57.69" max. monitor width Bezel measured left to right. Max. width is contingent on weight capacity.

Warranty: Lifetime





Evolve2-M Dual Motion Monitor Arm

\$898

MODEL # EVOLVE2-M-___ See key below for available finish options

Features

Finger touch dynamic height adjustment Recommended for worksurfaces

18.4" arm extension

30" deep or less

4.1" arm retraction

+90%-25° monitor tilt

±90° VESA rotation

6.5lb.–17.6lb. weight capacity (per arm)

19.7" pole height (includes base)

VESA 75mm/100mm quick release

180° lock-out feature

Desk clamp and grommet mount included

28.0" max. monitor width Bezel measured left to right. Max. width is contingent on weight capacity.

Warranty: Lifetime







Evolve2-MS Dual Motion + Slider Monitor Arm

\$1.065

MODEL # EVOLVE2-MS-___ See key below for available finish options

Features

Finger touch dynamic height adjustment

Recommended for worksurfaces 30" deep or less

15.41" arm extension

5.74" arm retraction

+80%-60° monitor tilt

±90° VESA rotation

4.4lb.–15.4lb. weight capacity (per arm)

19.7" pole height (includes base)

VESA 75mm/100mm quick release

180° lock-out feature

Desk clamp and grommet mount included

37.14" max. monitor width Bezel measured left to right. Max. width is contingent on weight capacity. Warranty: Lifetime



Available Monitor Arm Key: Finishes: OSilver – SLV Fixed Monitor Arm – F Motion Monitor Arm – M Black – BLK White - WHT Slider Mount – S

Customize the Evolve

As workstation needs change, so can the Evolve configurations. Additional components are sold separately:

- Motion Arms
- Fixed Arms
- Stem Arms
- 29.7" Pole (height includes base)
- Slider Mounts


Contact our Customer Service Department for compatibility and pricing for custom configurations.

Monitor Arm Key:

Fixed Monitor Arm – F Motion Monitor Arm – M Slider Mount – S

Available Finishes:

Fvolve3



Evolve3-FF Triple Fixed + Fixed Monitor Arm

\$1.005

MODEL # EVOLVE3-FF-___ See key below for available finish options

Features

Manual height adjustment

Recommended for worksurfaces 30" deep or less

23.1" outside arm extension

6.48" center arm extension

3.4" arm retraction

+90%-25° monitor tilt

±90° VESA rotation

Up to 20lb. weight capacity (per arm)

19.7" pole height *(includes base)*

VESA 75mm/100mm guick release

180° lock-out feature

Desk clamp and grommet mount included

24.11" max. monitor width Bezel measured left to right. Max. width is contingent on weight capacity.

Warranty: Lifetime





Evolve3-FMS

Triple Fixed + Motion + Slider Monitor Arm

\$1,394

MODEL # EVOLVE3-FMS-___ See key below for available finish options

Features

Finger touch dynamic height adjustment

Recommended for worksurfaces 30" deep or less

25.69" outside arm extension 6.48" center arm extension

5.74" arm retraction

+80%-60° monitor tilt (slider mount) +90%-25° monitor tilt (center mount)

±90° VESA rotation

Up to 20lb. weight capacity (center arm)

4.4lb.–15.4lb. weight capacity (per outside arm)


19.7" pole height *(includes base)*

VESA 75mm/100mm quick release

180° lock-out feature

Desk clamp and grommet mount included

28.80" max. monitor width Bezel measured left to right. Max. width is contingent on weight capacity. Warranty: Lifetime



As workstation needs change, so can the Evolve configurations. Additional components are sold separately:

 Motion Arms Fixed Arms

• 29.7" Pole (height includes base)

Contact our Customer Service Department configurations.



EVOLVE4-FF

Evolve4-FF

Quad Fixed + Fixed Monitor Arm

\$1.500

MODEL # EVOLVE4-FF-___ See key below for available finish options

Features

Manual height adjustment

Recommended for worksurfaces 36" deep or less

23.1" arm extension 2.55" arm retraction

+90%-25° monitor tilt

±90° VESA rotation

Up to 20lb. weight capacity (per arm)

29.70" pole height (includes base)

VESA 75mm/100mm guick release

180° lock-out feature

Desk clamp and grommet mount included

48.98" max. monitor width Bezel measured left to right. Max. width is contingent on weight capacity. Note: monitor height/weight might limit size. Warranty: Lifetime

GSA Schedule



GSA Schedule

Available Monitor Arm Key: Finishes: Silver – SLV Fixed Monitor Arm – F Motion Monitor Arm – M Black – BLK Slider Mount – S White - WHT

60 Feljowes

Evolve4

• Stem Arms

Slider Mounts

for compatibility and pricing for custom





\$1.942

Features



EVOLVE4-FM

Evolve4-FM Quad Fixed + Motion Monitor Arm

MODEL # EVOLVE4-FM-___ See key below for available finish options

- Finger touch dynamic height adjustment
- Recommended for worksurfaces
- 36" deep or less
- 23.17" arm extension
- 2.55" arm retraction
- +90%-25° monitor tilt
- ±90° VESA rotation
- 6.5lb.-17.6lb. weight capacity (per arm)
- 29.7" pole height (includes base)
- VESA 75mm/100mm guick release
- 180° lock-out feature
- Desk clamp and grommet mount included
- 49.11" max. monitor width
- Bezel measured left to right.
- Max. width is contingent on weight capacity. Note: monitor height/weight might limit size.
- Warranty: Lifetime





Evolve4-FMS

Quad Fixed + Motion + Slider Monitor Arm

\$2.275

MODEL # EVOLVE4-FMS-___ See key below for available finish options

Features

Finger touch dynamic height adjustment

Recommended for worksurfaces 36" deep or less

25.69" arm extension

5.07" arm retraction

+80%-60° monitor tilt

±90° VESA rotation

4.4lb.-15.4lb. weight capacity (per arm)

- 29.7" pole height (includes base)
- VESA 75mm/100mm guick release

180° lock-out feature

Desk clamp and grommet mount included

57.61" max. monitor width Bezel measured left to right. Max. width is contingent on weight capacity. *Note: monitor height/weight might*

Warranty: Lifetime





Monitor Arm Key:

Fixed Monitor Arm – F Motion Monitor Arm – M Slider Mount – S

Available Finishes:

Evolve4



Evolve4-MS

Quad Motion + Slider Monitor Arm

\$1,976

MODEL # EVOLVE4-MS-___ See key below for available finish options

Features

Finger touch dynamic height adjustment

Recommended for worksurfaces 30" deep or less

15.41" arm extension

5.07" arm retraction

+80%-60° monitor tilt

±90° VESA rotation

4.4lb.-15.4lb. weight capacity (per arm)

29.7" pole height (includes base)

VESA 75mm/100mm quick release

180° lock-out feature

Desk clamp and grommet mount included

37.06" max. monitor width Bezel measured left to right. Max. width is contingent on weight capacity. Note: monitor height/weight might limit size.

Warranty: Lifetime




Customize the Evolve

As workstation needs change, so can the Evolve configurations. Additional components are sold separately:

Motion Arms

- Fixed Arms
- Stem Arms
- 19.70" Pole (height includes base)
- Slider Mounts

Contact our Customer Service Department for compatibility and pricing for custom configurations.



Evolve6

Evolve6-FF

\$2.638

Features

Evolve6-FMS Six Fixed + Motion + Slider Monitor Arm

MODEL # EVOLVE6-FF-___ See key below for available finish options

Six Fixed + Fixed Monitor Arm

Features

\$1.861

Manual height adjustment

Recommended for worksurfaces 30" deep or less

23.1" outside arm extension

6.48" center arm extension

2.55" arm retraction +90°/-25° monitor tilt

±90° VESA rotation

Up to 20lb. weight capacity (per arm)

29.7" pole height (includes base)

VESA 75mm/100mm guick release

180° lock-out feature

Desk clamp and grommet mount included

24.49" max. monitor width Bezel measured left to right. Max. width is contingent on weight capacity. *Note: monitor height/weight might limit size.*

Warranty: Lifetime



Note: monitor height/weight might limit size. Warranty: Lifetime

Monitor Arm Key:	Available Finishes:
Fixed Monitor Arm – F	O Silver – SLV
Motion Monitor Arm – M	🛑 Black – BLK
Slider Mount – S	🔵 White – WHT

62 Feljowes



EVOLVE6-FMS

MODEL # EVOLVE6-FMS-___ See key below for available finish options

Finger touch dynamic height adjustment

Recommended for worksurfaces 30" deep or less

25.69" outside arm extension

6.48" center arm extension

5.07" arm retraction

+80°/-60° monitor til*t (slider mount)* +90°/-25° monitor tilt (center mount)

±90° VESA rotation

Up to 20lb. weight capacity (per center arm)

4.4 b.–15.4lb. weight capacity (per outside arm)

29.7" pole height (includes base)

VESA 75mm/100mm quick release

180° lock-out feature

Desk clamp and grommet mount included

28.81" max. monitor width Bezel measured left to right.

Max. width is contingent on weight capacity.

Customize the Evolve

As workstation needs change, so can the Evolve configurations. Additional components are sold separately:

- Motion Arms
- Fixed Arms
- Stem Arms
- 19.7" Pole (height includes base)
- Slider Mounts

Contact our Customer Service Department for compatibility and pricing for custom configurations.

Monitor

Arm Key: Fixed Monitor Arm – F Motion Monitor Arm – M

Slider Mount – S

Available Finishes:

Evolve2Combo



Evolve2-FMS + LTH-Edge

\$1,465

MODEL # EVOLVE2COMBO-SLV

Features

Finger touch dynamic height adjustment

Recommended for worksurfaces 36" deep or less

25.69" arm extension

+80°/-60° monitor tilt

±90° VESA rotation

4.4lb.–15.4lb. weight capacity (monitor supporting arm)

Up to 10lb. weight capacity (laptop supporting arm)

19.7" pole height (includes base)

VESA 75mm/100mm quick release

180° lock-out feature

Desk clamp and grommet mount included

57.69" max. monitor width Bezel measured left to right. Max. width is contingent on weight capacity.

Warranty: Lifetime



Evolve3Combo



Evolve3Combo Evolve3-FMS + LTH-Edge

\$1,647

MODEL # EVOLVE3COMBO-SLV

Features

Finger touch dynamic height adjustment Recommended for worksurfaces 30" deep or less

50 deep of 1635

25.69" outside arm extension 6.48" center arm extension

+80°/-60° monitor tilt (*slider mount*) +90°/-25° monitor tilt (*center mount*)

±90° VESA rotation

4.4lb.–15.4lb. weight capacity (outside monitor supporting arm)

Up to 20lb. weight capacity (middle monitor supporting arm)

Up to 10lb. weight capacity (laptop supporting arm)

19.7" pole height *(includes base)*

VESA 75mm/100mm quick release

180° lock-out feature

Desk clamp and grommet mount included

28.8" max. monitor width Bezel measured left to right. Max. width is contingent on weight capacity.

Warranty: Lifetime



Monitor Arm Key:
Fixed Monitor Arm – F
Motion Monitor Arm – M
Slider Mount – S

Available Finishes: Silver - SLV Black - BLK White - WHT



Monitor Arms







Proprietary Design

Sena has been uniquely designed by the Fellowes Design Team.

SenaEX Motion Arms

SenaEX configurations that include a motion arm (M) offer finger touch dynamic height adjustment.That means the monitor can reposition up and down with ease.

SenaEX Fixed Arms

SenaEX configurations using fixed arms (F) have manual height adjustment. They rotate left and right along the pole, offering flexibility with lateral adjustments.

Flexible Growth

Because the SenaEX is pole mounted, arms can be added as needed to support additional monitors.

Quality Testing

Meets or exceeds BIFMA x5.5 guidelines.

Sena™



Sena Single Monitor Arm

\$384

MODEL # SENA- _ _ _ See key below for available finish options

Features

Finger touch dynamic height adjustment Recommended for worksurfaces 36" deep or less 12.68" height adjustment range - 7.01"-19.69" (low-high) 24.37" arm extension 2.89" arm retraction +75° / -35° monitor tilt +/-90° VESA rotation 2.2lb.-19.8lb weight capacity (per arm) VESA 75mm/100mm quick release 180° lock-out feature 360° / 180° arm rotation with 180° lock-out Desk clamp and grommet mount included Meets or exceeds BIFMA x5.5 guidelines Warranty: Lifetime



Sena™2



Sena2 Dual Monitor Arm

\$712

MODEL # SENA2-___ See key below for available finish options

Features

Finger touch dynamic height adjustment Recommended for worksurfaces 36" deep or less 12.68" height adjustment range - 7.01"-19.69" (low-high) 24.37" arm extension 2.89" arm retraction +75°/-35° monitor tilt ±90° VESA rotation 2.2lb.-19.8lb. weight capacity (per arm) VESA 75mm/100mm quick release 180° lock-out feature 270° / 135° arm rotation with 180° lock Desk clamp and grommet mount included 45.72" max monitor width Bezel measured left to right. Max. width is contingent on weight capacity. Meets or exceeds BIFMA x5.5 guidelines Warranty: Lifetime







SenaEX1-F

\$336

Features

30" deep or less

12.93" arm extension

2.89" arm retraction

±90° VESA rotation

180° lock-out feature

Warranty: Lifetime

+75° / -35° monitor tilt

Single Fixed Monitor Arm

MODEL # SENAEX1-F-___

Manual height adjustment

Recommended for worksurfaces

2.2lb.–19.8lb weight capacity (per arm)

VESA 75mm/100mm quick release

Desk clamp and grommet mount included

Meets or exceeds BIFMA x5.5 guidelines

16" pole height *(includes base)*

360° rotation at three points

See key below for available finish options



SENAEX1-FF

\$426

MODEL # SENAEX1-FF-___

Features

Manual height adjustment 36" deep or less 22.97" arm extension 2.89" arm retraction +75° / -35° monitor tilt ±90° VESA rotation 180° lock-out feature 360° rotation at three points Desk clamp and grommet mount included Warranty: Lifetime



Monitor Arm Key:	Available Finishes:
Fixed Monitor Arm – F	Silver – SL
Motion Monitor Arm – M	🛑 Black – BL
Slider Mount – S	🔵 White – W

66 Feljowes



Single Fixed + Fixed Monitor Arm

See key below for available finish options

- Recommended for worksurfaces
- 2.2lb.–19.8lb weight capacity (per arm)
- 16" pole height (includes base)
- VESA 75mm/100mm quick release
- Meets or exceeds BIFMA x5.5 guidelines



SenaEX1-FM

Single Fixed + Motion Monitor Arm

\$1,219

MODEL # SENAEX1-FM-___ See key below for available finish options

Features

Finger touch dynamic height adjustment Recommended for worksurfaces 36" deep or less 12.68" height adjustment range 12.93" arm extension 2.89" arm retraction +75° / -35° monitor tilt ±90° VESA rotation 2.2lb.–19.8lb weight capacity (per arm) 16" pole height (includes base) VESA 75mm/100mm quick release 180° lock-out feature 360° rotation at three points Desk clamp and grommet mount included Meets or exceeds BIFMA x5.5 guidelines Warranty: Lifetime



Monitor Arm Key:

Fixed Monitor Arm – F Motion Monitor Arm – M Slider Mount – S

Available Finishes:

Sena[™]FX1



SenaEX1-M Single Motion Monitor Arm

\$431

MODEL # SENAEX1-M-___ See key below for available finish options

Features

Finger touch dynamic height adjustment Recommended for worksurfaces 30" deep or less 12.68" height adjustment range 15.26" arm extension 2.89" arm retraction +75° / -35° monitor tilt ±90° VESA rotation 2.2lb.-19.8lb weight capacity (per arm) 16" pole height (includes base) VESA 75mm/100mm guick release 180° lock-out feature 360° rotation at three points Desk clamp and grommet mount included Meets or exceeds BIFMA x5.5 guidelines Warranty: Lifetime



Sena[™]FX2



SenaEX2-F Dual Fixed Monitor Arm

\$542

MODEL # SENAEX2-F-___ See key below for available finish options

Features

Manual height adjustment Recommended for worksurfaces 30" deep or less 12.93" arm extension +75° / -35° monitor tilt ±90° VESA rotation 2.2lb.–19.8lb weight capacity (per arm) 16" pole height (includes base) VESA 75mm/100mm quick release 180° lock-out feature 270° / 135° arm rotation with 180° lock-out Desk clamp and grommet mount included 25.98" max. monitor width Bezel measured left to right. Meets or exceeds BIFMA x5.5 guidelines Warranty: Lifetime



Sena[™]FX2





SenaEX2-FM Dual Fixed + Motion Monitor Arm

\$884

Features

\$701

MODEL # SENAEX2-FF-___ See key below for available finish options

Dual Fixed + Fixed Monitor Arm

SenaEX2-FF

Features

Manual height adjustment Recommended for worksurfaces 36" deep or less

22.97" arm extension

+75° / -35° monitor tilt ±90° VESA rotation

2.2lb.–19.8lb weight capacity (per arm)

16" pole height (includes base)

VESA 75mm/100mm guick release

180° lock-out feature

Warranty: Lifetime

270° / 135° arm rotation with 180° lock-out

Desk clamp and grommet mount included

46.06" max. monitor width Bezel measured left to right. Meets or exceeds BIFMA x5.5 guidelines

LW

Warranty: Lifetime



Monitor Arm Key:	Availat Finishe
Fixed Monitor Arm – F	O Silver -
Motion Monitor Arm – M	Black -
Slider Mount – S	◯ White -

ble es: SLV – BLK - WHT

68 Feljowes



SENAEX2-FM

MODEL # SENAEX2-FM-___ See key below for available finish options

- Finger touch dynamic height adjustment
- Recommended for worksurfaces 36" deep or less
- 12.68" height adjustment range
- 25.30" arm extension
- 2.89" arm retraction
- +75° / -35° monitor tilt
- +/-90° VESA rotation
- 2.2lb.–19.8lb weight capacity (per arm)
- 16" pole height *(includes base)*
- VESA 75mm/100mm guick release
- 180° lock-out feature
- 270° / 135° arm rotation with 180° lock-out
- 50.7" max. monitor width
- Bezel measured left to right.
- Max. width is contingent on weight capacity.
- Desk clamp and grommet mount included
- Meets or exceeds BIFMA x5.5 guidelines



SenaEX2-FMS

Dual Fixed + Motion + Slider Monitor Arm

\$1,010

MODEL # SENAEX2-FMS-___ See key below for available finish options

Features

Finger touch dynamic height adjustment

Recommended for worksurfaces 36" deep or less

12.68" height adjustment range

27.15" arm extension

4.7" arm retraction

+/-60° monitor tilt

±90° VESA rotation

2.2lb.–19.8lb weight capacity (per arm)

16" pole height (includes base)

VESA 75mm/100mm quick release

180° lock-out feature

270° / 135° arm rotation with 180° lock-out

56.22" max. monitor width Bezel measured left to right. Max. width is contingent on weight capacity.

Desk clamp and grommet mount included

Meets or exceeds BIFMA x5.5 guidelines

Warranty: Lifetime



Monitor Arm Key:

Fixed Monitor Arm – F Motion Monitor Arm – M Slider Mount – S

Available Finishes:

Sena[™]FX2

SENAEX2-FS

SenaEX2-FS Dual Fixed + Slider Monitor Arm

\$668

MODEL # SENAEX2-FS-___ See key below for available finish options

Features

Manual height adjustment

Recommended for worksurfaces 30" deep or less

14.78" arm extension

4.7" arm retraction

+/-60° monitor tilt

±90° VESA rotation

2.2lb.-19.8lb weight capacity (per arm)

16" pole height (includes base)

VESA 75mm/100mm quick release

270° / 135° arm rotation with 180° lock-out

Desk clamp and grommet mount included

31.50" max. monitor width Bezel measured left to right.

Meets or exceeds BIFMA x5.5 guidelines

Warranty: Lifetime





SenaEX2-M Dual Motion Monitor Arm

\$728

MODEL # SENAEX2-M-___ See key below for available finish options

Features

Finger touch dynamic height adjustment

30" deep or less 12.68" height adjustment range

Recommended for worksurfaces

15.26" arm extension

2.89" arm retraction

+75° / -35° monitor tilt

+/-90° VESA rotation

180° lock-out feature

2.2lb.–19.8lb weight capacity (per arm)

16" pole height (includes base)

VESA 75mm/100mm quick release

270° / 135° arm rotation with 180° lock-out 30.63" max. monitor width Bezel measured left to right Max. width is contingent on weight capacity. Desk clamp and grommet mount included Meets or exceeds BIFMA x5.5 guidelines

All prices are in U.S. dollars

Warranty: Lifetime

LW



SenaEX2-MS Dual Motion + Slider Monitor Arm

\$853

MODEL # SENAEX2-MS-___ See key below for available finish options

Features

Finger touch dynamic height adjustment Recommended for worksurfaces 30" deep or less 12.68" height adjustment range 17.11" arm extension 4.74" arm retraction +/-60° monitor tilt +/-90° VESA rotation 180° lock-out feature 2.2lb.–19.8lb weight capacity (per arm) 7.87" pole height (includes base) VESA 75mm/100mm quick release 270° / 135° arm rotation with 180° lock-out 36.14" max. monitor width Bezel measured left to right. Max. width is contingent on weight capacity. Desk clamp and grommet mount included Meets or exceeds BIFMA x5.5 guidelines Warranty: Lifetime







SenaEX3-FF Triple Fixed + Fixed Monitor Arm

Sena[™]FX3

\$825

MODEL # SENAEX3-FF-___ See key below for available finish options

Features

Manual height adjustment Recommended for worksurfaces 30" deep or less 22.97" arm extension 4.65" center arm extension 2.89" arm retraction +75° / -35° monitor tilt ±90° VESA rotation 2.2lb.-19.8lb weight capacity (per arm) 16" pole height *(includes base)* VESA 75mm/100mm guick release 180° lock-out feature Integrated cord management 270° / 135° arm rotation with 180° lock-out 23.03" max. monitor width Bezel measured left to right.

Warranty: Lifetime




Desk clamp and grommet mount included

Max. width is contingent on weight capacity.

Meets or exceeds ANSI/BIFMA x5.5 guidelines





4.65" center arm extension 4.74" arm retraction +75° / -35° monitor tilt +/-90° VESA rotation 2.2lb.-19.8lb weight capacity (per arm) 16" pole height *(includes base)* VESA 75mm/100mm quick release

180° lock-out feature Desk clamp and grommet mount included Integrated cord management 270° / 135° arm rotation with 180° lock-out

28.11" max. monitor width Bezel measured left to right. Max. width is contingent on weight capacity.

guidelines

Warranty: Lifetime



Available Monitor Arm Key: Finishes: O Silver – SLV Fixed Monitor Arm – F Motion Monitor Arm – M Black – BLK Slider Mount – S White - WHT

fellowes.com 800.833.3746





SENAEX3-FMS

SenaEX3-FMS

U1

\$1,128

Features

Triple Fixed + Motion + Slider Monitor Arm

MODEL # SENAEX3-FMS-___ See key below for available finish options

Finger touch dynamic height adjustment

Recommended for worksurfaces

30" deep or less

12.68" height adjustment range

Meets or exceeds ANSI/BIFMA x5.5

Monitor Arm Key:

Fixed Monitor Arm – F

Motion Monitor Arm – M Slider Mount – S

Available Finishes:

Sena[™]FX4



SenaEX4-FF Quad Fixed + Fixed Monitor Arm

\$1,167

MODEL # SENAEX4-FF-___ See key below for available finish options

Features

Manual Height Adjustment

Recommended for worksurfaces 36" deep or less

27.97" arm extension 2.89" arm retraction

+75°/-35° monitor tilt

±90° VESA rotation

Up to 15.4 lb. weight capacity (per arm)

28.4" pole height (includes base)

VESA 75mm/100mm quick release

180° lock-out feature

Desk clamp mount included

46.06" max monitor width Bezel measured left to right. Max width is contingent on weight capacity.

Note: monitor height/weight might limit size

Meets or exceeds BIFMA X5.5 guidelines

Warranty: Lifetime

LW



SenaEX4-FM

Quad Fixed + Motion Monitor Arm

\$1.337

MODEL # SENAEX4-FM-___ See key below for available finish options

Features

Finger touch dynamic height adjustment Recommended for worksurfaces 36" deep or less 12.68" arm extension 2.89" arm retraction +75°/-35° monitor tilt ±90° VESA rotation 2.2lb.-15.4lb. weight capacity (per arm) 28.4" pole height (includes base) VESA 75mm/100mm quick release 180° lock-out feature Desk clamp mount included 50.71" max monitor width Bezel measured left to right. Max width is contingent on weight capacity.

Note: monitor height/weight might limit size Meets or exceeds BIFMA X5.5 guidelines

Warranty: Lifetime

LW

Monitor Arm Key: Fixed Monitor Arm – F Motion Monitor Arm – M Slider Mount – S

Available Finishes: OSilver – SLV Black – BLK White - WHT

Sena[™]FX4



SenaEX4-MS Quad Motion + Slider Monitor Arm

\$1.184

MODEL # SENAEX4-MS-___ See key below for available finish options

Features

Finger touch dynamic height adjustment

30" deep or less

Recommended for worksurfaces

17.94" arm extension 5.58" arm retraction

+75°/-35° monitor tilt

±90° VESA rotation

2.2lb.-15.4lb. weight capacity (per arm)

28.4" pole height (includes base)

VESA 75mm/100mm quick release

180° lock-out feature

Desk clamp mount included

36.43" max monitor width Bezel measured left to right. Max width is contingent on weight capacity *Note: monitor height/weight might limit size*

Slider provides 5.8" of additional horizontal adjustability

Patented slider design for exclusive Fellowes use

Meets or exceeds BIFMA x5.5 guidelines Warranty: Lifetime

LW



Fellowes use

72 Feljowes

\$1.502

Features



SENAEX4-FMS

SenaEX4-FMS

Quad Fixed + Motion + Slider Monitor Arm

MODEL # SENAEX4-FMS-___ See key below for available finish options

Finger touch dynamic height adjustment

Recommended for worksurfaces

36" deep or less

27.98" arm extension

5.58" arm retraction

+75°/-35° monitor tilt

±90° VESA rotation

2.2lb.-15.4lb. weight capacity (per arm)

28.4" pole height (includes base)

VESA 75mm/100mm quick release

180° lock-out feature

Desk clamp mount included

56.5" max monitor width Bezel measured left to right. Max width is contingent on weight capacity. Note: monitor height/weight might limit size

Slider provides 5.8" of additional horizontal adjustability

Patented slider design for exclusive

Meets or exceeds BIFMA X5.5 guidelines

Warranty: Lifetime


Monitor Arm Key:

Fixed Monitor Arm – F Motion Monitor Arm – M Slider Mount – S

Available Finishes:

Silver – SLV Black – BLK White – WHT

Sena[™]EX6



SenaEX6-FF

Six Fixed + Fixed Monitor Arm

\$1,376

MODEL # SENAEX6-FF-___ See key below for available finish options

Features

Manual Height Adjustment

Recommended for worksurfaces 30" deep or less

23.82" outside arm extension

4.65" center arm extension

4" arm retraction

+75°/-35° monitor tilt

±90° VESA rotation

Up to 11lb. weight capacity (per arm)

28.4" pole height (includes base)

VESA 75mm/100mm guick release

180° lock-out feature

Desk clamp mount included

23.03" max monitor width Bezel measured left to right. Max width is contingent on weight capacity. Note: monitor height/weight might limit size Meets or exceeds BIFMA X5.5 guidelines

Warranty: Lifetime



SenaEX6-FMS

Six Fixed + Motion + Slider Monitor Arm

\$1716

MODEL # SENAEX6-FMS-___ See key below for available finish options

Features

Finger touch dynamic height adjustment

Recommended for worksurfaces 30" deep or less

27.99" outside arm extension

4.65" center arm extension

5.59" arm retraction

+75°/-35° monitor tilt

±90° VESA rotation

2.2lb.-11lb. weight capacity (per arm)

28.4" pole height (includes base)

VESA 75mm/100mm guick release

180° lock-out feature Desk clamp mount included

28.11" max monitor width Bezel measured left to right. Max width is contingent on weight capacity. *Note: monitor height/weight might limit size*

Slider provides 5.51" of additional horizontal adjustability

Patented slider design for exclusive Fellowes use

Meets or exceeds BIFMA X5.5 guidelines

Warranty: Lifetime





74 Feljowes

Arm Key: Fixed Monitor Arm – F Motion Monitor Arm – M Slider Mount – S

Monitor

Available Finishes: O Silver – SLV Black – BLK White – WHT

Eppa™



Eppa Single Monitor Arm

\$337

MODEL # EPPA-SLV See key below for available finish options

Features

Finger touch dynamic height adjustment

Recommended for worksurfaces 36" deep or less

11.1" height adjustment range - 5.23"-16.33" (low/high)

21.14" arm extension

3.32" arm retraction

±90° monitor tilt

±360° VESA rotation

2.2lb.–17.6lb. weight capacity

VESA 75mm/100mm quick mount

Desk clamp and grommet mount included

Warranty: Lifetime





Eppa Conversion Kit

\$419

MODEL # EPPA2KIT-SLV Available in silver

Converts an existing Eppa single monitor arm to an Eppa2 dual arm.

Kit Includes:

- One Single Arm
- One Dual Base
- One Clamp Mount
- One Grommet Mount

Eppa™2



Eppa2 Dual Monitor Arm

\$635

MODEL # EPPA2-SLV See key below for available finish options

Features

Finger touch dynamic height adjustment

Recommended for worksurfaces 36" deep or less

11.1" height adjustment range - 5.23"-16.33" (low/high)

21.14" arm extension

3.34" arm retraction

±90° monitor tilt

±360° VESA rotation

2.2lb.–17.6lb. weight capacity (per arm)

VESA 75mm/100mm quick mount

Desk clamp and grommet mount included

38.97" max. monitor width Bezel measured left to right. Max. width is contingent on weight capacity.

Warranty: Lifetime

LW

Available Finishes: Silver – SLV

Eppa[™]2-Max



Eppa2-MAX

Dual Monitor Arm with Crossbar

\$725

EPPA2-MAX-SLV See key below for available finish options

Features

Gas Spring mechanism for smooth and effortless adjustments

Recommended for worksurfaces 24"–36" deep or less

Crossbar handle provides an easy grip for moving monitors

180° lock-out feature

32.72" total width of crossbar

13.75" height adjustment range - 9.9"-23.65" (low/high)

24.78" arm extension

4.99" arm retraction

±10° monitor tilt

±90° VESA rotation

Total weight capacity: 35.2 lbs.

Desk clamp and grommet mount included

30" max. monitor width Bezel measured left to right. Max. width is contingent on weight capacity.

Capable to swivel between portrait and landscape orientation

Meets or exceeds BIFMA x5.5 guidelines

Aluminum and steel design

Partially assembled for quick installation

Integrated cord management

Grommet hole integrated in base to easily route cables

Clip-on tool holder attaches to base bracket keeping hex keys accessible

Warranty: Lifetime



Available Finishes: Silver – SLV

Monitor Arm Accessories

Monitor Arm Accessories



LTH-Edge

Adjustable Laptop Tray

\$253

MODEL # LTH-EDGE-SLV

Features

10.3." laptop tray width

12"-18.3" adjustable depth

Monitor arm sold separately

Compatible with the following monitor arms: KataEX, Kata, Evolve, Sena, SenaEX, Edge, Eppa, Rising, RisingEX

Weight capacity (based on supporting arm):

- Rising: up to 22.6 lb.
- KataEX: up to 14.6 lb.
- Kata: up to 14.6 lb.
- Evolve: 1.2-12.2 lb.
- Edge: 1.2-12.2 lb.
- Eppa: up to 12.2 lb.

Warranty: Lifetime





Sena Laptop Holder Laptop Holder

\$147

MODEL # SENA-LTH-SLV MODEL # SENA-LTH-BLK MODEL # SENA-LTH-WHT

Features

12.20" tray width, 9.45" tray depth

Monitor arm sold separately

Only compatible with Sena and SenaEX series monitor arms

Quick release plate for effortless installation

Supports one laptop up to a maximum screen size of 18" and maximum weight capacity of 13.23 lbs.

Made from 72% recycled content and is 97% recyclable

Warranty: Lifetime





Rising Laptop Holder Laptop Holder

\$147

MODEL # RSNG-LTH-PLT MODEL # RSNG-LTH-BLK MODEL # RSNG-LTH-DWT

Features

12.2" tray width, 9.45" tray depth

Monitor arm sold separately

Only compatible with Rising and RisingEX series monitor arms

Quick release plate for effortless installation

Supports one laptop up to a maximum screen size of 18" and maximum weight capacity of 18 lbs.

Made from 72% recycled content and is 97% recyclable

Warranty: Lifetime





Rising Slider Mount VESA Slider

Standard Finishes: \$149

Premium Finishes: \$157

In-Trend Finishes: **\$171**

MODEL # STANDARD FINISH MODEL # PREMIUM FINISH MODEL # IN-TREND FINISH

Features

9" adjustment from left to right

Retrofits with the Rising and RisingEX series

Not compatible with any other monitor arm series

Adds an additional 1.2lbs. Warranty: Lifetime







Available Finishes:	Standard Finishes
* Minimum Order Quantity: 200 Lead Time 10 weeks	Black – BLK
Ledu Inne 10 weeks	 Designer White - DWT Premium Finishes Bronze/Black - BRZ Polished Aluminum/ Designer White - POL
	 In-Trend Finishes (LT) Azure - AZR Sage - SGE Stardust - STR Slate - SLT





VESA Slider

\$209

Features

KataEX series



Kata Slider Mount

MODEL # KATA-SLD-SLV MODEL # KATA-SLD-BLK MODEL # KATA-SLD-WHT

9.5" adjustment from left to right

Retrofits with the Kata and

Not compatible with any other monitor arm series

Adds an additional 1.2 lbs.

Warranty: Lifetime





Edge/Evolve Slider Mount

VESA Slider

\$197

MODEL # EDV-SLD-SLV MODEL # EDV-SLD-BLK MODEL # EDV-SLD-WHT

Features

8.5" adjustment from left to right

Retrofits with the Edge and Evolve series

Not compatible with any other monitor arm series

Adds an additional 2.2 lbs.

Warranty: Lifetime



Monitor Arm Accessories

Monitor Arm Accessories



Sena Slider Mount VESA Slider

\$109

MODEL # SENA-SLD-SLV MODEL # SENA-SLD-BLK MODEL # SENA-SLD-WHT

Features

11" adjustment from left to right Works with all SENA and SENAEX

Not compatible with any other monitor arm series

Adds an additional 1.2 lbs.

Patent Pending Design – Dual Track Slider Warranty: Lifetime





Available August 2025

Rising Crossbar Crossbar Accessory

MODEL # RSNG-CRSBAR-SET#-BLK

Features

List: **\$570**

Designed for the Rising[™] Series Not compatible with the Eppa™, Evolve, Edge, Edge-Max, Kata™EX Series

Adds additional 2.5 lb.

Crossbar accessory can be used to convert single monitor arms to hold 2 monitors

Ships with two high-capacity cable covers (Black Finish)

Available in Black Finish only

Recommended for use with Black (BLK) and Black/Bronze (BRZ) finish Rising monitor arms

Max Monitor Width: 27" (bezel measured left to right)

Lifetime Warranty





Thin Client CPU Monitor Arm CPU Holder

\$336

MODEL # CPU-TC

Features

Mounts between the monitor arm and monitor Adjustable width: 1.4"-2.3" Mounts to VESA 75mm/100mm Adjustment knobs are vibration resistant Adds an additional 3lbs. Warranty: Lifetime



Monitor Arm Sold Separately



Weighted VESA Mount Universal VESA Bracket

\$66

MODEL # VESA-HVY-SLV

Features

For use when monitor weight does not meet minimum weight requirement for monitor arm Adds an additional 2.4 lbs.

Warranty: Lifetime





VESA display






Mount

Features

\$42

VESA Slider





VESA 100x200 Conversion

MODEL # VESA 100X200-SLV

Converts a 75mm or 100mm VESA mount to attachto a 100mm x 200mm

Warranty: Lifetime

Height Adjustable Tables Change Your Perspective to Win the Day

Customize the fit of your workspace with height adjustable tables. Sit. Stand. Or sit and stand throughout your day, for the ultimate in finely tuned comfort. Our tables can be used for any environment, offering you flexibility in your office layouts and workflow; options include electric, pneumatic, and crank bases, with two or three-leg configurations.



Two or Three Motors

All-Flex 2-leg Includes two motors and All-Flex 3-leg includes 3 motors allowing smooth height adjustment while supporting a broad range of worksurface weights.

Versatility and Flexibility

Provides adjustable cross channel, top support & feet making it one of the most adjustable table bases on the market.

Model Part Number

All-Flex uses only one model number for all 2-leg sizes and configurations and one model number for all 3-leg sizes and configurations.

3-leg Configurations

All-Flex 3-leg can be configured for 90° or 120° with the universal bracket.

Quality testing

Meets or exceeds BIFMA x5.5 guidelines.

Height Adjustable Tables

All-Flex[®]

All-Flex[®] 2-leg Complete Table

Complete Quick Ship Table Model # Breakdown:

2F	R	48	824-	QS	-T.	
$\overline{1}$ $\overline{1}$	Τ	Ι	Τ		T	Τ
a bc	d	е	f	g	h	i

48" x 24" Quick Ship Complete Table

All-Flex 2-leg table base with a 48 w x 24 d rectangle TFL worksurface

MODEL # 2F _-R4824-QS-T \$2,464

48" x 30" Quick Ship Complete Table

All-Flex 2-leg table base with a 48"w x 30"d rectangle TFL worksurface

MODEL # 2F _-R4830-QS-T _ \$2,494

60" x 24" Quick Ship Complete Table

All-Flex 2-leg table base with a 60"w x 24"d rectangle TFL worksurface

MODEL # 2F_-R6024-QS-T___ \$2,527

60" x 30" Quick Ship Complete Table

All-Flex 2-leg table base with a 60"w x 30"d rectangle TFL worksurface MODEL # 2F - R6030-QS-T - \$2,594

base finish notation

laminate color notation

All-Flex 2-leg Table

Quick ship complete table options include: silver, black, or white table bases; 48 w x 24 d, 48 w x 30 d, 60 w x 24 d and 60 w x 30 d rectangle worksurfaces; all five TFL laminates. For all other combinations, please call our Customer Service Department for the estimated lead time and cost.

Multiple worksurface shapes and laminates are available. See pages 136–143 or worksurface details including laminate colors. For all other complete table options reference the Complete Table and Worksurface Guide at fellowes.com.





- a: number of legs b: type of table base
- c: finish of base
- d: worksurface shape
- e: worksurface width
- f: worksurface depth
- g: quick ship indicator
- h: laminate material
- i: laminate color

Available Base Finishes


Silver – S Black – B 🔾 White – W

Available TFL Quick Ship Laminates

- Beigewood BG
- Black BK
- O Designer White DW
- Light Gray GR
- NeoWalnut NW

All-Flex[®] 2-leg

All-Flex® 2-leg




Locking casters for security

Worksurface Program

Multiple worksurface shapes and laminates are available. See pages 136–143 or worksurface details including pricing and laminate colors. TFL quick ship worksurfaces are shipped out in 48 hours, contact Customer Service for current lead times for TFL standard and HPL standard/premium worksurfaces.

Table bases and worksurfaces can be purchased independently or as a combination. Fellowes worksurfaces are made to exact dimensions. If nominal sizing is needed, please specify when ordering.







The base dimensions as shown are actual.

Features

Electric height adjustment

265 lb. base lifting capacity

1.5" / sec. adjustment speed

26" height adjustment range 23.3"-49.3" (low/high) (excluding worksurface)

Three stage adjustable legs

C-Leg

Foot is adjustable to 22" or 28" (patented design)

Leg columns fold out for easy assembly

Adjustable width frame accommodates worksurfaces 36"-72"

Digital keypad with four memory settings

Soft start and stop

Anti-collision

Table base is UL962 listed

Locking casters available


Warranty: Lifetime



86 Feljowes

surface ension		FL Idard	HPL Standard	HPL Premium		
	Quick ship	Standard ship	Standard ship	Standard ship		
v x 24⁼d	-		•			
v x 24°d	-	•	•			
v x 24⁼d	•	•	•	•		
v x 24°d	•	•	•	•		
v x 24"d	-	•		•		
v x 30°d	_	•	•	•		
/ x 30°d	-	•		•		
v x 30°d	•	•	•	•		
v x 30°d	•	•		•		
/ x 30°d	-					

Available Worksurfaces



All-Flex® 3-leg

All-Flex® 3-leg

Terre		Table Ba	ases		Available Worksurfaces				
		Table Base Model	List Price	Worksurface Shape	Worksurface Dimension	Sta	FL ndard	HPL Standard	HPL Premium
						Quick Ship	Standard Ship	Standard Ship	Standard Ship
				WR	60"wl x 60"wr x 24"d	-	•		•
				WL D	72"wl x 72"wr x 24"d"	-			
÷		FLEX3	\$3,232		60"wl x 60"wr x 30"d	-			
				D Equal corner	72"wl x 72"wr x 30"d*				
All-Flex 3-leg	Caster Kit			Equationnel		-			
Electric Height Adjustable Table Base	\$116				48"w x 24"d	-	•	•	•
\$3,232	MODEL # CASTERKIT-FLEX3				60°w x 24°d	-	-	•	•
MODEL # FLEX3	Set of five casters for table base	FLEX3	\$3,232	W W	72"w x 24"d*	-	-	•	•
	Increases height by 2" Locking casters for security	FLEX3	\$3,232	D 120° D	48"w x 30"d	-	-	•	•
Features	Locking casters for security			120	60"w x 30"d	-	-	•	
Electric height adjustment					72"w x 30"d"	-	-		
330 lb. base lifting capacity					60"wl x 48"wr x 24"d	-	•	•	•
1.5" / sec. adjustment speed					72"wl x 48"wr x 24"d	-			
26° height adjustment range					72"wl x 60"wr x 24"d	-			
23.3"–49.3" (low/high) (excluding worksurface)				WR	84"wl x 48"wr x 24"d	-			
Three stage adjustable legs				WL	84"wl x 60"wr x 24"d	-	-		
C-Leg		FLEX3	\$3,232	D Offset corner left	60"wl x 48"wr x 30"d	-			
Foot is adjustable to 22" or 28"					72"wl x 48"wr x 30"d	-			
(patented design)					72"wl x 60"wr x 30"d	-			
Leg columns fold out for easy assembly					84"wl x 48"wr x 30"d	-	-	•	
Adjustable width frame accommodates worksurfaces 48"–84"					84"wl x 60"wr x 30"d	-	-	•	
Digital keypad with four memory settings					48"wl x 60"wr x 24"d	-	•	•	•
Soft start and stop					48"wl x 72"wr x 24"d	-		•	
Anti-collision					60°wl x 72°wr x 24°d	-		•	
Table base is UL962 listed				WL	48"wl x 84"wr x 24"d	-	•	•	•
Locking casters available					60"wl x 84"wr x 24"d	-	-	•	•
Warranty: Lifetime		FLEX3	\$3,232	WR	48"wl x 60"wr x 30"d	-	•	•	•
				D Offset corner right	48°wl x 72°wr x 30°d	-		•	
				5	60°wl x 72°wr x 30°d	-		•	
					48"wl x 84"wr x 30"d	-	_		
					60"wl x 84"wr x 30"d	_	-		

Worksurface Program

Multiple worksurface shapes and laminates are available. See pages 136-143 or worksurface details including pricing and laminate colors. TFL quick ship worksurfaces are shipped out in 48 hours, contact Customer service for current lead times for TFL standard and HPL standard/premium worksurfaces.

Table bases and worksurfaces can be purchased independently or as a combination. Fellowes worksurfaces are made to exact dimensions. If nominalsizing is needed, please specify when ordering.

Equal Corner worksurfaces measuring 72x72x24 and 72x72x30 will ship in 2 pieces. 120-degree worksurfaces measuring 72x24 and 72x24 will ship in 3 pieces and include joining brackets.

Available


Finishes:

O Silver – SLV Black – BLK


🔵 White – WHT

All-Flex® 3-leg

FLEX3-___ 90° Configuration



FLEX3-___ Side View



The base dimensions as shown are actual

fellowes.com 800.833.3746



Quick Assembly

Frame and column connect and lock for quick and efficient assembly requiring minimal tools.

Two and Three Motors

Victory 2-leg includes two motors and Victory 3-leg includes 3 motors allowing smooth height adjustment while supporting a broad range of worksurface weights.

Cross Channels

With adjustable cross channels, the table base can adapt over time with the changing technology and accessory needs of the user.

Quality Materials

Steel frame and foot construction offers outstanding stability.

3-Leg Configurations

Can be configured for 90° or 120° with the universal bracket.

Height Range

Low to high adjustment range meets needs of the largest variety of users. Works with peds and storage with maximum 20 inches in height.

Quality Testing Meets or exceeds BIFMA x5.5 guidelines.

Complete Quick Ship Table Model # Breakdown:

2		[_·	-R	48	824	-QS	-T.	
							T	Ι
а	b	С	d	е	f	g	h	i

48" x 24" Quick Ship Complete Table

VictoryLX 2-leg table base with a 48"w x 24"d rectangle TFL worksurface

MODEL # 2VT_-R4824-QS-T__ \$1,819

48" x 30" Quick Ship Complete Table

VictoryLX 2-leg table base with a 48"w x 30"d rectangle TFL worksurface

MODEL # 2VT_-R4830-QS-T__\$1,849

60" x 24" Quick Ship Complete Table

VictoryLX 2-leg table base with a 60"w x 24"d rectangle TFL worksurface

MODEL # 2VT_-R4824-QS-T__ \$1,882

60" x 30" Quick Ship Complete Table

VictoryLX 2-leg table base with a 60"w x 30"d rectangle TFL worksurface

MODEL # 2VT_-R6030-QS-T__ \$1,949

base finish notation laminate color notation a: number of legs b: type of table base c: finish of base d: worksurface shape e: worksurface width f: worksurface depth g: quick ship indicator h: laminate material i: laminate color

Available Base Finishes

Silver – S Black – B 🔾 White – W

Available TFL Quick Ship Laminates

Beigewood – BG Black – BK \bigcirc Designer White – DW 🔘 Light Gray – GR NeoWalnut – NW

Complete Table UL Certification available. Please contact your Representative or Fellowes Customer Service for ordering information.



VictoryLX 2-leg Electric Height Adjustable Table Base

\$1,493

MODEL # 2VT-LX-C36-24-___ MODEL # 2VT-LX-C36-30-___ MODEL # 2VT-LX-C48-24-___ MODEL # 2VT-LX-C48-30-___ See key below for available finish options

Features

Electric height adjustment

250 lb. base lifting capacity

1.4" / sec. adjustment speed

26" height adjustment range 21.5"-47.5" (low/high) (excluding worksurface)

Three stage adjustable legs

C-Leg

Frame and column connect and lock for quick and easy assembly

Adjustable width frame accommodates worksurfaces 36"-72"

Digital keypad with three memory settings

Soft start and stop

Gyro sensor anti-collision

Table base is UL962 listed

Locking casters available

Warranty: Lifetime

VictoryLX 2-leg Table

Quick ship complete table options include: silver, black, or white table bases; 48"w x 24"d, 48"w x 30"d, 60"w x 24"d and 60"w x 30"d rectangle worksurfaces; all five TFL laminates. Quick ship worksurfaces will be pre-drilled to accommodate the VictoryLX 2-leg table base. For all other combinations, please call our Customer Service Department for the estimated lead time and cost.

Multiple worksurface shapes and laminates are available. See pages 136-143 or worksurface details including laminate colors.

For all other complete table options reference the Complete Table and Worksurface Guide at fellowes.com.



Victory™LX 2-leg

Caster Kit

\$70

MODEL # CASTERKIT-LX-2LEG

Set of four casters for table base Increases height by 2" Locking casters for security

Available Finishes: Silver – SLV Black – BLK White – WHT

All prices are in U.S. dollars

Victory™LX 2-leg

Victory™LX 3-leg


Table Bases	5		Available	e Worksurfa	ces		
Table base Model	List Price	Worksurface Shape	Worksurface Dimension	TF Stan		HPL Standard	HPL Premium
				Quick Ship	Standard Ship	Standard Ship	Standard Ship
			36"w x 24"d	-	•		
2VT-LX-C36-24	\$1,493		42"w x 24"d	-	•		•
			48"w x 24"d	•	•	•	•
2VT-LX-C48-24-	\$1.493		60"w x 24"d	•	•	•	•
 201-LX-C40-24		D	72"w x 24"d	-	•	•	•
		W Rectangle	36"w x 30"d	-	•	•	•
2VT-LX-C36-30	\$1,493	Rectangle	42"w x 30"d	-	•	•	•
 			48"w x 30"d	•	•	•	•
2VT-LX-C48-30-	\$1.493		60"w x 30"d	•	•	•	•
211-LA-040-30	Φ1,493		72"w x 30"d	-	•	•	•


Worksurface Program


Multiple worksurface shapes and laminates are available. See pages 136-143 or worksurface details including pricing and laminate colors. TFL quick ship worksurfaces are shipped out in 48 hours, contact Customer Service for current lead times for TFL standard and HPL standard/premium worksurfaces.

Feet

Table bases and worksurfaces can be purchased independently or as a combination. Fellowes worksurfaces are made to exact dimensions. If nominal sizing is needed, please specify when ordering.







2VT-LX-C48-30 Adjustable Width 42.5"-71.5" H Ϊ÷-1 1.

Supp 19.3*

Top



VictoryLX 3-leg

Electric Height Adjustable Table Base

\$2,154

MODEL # 3VT-LX-C3636-24-___ MODEL # 3VT-LX-C3636-30-___ MODEL # 3VT-LX-C4836-24-___ MODEL # 3VT-LX-C4836-30-___ MODEL # 3VT-LX-C4848-24-___ MODEL # 3VT-LX-C4848-30-___ See key below for available finish options

Features

Electric height adjustment

360lb. base lifting capacity

1.4" / sec. adjustment speed

26" height adjustment range 21.5"-47.5" (low/high) (excluding worksurface)

Three stage adjustable legs

C-Leg

Adjustable width frame accommodates worksurfaces 48"-84"

Digital keypad with three memory settings

Soft start and stop

Anti-collision

Table base is UL962 listed

Locking casters available

Warranty: Lifetime



Caster Kit


\$138


MODEL # CASTERKIT-LX-3LEG-SLV MODEL # CASTERKIT-LX-3LEG-BLK MODEL # CASTERKIT-LX-3LEG-WHT

Set of six casters for table base Includes third foot for caster installation Increases height by 2" Locking casters for security

Available Finishes: Silver – SLV Black – BLK White – WHT

Table Base Model	List Price	Worksurface Shape	Worksurface Dimension		FFL ndard	HPL Standard	HPL Premium
				Quick Ship	Standard Ship	Standard Ship	Standard Ship
	¢0154	WR	60"wl x 60"wr x 24"d	-	•	•	•
3VT-LX-C4848-24	\$2,154	WL D	72"wl x 72"wr x 24"d*	-			
			60"wl x 60"wr x 30"d	-	•	•	•
3VT-LX-C4848-30	\$2,154	D Equal corner	72"wl x 72"wr x 30"d*	-			
3VT-LX-C3636-24	\$2,154		48"w x 24"d	_		•	•
	¢0154		60"w x 24"d	-	-		
3VT-LX-C4848-24	\$2,154	W W	72"w x 24"d*	-	-	•	•
3VT-LX-C3636-30	\$2,154	D D D 120°	48"w x 30"d	-	-	•	•
3VT-LX-C4848-30	¢0.154	120	60"w x 30"d	-	-	•	
3V1-LX-C4040-30	\$2,154		72"w x 30"d*	-	-	•	•
			60"wl x 48"wr x 24"d	-		•	
3VT-LX-C4836-24	\$2,154		72"wl x 48"wr x 24"d	-		•	
			72"wl x 60"wr x 24"d	-		•	
		WR	84"wl x 48"wr x 24"d	-	•	•	•
3VT-LX-C4848-24	\$2,154	WL D	84"wl x 60"wr x 24"d	-	-	•	
	•		60"wl x 48"wr x 30"d	-	•	•	•
3VT-LX-C4836-30	\$2,154	Offset corner left	72"wl x 48"wr x 30"d	-			
			72"wl x 60"wr x 30"d	-	•	•	•
			84"wl x 48"wr x 30"d	-	-	•	•
3VT-LX-C4848-30	\$2,154		84"wl x 60"wr x 30"d	-	-	•	
			48"wl x 60"wr x 24"d	-	•	•	
3VT-LX-C4836-24	\$2,154		48"wl x 72"wr x 24"d	-		•	
			48"wl x 84"wr x 24"d	-			
		WL	60"wl x 72"wr x 24"d	-	•	•	•
3VT-LX-C4848-24	\$2,154	. D WR	60"wl x 84"wr x 24"d	-	-		
	•		48"wl x 60"wr x 30"d	-	•	•	•
3VT-LX-C4836-30	\$2,154	D Offset corner right	48"wl x 72"wr x 30"d	-			
			48"wl x 84"wr x 30"d	-	•	•	•
			60"wl x 72"wr x 30"d	-	-	•	•
3VT-LX-C4848-30	\$2,154		60"wl x 84"wr x 30"d	-	-		
3VT-LX-C3636-2430	\$2,154	30"/24"					
	•••••	. []			ner Service Depa		







Worksurface Program


Multiple worksurface shapes and laminates are available. See pages 136–143 or worksurface details including pricing and laminate colors. TFL quick ship worksurfaces are shipped out in 48 hours, Contact Customer Service for current lead times for TFL standard and HPL standard/premium worksurfaces.


Table bases and worksurfaces can be purchased independently or as a combination. Fellowes worksurfaces are made to exact dimensions. If nominal sizing is needed, please specify when ordering. Equal Corner worksurfaces measuring 72x72x24 and 72x72x30 will ship in 2 pieces. 120-degree worksurfaces measuring 72x24 and 72x24 will ship in 3 pieces and include joining brackets.

Victory™LX 3-leg
















3VT-LX-C4848-30



3VT-LX-C4836-30 (Reversible Configuration)

3VT-LX-C4836-24 & 3VT-LX-C4836-30 120° Configuration (Reversible)



Victory™LX 2-leg Disc Base



VictoryLX 2-leg Disc Base

Electric Height Adjustable Disc Foot Table Base

\$1,565

MODEL # 2VT-LX-C48Z-T30D-___ See key below for available finish options

Features

Designed to accomodate P-Top and D-Top worksurfaces

Electric height adjustment

250 lb. base lifting capacity

1.4"/sec adjustment speed

26.0" height adjustment range 21.5"–47.5" (*low/high*) (excluding worksurface)

Three stage adjustable legs

One 30" T-Foot, One 26" Diameter Disc Foot

Frame and column connect and lock for quick and easy assembly

Contact Fellowes Customer Service for allowable worksurface dimensions

Soft start and stop

Gyro sensor anti-collision

Two motors

ADA compliant 8'9" power cord Table base is UL962 listed Meets or exceeds BIFMA x5.5 guidelines Works with peds or storage with 18.5" max.height Low standby power consumption Steel frame and foot construction

Digital keypad with three memory settings

Keypad can slide under worksurface to store out of the way

Warranty: Lifetime

LW Lifetime Warranty

Available Finishes: Silver - SLV Black - BLK White - WHT

Height Adjustable Tables Triumph[™]LX



fellowes.com 800.833.3746

Quick Assembly

Frame and column connect and lock for quick and efficient assembly requiring minimal tools.

Gyro sensor Anti-Collision

The sensor provides superior safety and customizable sensitivity settings.

Two Motors

Includes two motors allowing smooth height adjustment while supporting a broad range of worksurface weights.

Cross Channels

With adjustable cross channels, the table base can adapt over time with the changing technology and work gear needs of the user.

Quality Materials


Steel frame and foot construction offers outstanding stability.

Quality Testing

Meets or exceeds BIFMA x5.5 guidelines.

Triumph™ LX Complete Table

Complete Quick Ship Table Model # Breakdown:



48" x 24" Quick Ship Complete Table

TriumphLX 2-leg table base with a 48"w x 24"d rectangle TFL worksurface

MODEL # 2T _-R4824-QS-T \$1,589

48" x 30" Quick Ship Complete Table

TriumphLX 2-leg table base with a 48"w x 30"d rectangle TFL worksurface

MODEL # 2T _-R4830-QS-T __ \$1,619

60" x 24" Quick Ship Complete Table

TriumphLX 2-leg table base with a 60"w x 24"d rectangle TFL worksurface

MODEL # 2T _-R6024-QS-T __ \$1,652

60" x 30" Quick Ship Complete Table

TriumphLX 2-leg table base with a 60"w x 30"d rectangle TFL worksurface

MODEL # 2T _-R6030-QS-T __ \$1,719

base finish notation

laminate color notation

a: number of legs b: type of table base c: finish of base d: worksurface shape e: worksurface width f: worksurface depth g: quick ship indicator h: laminate material i: laminate color

Available Base Finishes

Silver – S Black – B 🔾 White – W

Available TFL Quick Ship Laminates

Beigewood – BG Black – BK O Designer White - DW Clight Gray – GR NeoWalnut – NW

Complete Table UL Certification available. Please contact your Representative or Fellowes Customer Service for ordering information.



Triumph™LX

TriumphLX Electric Height Adjustable Table Base

\$1,263

MODEL # 2T-LX-C36-24-___ MODEL # 2T-LX-C36-30-___ MODEL # 2T-LX-C48-24-___ MODEL # 2T-LX-C48-30-___ See key below for available finish options

Features

Electric height adjustment

250 lb. base lifting capacity

1.4" / sec. adjustment speed

17" height adjustment range 26.5"-43.5" (low/high) (excluding worksurface)

Two stage adjustable legs

C-Leg

Frame and column connect and lock for quick and easy assembly

Adjustable width frame accommodates worksurfaces 36"-72"

Digital keypad with three memory settings

Soft start and stop

Gyro sensor anti-collision

Table base is UL962 listed

Locking casters available

Warranty: Lifetime

TriumphLX Table

Quick ship complete table options include: silver, black, or white table bases; 48"w x 24"d, 48"w x 30"d, 60"w x 24"d and 60°w x 30°d rectangle worksurfaces; all five TFL laminates. Quick ship worksurfaces will be pre-drilled to accommodate the TriumphLX table base. For all other combinations, please call our Customer Service Department for the estimated lead time and cost.

Multiple worksurface shapes and laminates are available. See pages 136-143 or worksurface details including laminate colors.

For all other complete table options reference the Complete Table and Worksurface Guide at fellowes.com.



Caster Kit

\$70

MODEL # CASTERKIT-LX-2LEG

Set of four casters for table base Increases height by 2" Locking casters for security

Available Finishes: Silver – SLV Black – BLK White – WHT

Triumph™LX

Triumph™LX Disc Base

Table Base	S		Available	e Worksurfa	ces		
Table base Model	List Price			TI Stan	FL dard	HPL Standard	HPL Premium
				Quick Ship	Standard Ship	Standard Ship	Standard Ship
			36"w x 24"d	-	•		•
2T-LX-C36-24	\$1,263		42"w x 24"d	-	•		•
			48"w x 24"d	•	•	•	•
	** ***		60"w x 24"d		•	•	•
2T-LX-C48-24	\$1,263	D	72"w x 24"d	-	•	•	•
		W	36"w x 30"d	-	•	•	•
2T-LX-C36-30	\$1,263	Rectangle	42°w x 30°d	-	•	•	•
			48"w x 30"d	•	•	•	•
	** ***		60°w x 30°d		•	•	•
2T-LX-C48-30	\$1,263		72"w x 30"d	-	•		•


Worksurface Program


Multiple worksurface shapes and laminates are available. See pages 136–143 or worksurface details including pricing and laminate colors. TFL quick ship worksurfaces are shipped out in 48 hours, contact Customer Service for current lead times for TFL standard and HPL standard/premium worksurfaces.

Table bases and worksurfaces can be purchased independently or as a combination.


Fellowes worksurfaces are made to exact dimensions. If nominal sizing is needed, please specify when ordering.

Feet 29.1






2T-LX-C48-24





2T-LX-C48-30





Triumph LX Disc Base

Electric Height Adjustable Disc Foot Table Base

\$1,335

MODEL # 2T-LX-C48Z-T30D-___ See key below for available finish options

Features

Designed to accomodate P-Top worksurfaces

Electric height adjustment

250 lb. base lifting capacity

1.4"/sec. adjustment speed

17" height adjustment range 26.5"-43.5"(low/high) (excluding worksurface)

Two stage adjustable legs

One 30" T-Foot, One 26" Diameter Disc Foot

Frame and column connect and lock for quick and easy assembly

Contact Fellowes Customer Service for allowable worksurface dimensions

Two motors

Soft start and stop Gyro sensor anti-collision ADA compliant

8'9" power cord

23.5" max. height

store out of the way

Warranty: Lifetime

LW Lifetime Warranty

Digital keypad with three memory settings

- Steel frame and foot construction
- Works with peds or storage with
- Low standby power consumption
- Meets or exceeds BIFMA x5.5 guidelines
- Keypad can slide under worksurface to

Available Finishes:

Silver – SLV Black – BLK 🔾 White – WHT



Rejuve™ Complete Table

Complete Quick Ship Table Model # Breakdown:

2	R		-R	48	824	- <u>QS</u>	-T.	
а	b	С	d	е	f	g	h	i

48" x 24" Quick Ship Complete Table

Rejuve 2 or 3-Stage Table Base with a 48"w x 24"d rectangle TFL worksurface

MODEL # 2R____R4824-QS-T____**2-Stage:** \$1,346 | 3-Stage: \$1,532

48" x 30" Quick Ship Complete Table

Rejuve 2 or 3-Stage Table Base with a 48"w x 30"d rectangle TFL worksurface

MODEL # 2R__-R4830-QS-T__ 2-Stage: \$1,376 | 3-Stage: \$1,562

60" x 24" Quick Ship Complete Table

Rejuve 2 or 3-Stage Table Base with a 60"w x 24"d rectangle TFL worksurface

MODEL # 2R_-R6024-QS-T 2-Stage: \$1,409 | 3-Stage: \$1,595

60" x 30" Quick Ship Complete Table

Rejuve 2 or 3-Stage Table Base with a 60"w x 30"d rectangle TFL worksurface

MODEL # 2R_-R6030-QS-T_ 2-Stage: \$1,476 | 3-Stage: \$1,662

base finish notation

laminate color notation

Rejuve Table

Quick ship complete table options include: silver, black, or white table bases; 48"w x 24"d, 48"w x 30"d, 60"w x 24"d and 60"w x 30"d rectangle worksurfaces; all five TFL laminates.

For all other combinations, please call our Customer Service Department for the estimated lead time and cost.

Multiple worksurface shapes and laminates are available. See Complete Table and Worksurface Guide for worksurface details including laminate colors.

c: finish of base d: worksurface shape e: worksurface width f: worksurface depth g: quick ship indicator h: laminate material i: laminate color
Available Base Types
R2 – 2-stage Base
R3 – 3-stage Base
Available Base Finishes
🔘 Platinum – P
Black – B
◯ Designer White – W
Available TFL Quick Ship Laminates
🔵 Beigewood – BG
Black – BK
⊖ Designer White – DW
🔘 Light Gray – GR
NeoWalnut – NW

a: number of legs b: type of table base

Rejuve™

Rejuve™

Table Bases			Avail	able Worksurface.	S	
Table Base Model	List Price	Worksurface Worksurface Shape Dimension		TFL andard	HPL Standard	HPL Premium
			Quick Ship	Standard Ship	Standard Ship	Standard Ship
		36 [°] w x 24 [°] d	-			
REJ-2S-C3624 or REJ-3S-C3624	\$1,020 \$1,206	42°w x 24°d	_			
		48'w x 24'd				
				···		
REJ-2S-C48-24	\$1,020	60"w x 24"d				
or REJ-3S-C48-24	\$1,206	D 72°w x24°d	_			
		W Rectangle 36°w x 30°d	_		•	•
REJ-2S-C36-30 or REJ-3S-C36-30	\$1,020 \$1,206	42"w x 30"d	_			
REJ-33-030-30	\$1,200	48°w x 30°d				
REJ-2S-48-30	\$1,020	60°w x 30°d	•	•	•	•
or 	\$1,206	72*w × 30*d				

Worksurface Program

Multiple worksurface shapes and laminates are available. See pages 136–143 or worksurface details including pricing and laminate colors. TFL quick ship worksurfaces are shipped out in 48 hours, contact Customer Service for current lead times for TFL standard and HPL standard/premium worksurfaces.

Table bases and worksurfaces can be purchased independently or as a combination. Fellowes worksurfaces are made to exact dimensions. If nominal sizing is needed, please specify when ordering.

Available Finishes:
🔵 Platinum – PLT
Black – BLK
White – WHT

Adjustable width frame accommodate worksurfaces 36"–72"

Two motors

C-leg

- Two-Stage:

- Three-Stage:

Digital keypad with two memory settings Soft start and stop

Gyro sensor anti-collision

220 lb. base lifting capacity

1.4"/sec. adjustment speed

17": 26.5"-43.5" (low/high)

26": 21.5"-47.5" (low/high)

(excluding worksurface)


Height adjustment range

	8'9" power cord
	Steel frame and foot construction
	Works with peds or storage with 23.5° max. height
	Low standby power consumption
	Meets or exceeds BIFMA x5.5 guidelines
	Complete tables available (base and top)
tes	Warranty: Lifetime


LW Lifetime Warrant

Rejuve™

REJ-2S-C3624





REJ-2S-C3630




Rejuve™


REJ-2S-C4824








REJ-2S-C4830














Rejuve™


REJ-3S-C4824






REJ-3S-C4830







Height Adjustable Tables Trada[™]

Two Motors

Includes two motors allowing smooth height adjustment while supporting a broad range of worksurface weights.

Cross Channels

With adjustable cross channels, the table base can adapt over time with the changing technology and work gear needs of the user.

Quality Materials


Steel frame and foot construction offers outstanding stability.

Quality Testing

Meets or exceeds BIFMA x5.5 guidelines.

Trada[™] Complete Table

Complete Quick Ship Table Model # Breakdown:





48" x 24" Quick Ship Complete Table

Trada table base with a 48"w x 24"d rectangle TFL worksurface with standard keypad

MODEL # 2TD -R4824-QS-T \$1.618

Trada table base with a 48"w x 24"d rectangle TFL worksurface with digital keypad

MODEL # 2TDM_-R4824-QS-T__ \$1,696

48" x 30" Quick Ship Complete Table

Trada table base with a 48"w x 30"d rectangle TFL worksurface with standard keypad

MODEL # 2TD -R4830-QS-T \$1.648

Trada table base with a 48"w x 30"d rectangle TFL worksurface with digital keypad

MODEL # 2TDM -R4830-QS-T \$1.726

base finish notation laminate color notation

Trada Table

Quick ship complete table options include: silver, black, or white table bases; 48"w x 24"d, 48"w x 30"d, 60" w x 24"d and 60" w x 30"d rectangle worksurfaces; all five TFL laminates. For all other combinations, please call our Customer Service Department for the estimated lead time and cost.

Multiple worksurface shapes and laminates are available. See Complete Table and Worksurface Guide for worksurface details including laminate colors.

60" x 24" Quick Ship Comple

Trada table base with a 60"w x 24"d

MODEL # 2TD -R6024-QS-T \$1.681

Trada table base with a 60"w x 24"d

MODEL # 2TDM_-R6024-QS-T_ \$1,759

60" x 30" Quick Ship Complete Table

Trada table base with a 60"w x 30"d

MODEL # 2TD -R6030-QS-T \$1.747

Trada table base with a 60"w x 30"d

MODEL # 2TDM -R6030-QS-T \$1.825

rectangle TFL worksurface with

rectangle TFL worksurface with

rectangle TFL worksurface with

rectangle TFL worksurface with

standard keypad

digital keypad

standard keypad

digital keypad

b: type of table base c: 4-memory digital keypad a: number of legs d: finish of base e: worksurface shape f: worksurface width g: worksurface depth h: quick ship indicator i: laminate material (TFL) j: laminate

Available Base Finishes

Silver – S Black – B 🔾 White – W

Available TFL Quick Ship Laminates

Beigewood – BG

Black – BK O Designer White - DW Clight Gray – GR

NeoWalnut – NW

Trada 2-leg Electric Height Adjustable Table Base

Standard Keypad: \$1,291

MODEL # 2TD-C48-24-___ MODEL # 2TD-C48-30-___

Digital 4-Memory Keypad: \$1,370

MODEL # 2TDM-C48-24-___ MODEL # 2TDM-C48-30-___ See key below for available finish options

Features

Electric height adjustment

265 lb. base lifting capacity

1.5" / sec. adjustment speed

25.5" height adjustment range 24.5"-50" (low/high) (excluding worksurface)

Anti-collision

Three stage adjustable legs

C-Leg

Adjustable width frame accommodates worksurfaces 48"-72"

Standard keypad with up and down buttons or digital 4-memory keypad available

Soft start and stop

Table base is UL962 listed

Low standby power consumption

Complete tables available (base and top) Warranty: Lifetime



GSA Schedule

Trada[™] 2-leg

Digital 4 Memory Keypad

\$78

MODEL # 2TDM-DGTLKPD

Digital Programmable Keypad with 4 memory settings

Includes up and down buttons, a digital read out, 4 memory presets and a programmable upper and lower limit

Sleep Mode to decrease power consumption

Caster Kit

\$35

MODEL # CASTERKIT-2TD

Set of four casters for table base Increases height by 2" Locking casters for security

Available Finishes: Silver – SLV

Black – BLK White – WHT

Trada™ 2-leg


Trada[™]3-leg


Table Bases	Available Worksurfaces						
Table Base Model	List Price	Worksurface Shape	Worksurface Dimension	TFL Standard		HPL Standard	HPL Standard
				Quick Ship	Standard Ship	Standard Ship	Standard Ship
			48°w x 24°d		•	•	
			60"w x 24"d	-			
2TD-C48-24 2TDM-C48-24	\$1,291 \$1,370	D	72"w x 24"d	-		•	
	ψ1,07 O	W Rectangle	48"w x 30"d	-			
			60°w x 30°d				
			72"w x 30"d	_	•	•	


Worksurface Program


Multiple worksurface shapes and laminates are available. See pages 136-143 or worksurface details including pricing and laminate colors. TFL quick ship worksurfaces are shipped out in 48 hours, contact Customer Service for current lead times for TFL standard and HPL standard/premium worksurfaces.


Table bases and worksurfaces can be purchased independently or as a combination. Fellowes worksurfaces are made to exact dimensions. If nominal sizing is needed, please specify when ordering.














-



3TD-C4848-30-___

Digital 4-Memory Keypad: \$2,078

3TDM-C4848-24-___ 3TDM-C4848-30-___ See key below for available finish options

Features

Electric height adjustment	9 [°] power cord
397lb. base lifting capacity	Table base is U
1.5"/sec adjustment speed	Meets or excee
25.5" height adjustment range	guidelines
24.5°–50° (low/high) (excluding worksurface)	Works with peo 22" max. height
Anti-collision safety feature	Low standby p
Three stage adjustable legs	Steel frame and
C-leg	Standard keypa
Adjustable width frame accommodates worksurfaces 48°–72°	down buttons o keypad availab
Soft start and stop	Complete table (base and top)
Locking casters available	, Warranty: Lifeti
Three motors	
	GSA Schedule, Like

The base dimensions as shown are actual.

114 Feljowes

.....

Digital 4 Memory Keypad

\$78

MODEL # 2TDM-DGTLKPD

Digital Programmable Keypad with 4 memory settings

Includes up and down buttons, a digital read out, 4 memory presets and a programmable upper and lower limit

Sleep Mode to decrease power consumption

Caster Kit

\$44

MODEL # CASTERKIT-2TD

Set of four casters for table base Increases height by 2" Locking casters for security

Table base is UL962 listed Meets or exceeds BIFMA x5.5

ADA compliant

Works with peds or storage with 22" max. height

Low standby power consumption

Steel frame and foot construction

Standard keypad with up and down buttons or digital 4-memory keypad available

Complete tables available

Warranty: Lifetime

GSA Schedule, Lifetime Warranty

Available Finishes:

Silver – SLV Black – BLK White – WHT

Trada™ 3-leg

Trada™3-leg

Table Bases	Available Worksurfaces							
Table base Model	List Price	Worksurface Shape	Worksurface Dimension	:	TFL Standard	HPL Standard	HPL Premium	
				Quick Ship	Standard Ship	Standard Ship	Standard Ship	
3TD-C4848-24 \$2,000	WR	60"wl x 60"wr x 24"d	-					
3TDM-C4848-24	\$2,078	WL C	72"wl x 72"wr x 24"d	-	•	•	•	
3TD-C4848-30 \$2,000	D Equal Corner	60"wl x 60"wr x 30"d	-					
3TDM-C4848-30	\$2,078		72"wl x 72"wr x 30"d	-				

Worksurface Program

Multiple worksurface shapes and laminates are available. See pages 136–143 or worksurface details including pricing and laminate colors. TFL quick ship worksurfaces are shipped out in 48 hours, contact Customer Service for current lead times for TFL standard and HPL standard/premium worksurfaces.

Table bases and worksurfaces can be purchased independently or as a combination.


Fellowes worksurfaces are made to exact dimensions. If nominal sizing is needed, please specify when ordering.


Table base	List	Worksurface	Worksurface		TFL	HPL	HPL
Model	Price	Shape	Dimension	9	Standard	Standard	Premium
				Quick Ship	Standard Ship	Standard Ship	Standard Sh
			60°wr x 48°wl x 24'd	-			
3TD-C4848-24 3TDM-C4848-24	\$2,000 \$2,078		72"wl x 48"wr x 24"d	-			
			72"wl x 60"wr x 24"d	-	•	•	•
3TD-C4848-24	\$2,000	WR	84"wl x 48"wr x 24"d	-			
3TDM-C4848-24	\$2,078	WL	84"wl x 60"wr x 24"d	-	-	•	•
		D Offset Corner	60"wl x 48"wr x 30"d	-	•	•	•
3TD-C4848-30 3TDM-C4848-30	\$2,000 \$2,078	Leftt	72"wl x 48"wr x 30"d	-	•	•	•
			72"wl x 60"wr x 30"d	-	•	•	•
3TD-C4848-30 3TDM-C4848-30	\$2,000		84"wl x 48"wr x 30"d	-	-		•
	\$2,078		84"wl x 60"wr x 30"d	-	-		
			48"wl x 60"wr x 24"d	-			
3TD-C4848-24 3TDM-C4848-24	\$2,000 \$2,078		48"wl x 72"wr x 24"d	-			
			60"wl x 72"wr x 24"d	-			•
3TD-C4848-24	\$2,000	WL	48"wl x 84"wr x 24"d	-	•	•	•
3TDM-C4848-24	\$2,078		60"wl x 84"wr x 24"d	-	-	•	•
		D Offset Corner	48"wl x 60"wr x 30"d	-	•	•	•
3TD-C4848-30 3TDM-C4848-30	\$2,000 \$2,078	Right	48"wl x 72"wr x 30"d	-	•		
			48"wl x 84"wr x 30"d	-	•	•	•
3TD-C4848-30	\$2,000		60"wl x 72"wr x 30"d	-	-	•	•
3TDM-C4848-30	\$2,078		60"wl x 84"wr x 30"d	-	_		

Worksurface Program

Multiple worksurface shapes and laminates are available. See pages 136–143 or worksurface details including pricing and laminate colors. TFL quick ship worksurfaces are shipped out in 48 hours, contact Customer Service for current lead times for TFL standard and HPL standard/premium worksurfaces.

Table bases and worksurfaces can be purchased independently or as a combination. Fellowes worksurfaces are made to exact dimensions. If nominal sizing is needed, please specify when ordering.





The base dimensions as shown are actual.

118 Feljowes

Levado™



Levado[™] Complete Table

Complete Quick Ship Table Model # Breakdown:

2LP-	R	48	824-	QS	-T.	
$\overline{1}$ $\overline{1}$ $\overline{1}$	T				T	Τ
a b c	d	е	f	g	h	i

48" x 24" Quick Ship Complete Table

Levado 2-leg table base with a 48"w x 24"d rectangle TFL worksurface

MODEL # 2L_-R4824-QS-T_ \$2,189

48" x 30" Quick Ship Complete Table

Levado 2-leg table base with a 48"w x 30"d rectangle TFL worksurface

MODEL # 2L_-R4830-QS-T__ \$2,219

60" x 24" Quick Ship Complete Table

Levado 2-leg table base with a 60"w x 24"d rectangle TFL worksurface

MODEL # 2L_-R6024-QS-T_ \$2,252

60" x 30" Quick Ship Complete Table

Levado 2-leg table base with a 60"w x 30"d rectangle TFL worksurface

MODEL # 2L_-R6030-QS-T__ \$2,319

base finish notation laminate color notation a: number of legs b: type of table base c: finish of base d: worksurface shape e: worksurface width f: worksurface depth g: quick ship indicator h: laminate material i: laminate color

Available Base Finishes

🔿 Platinum – P

Available TFL Quick Ship Laminates

- Beigewood BG Black – BK
- O Designer White DW Light Gray – GR
- NeoWalnut NW

l evado™





Wire Management Tray

Levado Electric Height Adjustable Table Base

\$1,863

MODEL # 2LV-PLT

Features

Electric height adjustment

220 lb. base lifting capacity

1.4"/sec adjustment speed

24" height adjustment range 24.5"-48.5" (low/high) (excluding worksurface)

Three stage adjustable legs

Ships complete in the box with no frame assembly

C-leg

Foot depth is 27.5" (patented design)

Patent Pending SwiftLock[™] foldable legs that lock in place

Adjustable width frame supports worksurfaces 24–30" deep and 48"-72" wide

9' power cord

Feather Lift[™] control paddle Anti-collision safety feature Soft start and stop Steel construction Table base is UL962 listed

ADA compliant

Two motors

(base and top)

LW

Levado 2-Leg Table

Quick ship complete table options include: platinum table bases; 48°w x 24°d, 48°w x 30°d, 60°w x 24°d and 60°w x 30°d rectangle worksurfaces; all five TFL laminates. For all other combinations, please call our Customer Service Department for the estimated lead time and cost.

Multiple worksurface shapes and laminates are available. See Complete Table and Worksurface Guide for worksurface details including laminate colors.




- 4 program digital read out intuitive
- Wire management tray included
- Low standby power consumption
- Complete tables available
- Warranty: Lifetime

Available Finishes: OPlatinum – PLT



Levado™

Table Bases		Available Worksurfaces							
Table base Model	List Price				HPL Standard	HPL Premium			
				Quick Ship	Standard Ship	Standard Ship	Standard Ship		
			48"w x 24"d						
		60°w x 24°d							
	¢1.000	\$1,863 W	72"w x 24"d	-			•		
2LV-PLT	\$1,803		36"w x 30"d	-			•		
		Rectangle	42"w x 30"d	-					
			48"w x 30"d						
			60"w x 30"d						
			72"w x 30"d	-					





Worksurface Program

Multiple worksurface shapes and laminates are available. See pages 136–143 or worksurface details including pricing and laminate colors. TFL quick ship worksurfaces are shipped out in 48 hours, contact Customer Service for current lead times for TFL standard and HPL standard/premium worksurfaces.

Table bases and worksurfaces can be purchased independently or as a combination.

Fellowes worksurfaces are made to exact dimensions. If nominal sizing is needed, please specify when ordering.





Height Adjustable Tables

Weight Adjustable **Espree**[™]

The Weight Adjustable Espree includes a gauge that supports a broad range of worksurface weights for easy height adjustment. This allows the table to adapt over time with the changing technology and work tool needs of the user.

Weight Adjustable Espree[™] Complete Table

Complete Quick Ship Table Model # Breakdown:

2E	SPW	A	R	48	24	-QS	- <u>T</u>	
Ī		Ī	T		Ι		T	Ι
а	b	С	d	е	f	g	h	i

48" x 24" Quick Ship Complete Table

Weight Adjustable Espree 2-leg table base with a 48"w x 24"d rectangle TFL worksurface

MODEL # 2ESPWA _-R4824-QS-T __ \$3,063

48" x 30" Quick Ship Complete Table

Weight Adjustable Espree 2-leg table base with a 48"w x 30"d rectangle TFL worksurface

MODEL # 2ESPWA _-R4830-QS-T __ \$3,093

60" x 24" Quick Ship Complete Table

Weight Adjustable Espree 2-leg table base with a 60"w x 24"d rectangle TFL worksurface

MODEL # 2ESPWA _-R6024-QS-T __ \$3,234

60" x 30" Quick Ship Complete Table

Weight Adjustable Espree 2-leg table base with a 60"w x 30"d rectangle TFL worksurface

MODEL # 2ESPWA _-R6030-QS-T __ \$3,301

base finish notation laminate color notation

Weight Adjustable Espree Table

Quick ship complete table options include: silver, black or white table base; 48"w x 24"d, 48"w x 30"d, 60"w x 24"d and 60° w x 30° d rectangle worksurfaces; all five TFL laminates. For all other combinations, please call our Customer Service Department for the estimated lead time and cost.

Multiple worksurface shapes and laminates are available. See pages 136–143 or worksurface details including laminate colors. For all other complete table options reference the Complete Table and Worksurface Guide at fellowes.com.



- a: number of legs b: type of table base c: finish of base
- d: worksurface shape
- e: worksurface width f: worksurface depth
- g: quick ship indicator
- h: laminate material (TFL)
- i: laminate color

Available Base Finishes

Silver – S Black – B 🔾 White – W

Available TFL Quick Ship Laminates

Beigewood – BG Black – BK O Designer White – DW 🔘 Light Gray – GR NeoWalnut – NW

Weight Adjustable Espree™

Weight Adjustable Espree™




Worksurface Program

Multiple worksurface shapes and laminates are available. See pages 136–143 or worksurface details including pricing and laminate colors. TFL quick ship worksurfaces are shipped out in 48 hours, contact Customer Service for current lead times for TFL standard and HPL standard/premium worksurfaces.

Table bases and worksurfaces can be purchased independently or as a combination. Fellowes worksurfaces are made to exact dimensions. If nominal sizing is needed, please specify when ordering.

2ESP-WA-C48



The base dimensions as shown are actual.



Caster Kit

MODEL # CASTERKIT-ESP-WA

Locking casters for security

Increases height by 2"

Set of four casters for table base

\$91

Available Finishes: O Silver – SLV Black – BLK White - WHT

Weight Adjustable Espree

Pneumatic Height Adjustable Table Base

48": **\$2,411**

60": **\$2,517**

MODEL # 2ESP-WA-C48-___ MODEL # 2ESP-WA-C60-___ See key below for available finish options

Features

Pneumatic height adjustment

44lb.–143lb. base lifting capacity (2ESP-WA-C48) 52lb.–163lb. base lifting capacity (2ESP-WA-C60)

19.5" height adjustment range 26.3"-45.8" (low/high) (excluding worksurface)

Three stage adjustable legs

C-Leg

Foot is adjustable to 22" or 28" (patented design)

Fixed width frame

Weight adjustable with adjustment gauge

Includes adjustment tools

Locking casters available

Warranty: Lifetime




Worksurface Dimension	TFL Standard		HPL Standard	HPL Standard
	Quick Ship	Standard Ship	Standard Ship	Standard Ship
48"w x 24"d				•
48°w x 30°d				
60"w x 24"d	•	•	•	•
60"w x 30"d				

Available Worksurfaces

2ESP-WA-C60





Height Adjustable Tables **Q** Crank

Environmentally friendly

With no power needed, it is both environmentally friendly and easy to retrofit any space with power limitations.

Hand crank

Fold the hand crank under the worksurface when not in use.5.5 guidelines.

Q Crank Complete Table

Complete Quick Ship Table Model # Breakdown:

20	QC	S	-R4	48	824-	QS	-T.	
T		T	Τ	Ι			T	Τ
а	b	С	d	е	f	g	h	i

48" x 24" Quick Ship Complete Table

Sel.

Q Crank 2-leg table base with a 48"w x 24"d rectangle TFL worksurface

MODEL # 2QCS-C4824-QS-T \$1,845

48" x 30" Quick Ship Complete Table Q Crank 2-leg table base with a 48"w x 30"d rectangle TFL worksurface

MODEL # 2QCS-R4830-QS-T \$1,875

60" x 24" Quick Ship Complete Table

Q Crank 2-leg table base with a 60"w x 24"d rectangle TFL worksurface

MODEL # 2QCS-R6024-QS-T \$1,908

60" x 30" Quick Ship Complete Table

Q Crank 2-leg table base with a 60"w x 30"d rectangle TFL worksurface MODEL # 2QCS-R6030-QS-T__ \$1,975

laminate color notation

Q Crank Table

Quick ship complete table options include: silver table bases; 48"w x 24"d, 48"w x 30"d, 60"w x 24"d and 60"w x 30"d rectangle worksurfaces; all five TFL laminates. For all other combinations, please call our Customer Service Department for the estimated lead time and cost.

Multiple worksurface shapes and laminates are available. See pages 136–143 or worksurface details including laminate colors.

For all other complete table options reference the Complete Table and Worksurface Guide at fellowes.com.

a: number of legs b: type of table base c: finish of base d: worksurface shape e: worksurface width f: worksurface depth g: quick ship indicator h: laminate material i: laminate color

Available Base Finishes

Silver – S

Available TFL Quick Ship Laminates

Beigewood – BG Black – BK O Designer White – DW 🔵 Light Gray – GR NeoWalnut – NW

Q Crank

Q Crank



Worksurface Program

Multiple worksurface shapes and laminates are available. See pages 136-143 or worksurface details including pricing and laminate colors. TFL quick ship worksurfaces are shipped out in 48 hours, contact Customer Service for current lead times for TFL standard and HPL standard/premium worksurfaces.


Table bases and worksurfaces can be purchased independently or as a combination. Fellowes worksurfaces are made to exact dimensions. If nominal sizing is needed, please specify when ordering.

Q CRANK-24S

Adjustable Width 28.6"-47.5" Supp 19.7 ett ų do.

Q CRANK-24L

Adjustable Width 40.1"-70.7"



The base dimensions as shown are actual.

Q Crank Crank Height Adjustable Table Base

\$1,519

MODEL # QCRANK-24S-SLV MODEL # QCRANK-24L-SLV MODEL # QCRANK-30S-SLV MODEL # QCRANK-30L-SLV

Features

Crank height adjustment

220lb. base lifting capacity

1" per two cranks adjustment speed

17.5" height adjustment range 24.8"–42.3" (low/high) (excluding worksurface)

Two stage adjustable legs

C-Leg

Adjustable width frame accommodates worksurfaces 36"-72"

Locking casters available

Warranty: Lifetime



Available Finishes: O Silver – SLV

Caster Kit

MODEL # CASTERKIT-QCRANK Set of four casters for table base

Locking casters for security


Increases height by 2"

\$91

130 Feljowes

/ waita		14665		
Worksurface Dimension	TFL Standard		HPL Standard	HPL Premium
	Quick Ship	Standard Ship	Standard Ship	Standard Ship
36"w x 24"d	_	•	•	•
42"w x 24"d	_	•	•	•
48"w x 24"d	•	•	•	•
60"w x 24"d	•	•	•	•
72"w x 24"d	-	•	•	•
36"w x 30"d	-	•	•	•
42"w x 30"d	-			•
48"w x 30"d	•		•	
60"w x 30"d	•	•	•	•
72"w x 30"d	-		•	

Available Worksurfaces



Casters



Casters For Height Adjustable Bases

Features

Sets of caster wheels for table bases Increases height by 2* Locking casters for security VictoryLX 3-leg kits include a third foot for caster installation Warranty: Lifetime

Fits Table Base	Model #	List Price	GSA
All-Flex 2-leg	CASTERKIT-FLEX2	\$91	GSA Schedule
All-Flex 3-leg	CASTERKIT-FLEX3	\$116	GSA Schedule
TriumphLX/ VictoryLX 2-leg	CASTERKIT-LX-2LEG	\$70	-
VictoryLX 3-leg	CASTERKIT-LX-3LEG-BLK	\$138	-
	CASTERKIT-LX-3LEG-SLV	\$138	-
	CASTERKIT-LX-3LEG-WHT	\$138	-
Weight Adjustable Espree	CASTERKIT-2ESP-WA	\$91	GSA Schedule
Q Crank	CASTERKIT-QCRANK	\$91	-
Trada 2-Leg	CASTERKIT-2TD	\$35	GSA Schedule
Trada 3-Leg	CASTERKIT-3TD	\$44	GSA Schedule



Height Adjustable Tables Motific[™] Height Adjustable

Effortless Height Adjustability

The easy-access lever attached to the table top allows quick and effortless height adjustment for sitting or standing applications.

Motific™ Height Adjustable

Motific™ Height Adjustable

Front View

24" height



Motific Height Adjustable

Portable Tech Table

\$995

MOADJSS-AMPAW MOADJSS-AMPDW MOADJSS-RNDAW MOADJSS-RNDDW Quick ship complete tables listed

Features

Laptop or occasional table

Multiple color combinations for unique and elegant design options

Thermofoil formed top

Two available top sizes, 0.75" thick: – Round 22" diameter

– Amorphic 25" width and 22" depth

5.5" height adjustment range 22.5"–27.8"(low/high) (excluding top)

Includes a accessory hook


Non-marring, easy-to-slide glides

25 lb. max weight capacity


Base dimensions: 19.7" depth 23.5" width (widest point)

Warranty: Lifetime


LW/



Base



Round Top



The base dimensions as shown are actual.

134 Feljowes

Available Base Finishes

Polished Aluminum – A LT

Available Column Finishes

Available Tops and Colors

🔵 Silver – S

⊖White – W LT

Black – B LT

🔵 Silver – S ⊖White – W LT

Black – B LT

Round – RND

Amorphic – AMP


🔵 Amati Walnut – AW


O Designer White – DS


Woodgrain pattern runs left to right

The combination of a silver column and silver base

with either shape top in Amati Walnut or Designer White is available to ship in 48 hours.







Worksurfaces

Your Style, Customized

Fellowes offers laminates in 5 Thermally Fused Laminates (TFL), 9 Standard High Pressure Laminates (HPL) and 10 Premium High Pressure Laminates (PHPL). 4



Worksurfaces Overview

How to order:

Worksurfaces have multiple model numbers based on worksurface dimensions.

Fellowes offers Thermally Fused Laminate (TFL) in 5 colors for both guick ship and standard worksurfaces. Additionally we offer High Pressure Laminate (HPL) in 9 standard colors and 10 premium colors.

Use the worksurface two letter color code to complete your model number.

General information:

Worksurfaces

Worksurfaces can be sold separately or in combination with a table base.

Warranty: Lifetime

Sizing

Fellowes worksurfaces are made to exact dimensions. If nominal sizing is needed, please specify when ordering. TFL worksurfaces are 1.0" thick. HPL worksurfaces are 1.125" thick.

*Lead times

For standard colors and sizes the leads times are as follows. Lead time may vary depending on quantities ordered and their availability. For custom sizes and laminates please see below:

TFL quick ship: 48 hours

TFL standard: Contact Customer Service for current lead times HPL standard: Contact Customer Service for current lead times HPL premium: Contact Customer Service for current lead times

Custom options

For more information on alternative worksurface shapes, thicknesses, edge detail, laminate options, and pre-drilling, contact our Customer Service Department. Extended lead times and upcharges will apply on all custom requests. Orders with custom laminates or custom edge detailing will both require a standard solid edge banding.


Worksurface pre-drilled holes

For your convenience, all quick ship worksurfaces will be pre-drilled to accommodate the Victory-LX 2-leg and the Triumph-LX table bases. Pre-drilling for any other height adjustable table base series will require extended lead time and an additional cost.

*Fellowes worksurfaces are designed to work with Fellowes height adjustable table bases. If a different application is going to be used, please contact customer service for more details.


Woodgrain pattern direction:

Please see the diagrams for the direction of the woodgrain pattern on each worksurface shape



All reaister marks are property of their respective owners.

120 degree



Equal corne

Offset corner right Peninsula Right

Peninsula Left

TFL Quick Ship Worksurfaces

TFL quick ship worksurfaces ship within 48 hours and are available in five colors. Please see pages 142-143 for the laminate options that are available

TFL standard worksurfaces

TFL standard worksurfaces are available in five colors. Please see pages 142-143 for the laminate options that are available.

Worksurface Pricing:

Destaude			
Rectangle			
	Surface model	List price	Dimensions
D	2R3624-TFL	\$253	36"w x 24"d
W	2R4224-TFL	\$287	42"w x 24"d
	2R4824-TFL	\$326	48"w x 24"d
	2R6024-TFL	\$389	60"w x 24"d
	2R7224-TFL	\$488	72"w x 24"d
	2R3630-TFL	\$273	36"w x 30"d
	2R4230-TFL	\$299	42"w x 30"d
	2R4830-TFL	\$356	48"w x 30"d
	2R6030-TFL	\$456	60"w x 30"d
	2R7230-TFL	\$520	72"w x 30"d
120 degree			

120 deg

Surface model List price Dimension 120-4824-TFL-__ \$1,058 48"w x 24"d

Equal corner				
	WR			
WL				

Surface model List price 3EC606024-TFL-__ \$1,273 3EC727224-TFL-__ \$1,834 3EC606030-TFL-__ \$1,299 3EC727230-TFL-__ \$1,848

Offset corner left

WL	WR D

eft		
Surface model	List price	Dim
30CL604824-TFL	\$1,137	60"\
30CL724824-TFL	\$1,242	72°v
30CL726024-TFL	\$1,418	72°v
30CL844824-TFL	\$1,463	84°v
30CL604830-TFL	\$1,158	60"
30CL724830-TFL	\$1,255	72°v
30CL726030-TFL	\$1,441	72°v
30CL844830-TFL	\$1,487	84"\

Offset cor WL

orner r	ight		
	Surface model	List price	Dimensio
)	30CR486024-TFL	\$1,137	48"wl x
WR	30CR487224-TFL	\$1,242	48"wl x
	30CR607224-TFL	\$1,418	60"wl x
)	30CR488424-TFL	\$1,463	48"wl x
	30CR486030-TFL	\$1,158	48"wl x
	30CR487230-TFL	\$1,255	48"wl x
	30CR607230-TFL	\$1,441	60°wl x
	30CR488430-TFL	\$1,487	48"wl x

138 Fellowes

Rectangle

Offset corner left

a: worksurface shape b: worksurface width c: worksurface depth d: laminate material e: laminate color

This product number represents:

Edge detail

Square Edge

Worksurface part number breakdown:

Worksurfaces ship with standard square edge profile and

edge detail options are available at additional cost.

coordinating 3mm edge band with a 3mm top radius. Alternative

2R4824-TFL-DW

Rectangle shape 48.0" wide and 24.0" deep

TFL standard Designer White laminate

d

Laminate materials

Worksurfaces are available in select Wilsonart®, Formica, and Panolam laminate options. Fellowes worksurfaces are either Thermally Fused Laminates, High Pressure Laminates or Premium High Pressure Laminates. Please indicate laminate color choice Zby adding the 2-letter code at the end of the worksurface

Thermally fused laminates (TFL)

Quick-ship and standard worksurfaces consist of a single printed decor paper fused directly by heat and pressure to the core material of MDF or particle board. TFL benefits: cost efficient, consistent and uniform, water resistant, scratch resistant.

High pressure laminates (HPL)

Standard and premium worksurfaces consist of a melamine treated printed decor paper fused to multiple sheets of kraft paper. Heat and pressure bond all the sheets together creating a flexible and durable piece of plastic type material which is then adhered to MDF or particle board.

Standard HPL benefits: durable, versatile, stylish, heat resistant, water resistant, scratch resistant, impact resistant, hygienic qualities.

Premium HPL benefits: Same as standard HPL, plus enhanced

model number.

performance to durability and scratch resistance.



72"w x 30"d x 36"r

Dimensions

72"w x 30"d x 36"r



Peninsula Right

D

Peninsula Left

D

Surface model 2PR723630-TFL-__

Surface model

2PL723630-TFL-__

Surface model	List price	Dimensions
2R4824-QS-TFL	\$326	48" w x 24"d
2R4830-QS-TFL	\$356	48" w x 60"d
2R6024-QS-TFL	\$389	60"w x 24"d
2R6030-QS-TFL	\$456	60"w x 30"d

List price

List price

\$1,260

\$1,260

Dimensions

60"wl x 60"wr x 24"d 72"wl x 72"wr x 24"d 60"wl x 60"wr x 30"d 72"wl x 72"wr x 30"d

ensions

"wl x 48" wr x 24" d 'wl x 48"wr x 24"d wl x 60"wr x 24"d "wl x 48"wr x 24"d wl x 48"wr x 30"d wl x 48"wr x 30"d wl x 60"wr x 30"d wl x 48"wr x 30"d

ions

60"wr x 24"d 72"wr x 24"d 72"wr x 24"d 84"wr x 24"d 60"wr x 30"d 72"wr x 30"d 72"wr x 30"d 84"wr x 30"d

HPL standard worksurfaces available in nine colors. Please see pages 142–143 for the laminate options that are available.

Worksurface Pricing:

Rectangle									
cetungte	Surface model	List price	Dimensions	Peninsula Righ	t Surface model	List price	Dimensions	Rectangl	le
D	2R3624-HPL	\$354	36"w x 24"d	Λ	2PR723630-HPL	\$1,369	72"w x 30"d x 36"r		D
	2R4224-HPL	\$409	42"w x 24"d	w /		\$1,000			0
W	2R4824-HPL	\$456	48"w x 24"d					W	
	2R6024-HPL	\$546	60"w x 24"d						
	2R7224-HPL	\$598	72"w x 24"d	D					
	2R3630-HPL	\$389	36"w x 30"d						
	2R4230-HPL	\$429	42"w x 30"d						
	2R4830-HPL	\$493	48"w x 30"d						
	2R6030-HPL	\$572	60"w x 30"d	Peninsula Left				-	
	2R7230-HPL	\$624	72"w x 30"d	R	Surface model	List price	Dimensions		
				(),,,	2PL723630-HPL	\$1,369	72"w x 30"d x 36"r		
120 degree) w				120 degr	ree
W A W	Surface model	List price	Dimensions					120 degr	
W W	120-4824-HPL	\$1,483	48"w x 24"d	D				W ^	W
	120-6024-HPL	\$2,087	60"w x 24"d	-					5
	120-7224-HPL	\$2,340	72"w x 24"d					D	√ D
	120-4830-HPL	\$1,683	48"w x 30"d						
	120-6030-HPL	\$2,112	60"w x 30"d						
	120-7230-HPL	\$2,372	72"w x 30"d						
Equal corner									
WR	Surface model	List pr	ice Dimens	sions				Equal co	orner
	3EC606024-HPL-	\$1,40	1 60°wl	x 60"wr x 24"d				WR	
	3EC606030-HPL-	\$1,430	0 60°wl	x 60"wr x 30"d					
	3EC727224-HPL	\$2,34	0 72°wl>	x 72"wr x 24"d				WL C	D
	3EC727230-HPL-	\$2,79	5 72",v/l	701 0011				···- (
Л	020/2/200 11 2	\$2,79	J /2 WL)	x 72"wr x 30"d					
D		\$2,79	5 72 wt	x 72 wr x 30 d				D	
	left							D D Offset co	orner
	left Surface model	List pri	ce Dimens	ions				Offset co	orner
Offset corner	left Surface model 30CL604824-HPL	List pr	ce Dimens 3 60°wl 2	sions x 48"wr x 24"d					orner
Offset corner	left Surface model 3OCL604824-HPL 3OCL724824-HPL	List pr L \$1,253 L \$1,366	ce Dimens 3 60°wl 5 72°wl x	sions x 48°wr x 24°d < 48°wr x 24°d				Offset co	orne r] D
Offset corner	left Surface model 3OCL604824-HPL 3OCL724824-HPL 3OCL844824-HPL	List pri L\$1,253 L\$1,366 L\$1,690	ce Dimens 3 60°wl 5 72°wl 0 84°wl	tions x 48°wr x 24°d < 48°wr x 24°d < 48°wr x 24°d				Offset co	orne r] D
Offset corner	left Surface model 3OCL604824-HPL 3OCL724824-HPL 3OCL844824-HPL 3OCL726024-HPL	List pri \$1,253 \$1,366 \$1,690 \$1,558	ce Dimension 3 60°wl 5 72°wl 0 84°wl 3 72°wl	tions x 48°wr x 24°d < 48°wr x 24°d < 48°wr x 24°d < 60°wr x 24°d				Offset co	orner] D
Offset corner	left Surface model 3OCL604824-HPL 3OCL724824-HPL 3OCL844824-HPL 3OCL726024-HPL 3OCL846024-HPL	List pri \$1,253 \$1,366 \$1,690 \$1,558 L\$1,819	ce Dimens 3 60°wl 5 72°wl 0 84°wl 3 72°wl 4 20 84°wl 84°wl	tions x 48°wr x 24°d < 48°wr x 24°d < 48°wr x 24°d < 60°wr x 24°d < 60°wr x 24°d				Offset co	orner] D
Offset corner	left Surface model 3OCL604824-HPL 3OCL724824-HPL 3OCL844824-HPL 3OCL726024-HPL 3OCL846024-HPL 3OCL604830-HP	List pri \$1,253 \$1,366 \$1,690 \$1,558 L\$1,819 L\$1,272	ce Dimension 3 60°wl 5 72°wl 5 72°wl 3 72°wl 4°wl 3 2 60°wl	tions x 48°wr x 24°d < 48°wr x 24°d < 48°wr x 24°d < 60°wr x 24°d < 60°wr x 24°d × 48°wr x 30°d				Offset co	orner] D
Offset corner	Left Surface model 3OCL604824-HPL 3OCL724824-HPL 3OCL844824-HPL 3OCL726024-HPL 3OCL846024-HPL 3OCL604830-HPL 3OCL604830-HPL	List pri \$1,253 \$1,369 \$1,699 \$1,558 L \$1,819 L \$1,272 \$1,380	ce Dimension 3 60°wl 3 5 72°wl 3 5 72°wl 3 3 72°wl 3 4°wl 3 72°wl 3 5 72°wl 3 60°wl 3 72°wl 3 7 84°wl 3 7 9 84°wl 3 72°wl 3 7 9 7 9 8 72°wl 3	tions x 48°wr x 24°d < 48°wr x 24°d < 48°wr x 24°d < 60°wr x 24°d < 60°wr x 24°d < 60°wr x 24°d × 48°wr x 30°d				Offset co	orner] D
Offset corner	Left Surface model 3OCL604824-HPL 3OCL724824-HPL 3OCL844824-HPL 3OCL726024-HPL 3OCL846024-HPL 3OCL604830-HPL 3OCL604830-HPL 3OCL724830-HPL	List pri \$1,253 \$1,369 \$1,558 \$1,819 L\$1,272 \$1,380 L\$1,716	ce Dimension 3 60°wl 5 72°wl 5 72°wl 3 72°wl 4°wl 3 2 60°wl 2 60°wl 5 72°wl 84°wl 3 2 60°wl 3 72°wl 84°wl 84°wl	tions × 48°wr x 24°d < 48°wr x 24°d < 48°wr x 24°d < 60°wr x 24°d < 60°wr x 24°d × 48°wr x 30°d < 48°wr x 30°d < 48°wr x 30°d				Offset co	orner] D
Offset corner	Left Surface model 3OCL604824-HPL 3OCL724824-HPL 3OCL844824-HPL 3OCL726024-HPL 3OCL846024-HPL 3OCL604830-HPI 3OCL724830-HPL 3OCL844830-HPI 3OCL726030-HPI	List pri \$1,263 \$1,690 \$1,558 L\$1,819 L\$1,272 \$1,380 L\$1,716 L\$1,625	ce Dimens 3 60°wl3 5 72°wl3 5 72°wl3 6 72°wl3 84°wl3 72°wl3 2 60°wl3 5 72°wl3 60°wl3 72°wl3 84°wl3 72°wl3 5 72°wl3	sions × 48°wr x 24°d < 48°wr x 24°d < 48°wr x 24°d < 60°wr x 24°d < 60°wr x 24°d × 48°wr x 30°d < 48°wr x 30°d < 48°wr x 30°d < 60°wr x 30°d				Offset co	orner] D
Offset corner	Left Surface model 3OCL604824-HPL 3OCL724824-HPL 3OCL844824-HPL 3OCL726024-HPL 3OCL846024-HPL 3OCL604830-HPL 3OCL604830-HPL 3OCL724830-HPL	List pri \$1,253 \$1,369 \$1,558 L\$1,819 L\$1,272 \$1,380 L\$1,716 L\$1,625	ce Dimens 3 60°wl3 5 72°wl3 5 72°wl3 6 72°wl3 84°wl3 72°wl3 2 60°wl3 5 72°wl3 60°wl3 72°wl3 84°wl3 72°wl3 5 72°wl3	tions × 48°wr x 24°d < 48°wr x 24°d < 48°wr x 24°d < 60°wr x 24°d < 60°wr x 24°d × 48°wr x 30°d < 48°wr x 30°d < 48°wr x 30°d				Offset co	ornei] D
Offset corner	left Surface model 3OCL604824-HPL 3OCL724824-HPL 3OCL844824-HPL 3OCL726024-HPL 3OCL846024-HPL 3OCL604830-HPI 3OCL724830-HPL 3OCL844830-HPI 3OCL726030-HPI 3OCL846030-HPI	List pri L\$1,253 \$1,360 \$1,558 L\$1,819 L\$1,819 L\$1,272 \$1,380 L\$1,716 L\$1,625 L\$1,840	ce Dimens 3 60°wl 5 72°wl 5 72°wl 3 72°wl 3 72°wl 4°wl 3 2 60°wl 3 72°wl 4°wl 3 5 72°wl 60°wl 3 72°wl 84°wl 5 72°wl 5 84°wl	x 48'wr x 24'd x 48'wr x 24'd x 48'wr x 24'd x 48'wr x 24'd x 60'wr x 24'd x 48'wr x 30'd x 48'wr x 30'd x 48'wr x 30'd x 48'wr x 30'd x 60'wr x 30'd x 60'wr x 30'd				Offset co] D
Offset corner $WL \int_{D}^{WR} D$ Dffset corner r WL	left Surface model 30CL604824-HPL 30CL724824-HPL 30CL844824-HPL 30CL726024-HPL 30CL846024-HPL 30CL604830-HPL 30CL724830-HPL 30CL726030-HPL 30CL726030-HPL 30CL846030-HPL 30CL846030-HPL 30CL846030-HPL	List pri L\$1,253 \$1,360 \$1,558 L\$1,819 L\$1,272 \$1,380 L\$1,380 L\$1,716 L\$1,625 L\$1,840 List pri	ce Dimens 3 60°wl; 5 72°wl; 5 72°wl; 84°wl; 84°wl; 2 60°wl; 2 60°wl; 3 72°wl; 84°wl; 84°wl; 5 72°wl; 6 84°wl; 5 84°wl; 5 84°wl; 5 84°wl; 5 84°wl; 5 84°wl; 5 84°wl; 6 84°wl; 5 84°wl; 5 84°wl;	sions × 48°wr × 24°d <48°wr × 24°d				Offset co WR WL] D
Offset corner	left Surface model 30CL604824-HPL 30CL724824-HPL 30CL844824-HPL 30CL726024-HPL 30CL846024-HPL 30CL604830-HPL 30CL724830-HPL 30CL844830-HPL 30CL726030-HPL 30CL846030-HPL 30CL846030-HPL 30CL846024-HPL	List pri L\$1,253 \$1,360 \$1,558 L\$1,819 L\$1,272 \$1,380 L\$1,272 L\$1,263 L\$1,253	ce Dimens 3 60°wl; 5 72°wl; 5 72°wl; 84°wl; 84°wl; 2 60°wl; 5 72°wl; 84°wl; 84°wl; 5 72°wl; 84°wl; 84°wl; 5 72°wl; 6 72°wl; 6 72°wl; 6 72°wl; 6 84°wl; 5 48°wl;	sions × 48°wr × 24°d <48°wr × 24°d				Offset co WR WL D] D
Offset corner $WL \int_{D}^{WR} D$ Offset corner r WL	left Surface model 30CL604824-HPL 30CL724824-HPL 30CL844824-HPL 30CL846024-HPL 30CL846024-HPL 30CL604830-HPI 30CL726030-HPI 30CL726030-HPI 30CL846030-HPI 30CL846030-HPI 30CL846024-HPL 30CR486024-HPL 30CR486024-HPL	L\$1,253 \$1,360 \$1,558 L\$1,819 L\$1,272 \$1,380 L\$1,716 L\$1,716 L\$1,253 \$1,360 \$1,360	ce Dimens 3 60°wl; 5 72°wl; 5 72°wl; 84°wl; 84°wl; 2 60°wl; 3 72°wl; 84°wl; 84°wl; 5 72°wl; 84°wl; 84°wl; 5 72°wl; 6 84°wl; 6 48°wl;	sions × 48°wr × 24°d <48°wr × 24°d				Offset co U Offset co U] D
Offset corner P	left Surface model 30CL604824-HPL 30CL724824-HPL 30CL844824-HPL 30CL846024-HPL 30CL604830-HPI 30CL604830-HPI 30CL726030-HPI 30CL846030-HPI 30CL846030-HPI 30CL846030-HPI 30CL846024-HPL 30CR486024-HPL 30CR486024-HPL	List pri L\$1,253 \$1,360 \$1,558 L\$1,819 L\$1,272 \$1,380 L\$1,716 L\$1,625 L\$1,360 \$1,360 \$1,690	ce Dimens 3 60°wl; 5 72°wl; 5 72°wl; 60°wl; 84°wl; 8 60°wl; 72°wl; 84°wl; 2 60°wl; 5 72°wl; 84°wl; 84°wl; 5 72°wl; 6 84°wl; 5 48°wl; 6 48°wl; 6 48°wl; 6 48°wl;	sions × 48°wr × 24°d <48°wr × 24°d				Offset co U Offset co U] D
Offset corner	left Surface model 30CL604824-HPL 30CL724824-HPL 30CL844824-HPL 30CL846024-HPL 30CL604830-HPI 30CL604830-HPI 30CL726030-HPI 30CL846030-HPI 30CL846030-HPI 30CL846030-HPI 30CL846024-HPI 30CR486024-HPL 30CR486024-HPL 30CR486024-HPL	List pri L\$1,253 \$1,366 \$1,558 L\$1,819 L\$1,272 \$1,386 L\$1,716 L\$1,625 L\$1,366 \$1,366 \$1,366 L\$1,558	ce Dimens 3 60°wl; 5 72°wl; 60°wl; 84°wl; 8 60°wl; 9 84°wl; 2 60°wl; 3 72°wl; 84°wl; 84°wl; 5 72°wl; 60°wl; 84°wl; 5 84°wl; 5 48°wl; 6 48°wl; 5 48°wl; 5 48°wl; 5 48°wl; 5 48°wl; 5 48°wl; 5 48°wl;	sions × 48°wr × 24°d <48°wr × 24°d				Offset co U Offset co U] D Frner
Offset corner $WL \int_{D}^{WR} D$ Offset corner r $WL \int_{WR}^{WL} WR$	left Surface model 30CL604824-HPL 30CL724824-HPL 30CL726024-HPL 30CL846024-HPL 30CL604830-HPI 30CL604830-HPI 30CL726030-HPI 30CL846030-HPI 30CL846030-HPI 30CL846030-HPI 30CL846024-HPI 30CR486024-HPL 30CR486024-HPI 30CR488424-HPL 30CR607224-HPI	List pri L\$1,253 \$1,360 \$1,558 L\$1,819 L\$1,272 \$1,380 L\$1,273 \$1,380 L\$1,625 L\$1,360 \$1,360 L\$1,558 L\$1,558 L\$1,819	ce Dimens 3 60°wl; 5 72°wl; 60°wl; 84°wl; 8 60°wl; 9 84°wl; 2 60°wl; 3 72°wl; 84°wl; 84°wl; 5 72°wl; 6 84°wl; 5 84°wl; 5 48°wl; 6 48°wl; 5 48°wl; 5 48°wl; 5 60°wl; 6 60°wl;	sions × 48°wr × 24°d <48°wr × 24°d				Offset co D Offset co D] D rner
Offset corner $WL \int_{D}^{WR} D$ Offset corner r $WL \int_{WR}^{WL} WR$	left Surface model 30CL604824-HPL 30CL724824-HPL 30CL844824-HPL 30CL846024-HPL 30CL604830-HPI 30CL604830-HPI 30CL846030-HPI 30CL846030-HPI 30CR486024-HPL 30CR486024-HPL 30CR486024-HPL 30CR486024-HPL 30CR486030-HPI	List pri L\$1,253 \$1,360 \$1,558 L\$1,819 L\$1,272 \$1,380 L\$1,272 \$1,360 L\$1,360 L\$1,369 L\$1,558 L\$1,819 L\$1,272	ce Dimens 3 60°wl; 5 72°wl; 5 72°wl; 60°wl; 84°wl; 8 60°wl; 9 84°wl; 9 84°wl; 9 84°wl; 5 72°wl; 84°wl; 84°wl; 5 84°wl; 5 48°wl; 6 48°wl; 5 48°wl; 6 48°wl; 9 60°wl; 9 60°wl; 9 48°wl;	cions × 48°wr × 24°d < 48°wr × 24°d < 48°wr × 24°d < 60°wr × 24°d × 48°wr × 30°d < 48°wr × 30°d < 48°wr × 30°d < 60°wr × 30°d < 60°wr × 30°d < 60°wr × 24°d < 72°wr × 24°d < 84°wr × 24°d < 72°wr × 24°d < 84°wr × 24°d < 84°wr × 24°d				Offset co D Offset co D] D rner
Offset corner $VL \int_{D}^{WR} D$ D D D D VL = 0 VL = 0 WR	left Surface model 30CL604824-HPL 30CL724824-HPL 30CL844824-HPL 30CL846024-HPL 30CL846024-HPL 30CL604830-HPI 30CL846030-HPI 30CL846030-HPI 30CR486024-HPL 30CR486024-HPL 30CR486024-HPL 30CR486024-HPL 30CR486030-HPI 30CR608424-HPL 30CR608424-HPL 30CR486030-HPI	List pri L\$1,253 \$1,360 \$1,558 L\$1,819 L\$1,272 \$1,380 L\$1,272 \$1,380 L\$1,253 \$1,360 L\$1,558 L\$1,558 L\$1,319 L\$1,319 L\$1,380 L\$1,380	ce Dimens 3 60°wl; 5 72°wl; 60°wl; 84°wl; 8 72°wl; 8 84°wl; 2 60°wl; 2 60°wl; 5 72°wl; 84°wl; 84°wl; 5 72°wl; 6 84°wl; 5 48°wl; 6 60°wl; 6 48°wl; 5 48°wl;	All				Offset co D Offset co D] D rner
Offset corner $WL \int_{D}^{WR} D$ Offset corner r $WL \int_{WR}^{WL} WR$	left Surface model 3OCL604824-HPL 3OCL724824-HPL 3OCL726024-HPL 3OCL846024-HPL 3OCL604830-HPI 3OCL604830-HPI 3OCL726030-HPI 3OCL726030-HPI 3OCL846030-HPI 3OCL846024-HPL 3OCR486024-HPL 3OCR486024-HPL 3OCR486024-HPL 3OCR486024-HPL 3OCR486024-HPL 3OCR486030-HPI 3OCR608424-HPL 3OCR608448430-HPL 3OCR80848430-HPL 3OCR80848430-HPL 3OCR80848430-HPL 3OCR8084848430-HPL 3OCR8084848430-HPL 3OCR8084848430-HPL 3OCR8084848430-HPL 3OCR8084848430-HPL 3OCR80848484840-HPL 3OCR80848484840-HPL 3OCR80848484840-HPL 3OCR80848484840-HPL 3OCR80848484840-HPL 3OCR80848484840-HPL 3OCR80848484840-HPL 3OCR80848	List pri L\$1,253 \$1,360 \$1,558 L\$1,819 L\$1,272 \$1,380 L\$1,272 \$1,380 L\$1,253 \$1,360 \$1,558 L\$1,360 L\$1,558 L\$1,360 L\$1,558 L\$1,360 L\$1,558 L\$1,558 L\$1,360 L\$1,558 L\$1,558 L\$1,360 L\$1,558 L\$1,558 L\$1,360 L\$1,558 L\$1,360 L\$1,558 L\$1,360 L\$1,558 L\$1,360 L\$1,558 L\$1,360 L\$1,558 L\$1,360 L\$1,558 L\$1,360 L\$1,558 L\$1,360 L\$1,360 L\$1,558 L\$1,360 L\$1,360 L\$1,558 L\$1,360 L\$1,560 L\$1,560 L\$1,560 L\$1,560 L\$1,560 L\$1,560 L\$1,560 L\$1,560 L\$1,570	ce Dimens 3 60°wl; 5 72°wl; 60°wl; 84°wl; 8 72°wl; 8 84°wl; 9 48°wl;	All				Offset co D Offset co D] D Frner I
Offset corner P	left Surface model 30CL604824-HPL 30CL724824-HPL 30CL844824-HPL 30CL846024-HPL 30CL846024-HPL 30CL604830-HPI 30CL846030-HPI 30CL846030-HPI 30CR486024-HPL 30CR486024-HPL 30CR486024-HPL 30CR486024-HPL 30CR486030-HPI 30CR608424-HPL 30CR608424-HPL 30CR486030-HPI	List pri L\$1.253 \$1.690 \$1.556 L\$1.819 L\$1.272 \$1.384 L\$1.716 L\$1.625 L\$1.360 \$1.360 L\$1.369	Ce Dimens 3 60°wl 5 72°wl 5 72°wl 5 72°wl 60°wl 3 72°wl 84°wl 8 72°wl 84°wl 84°wl 5 72°wl 5 72°wl 60°wl 3 5 84°wl 5 48°wl 6 48°wl 6 48°wl 6 48°wl 6 48°wl 6 60°wl 6 60°wl 6 60°wl 6 60°wl	All				Offset co D Offset co D] D Frner I

Table bases and worksurfaces can be purchased independently or as a combination. Fellowes worksurfaces are made to exact dimensions. If nominal sizing is needed,

please specify when ordering.

140 Feljowes

HPL Premium Worksurfaces

HPL premium worksurfaces are available in ten colors. Please see pages 142–143 for the laminate options that are available.

Worksurface Pricing

	C C			
ectangle				Pe
	Surface model	List price	Dimensions	
D	2R3624-PHPL	\$387	36"w x 24"d	
W	2R4224-PHPL	\$445	42"w x 24"d	
	2R4824-PHPL	\$495	48"w x 24"d	
	2R6024-PHPL	\$595	60"w x 24"d	
	2R7224-PHPL	\$651	72"w x 24"d	
	2R3630-PHPL	\$425	36"w x 30"d	
	2R4230-PHPL	\$469	42"w x 30"d	
	2R4830-PHPL	\$538	48"w x 30"d	
	2R6030-PHPL	\$624	60"w x 30"d	Pe
	2R7230-PHPL	\$681	72"w x 30"d	
20 degree	Surface model	List price	Dimensions	
w \sim w	120-4824-PHPL	\$1,616	48"w x 24"d	
\sim \sim	120-6024-PHPL	\$2,273	60"w x 24"d	
	120-7224-PHPL	\$2,551	72"w x 24"d	
2	120-4830-PHPL	\$1.835	48"w x 30"d	
	120-6030-PHPL		48 w x 30 d 60"w x 30"d	
		\$2,303 ¢2,505	72"w x 30"d	
	120-7230-PHPL	\$2,585	72 w x 30 d	
qual corner				
WR	Surface model	List p	rice Dimensior	ıs
WK	3EC606024-PHPL	\$1,52	26 60°wl	x 60⁼wr
D	3EC606030-PHPL	\$1,55	58 60"wl	x 60"wr
	3EC727224-PHPL-	\$2,5	51 72°wl:	x72⁼wr>
	3EC727230-PHPL-	\$3,04	45 72°wl:	x72⁼wr>
D				
Offset corner	left			
WR	Surface model	List p		sions
	30CL604824-PHP		60"wl	x 48"wr
	30CL724824-PHPI		38 72°wl:	x 48"wr :
	30CL844824-PHP	L \$1,84	13 84"wl	x 48"wr :
	30CL726024-PHP	L \$1,69	98 72"wl:	k 60"wr
D	30CL846024-PHP	L \$1,98	33 84°wl	x 60"wr
	30CL604830-PHF	PL \$1,38	87 60°wl	x 48"wr
	30CL724830-PHP	L \$1,50	05 72°wl	k 48"wr :
	30CL844830-PHP	L \$1,86	69 84"wl	x 48"wr :
	30CL726030-PHP	'L \$1,77	′1 72°wl	k 60"wr
	30CL846030-PHF	PL \$2,02	12 84°wl	x 60"wr
ffset corner ri	icht			
WL	Surface model	List p	rice Dimens	sions
D	30CR486024-PHP			x 60"wr
$\overline{}$	30CR487224-PHPI	L\$1,48	38 48"wl;	x 72"wr :
WR	30CR488424-PHP			x 84"wr :
D	30CR607224-PHP			x 72"wr
U	30CR608424-PHP			x 84"wr
	30CR486030-PHF			x 60"wr
	30CR487230-PHP			x 72"wr :
	30CR487230-PHP			x 72 wr 2 x 84"wr 2
	30CR607230-PHP			x 72"wr:
	30CR608430-PHF	PL \$2,0:	12 00 WL	x 84"wr

Table bases and worksurfaces can be purchased independently or as a combination. Fellowes worksurfaces are made to exact dimensions. If nominal sizing is needed, please specify when ordering.

GSA Schedule





x 60"wr x 24"d x 60"wr x 30"d (72"wr x 24"d (72"wr x 30"d

D

ions

< 48"wr x 24"d (48"wr x 24"d 48"wr x 24"d (60"wr x 24"d < 60"wr x 24"d x 48"wr x 30"d (48"wr x 30"d (48"wr x 30"d (60"wr x 30"d < 60"wr x 30"d

ions

60"wr x 24"d < 72"wr x 24"d < 84"wr x 24"d x 72"wr x 24"d x 84"wr x 24"d < 60"wr x 30"d < 72"wr x 30"d < 84"wr x 30"d x 72"wr x 30"d 60"wl x 84"wr x 30"d

Laminates

TFL options: Available for TFL standard worksurfaces and for 48 hour quick ship

Solids

Woodgrains

Color code: NW Color name: NeoWalnut Finish: Softgrain Manufacturer: Wilsonart

Color code: BG Color name: Beigewood Finish: Matte Manufacturer: Wilsonart Wilsonart Part #: 7850-60

Wilsonart Part #: 7991K-12



Color code: **DW** Color name: Designer White Finish: Matte Manufacturer: Wilsonart Wilsonart Part #: D354-60

Color code: GR Color name: Light Gray Finish: Matte Manufacturer: Wilsonart Wilsonart Part #: 1500-60

Color code: **BK** Color name: Black Finish: Matte Manufacturer: Wilsonart Wilsponart Part #:1595-60

Laminates

HPL standard options: Available for HPL standard worksurfaces

Solids



Woodgrains

Color code: **BG** Color name: Beigewood Finish: Matte Manufacturer: Wilsonart Wilsonart Part #: 7850-60

Color code: BZ Color name: Brazilwood Finish: Fine velvet Manufacturer: Wilsonart Wilsonart Part #: 7946-38



Color code: PO





Color code: **FC** Color name: Fawn Cypress Finish: Casual Rustic Manufacturer: Wilsonart Wilsonart Part #: 8208K-16



Color code: NW Color name: NeoWalnut Finish: Softgrain Manufacturer: Wilsonart Wilsonart Part #: 7991K-12

HPL premium options: Available for HPL premium worksurfaces

Woodgrains



Color code: **PP** Color name: Phantom Pearl Finish: Gloss line finish with Aeon Manufacturer: Wilsonart Wilsonart Part #: 8211K-28



Color code: PE Color name: Phantom Ecru Finish: Gloss line finish with Aeon Manufacturer: Wilsonart Wilsonart Part #: 8212K-28



Color code: DF Color name: Dering Forest Finish: Timbergrain finish with Aeon Manufacturer: Wilsonart Wilsonart Part #: 8226K-05

Color code: PC Color name: Phantom Charcoal Finish: Gloss line finish with Aeon Manufacturer: Wilsonart Wilsonart Part #: 8214K-28






Wilsonart Part #: 8217K-16

Please note: Due to printing limitations, any and all laminate colors are not guaranteed to be accurately reproduced.



Color code: **DW** Color name: Designer White Finish: Matte Manufacturer: Wilsonart Wilsonart Part #: D354-60

Color code: GR Color name: Light Gray Finish: Matte Manufacturer: Wilsonart Wilsonart Part #: 1500-60





Color code: FM Color name: Fusion Maple Finish: Matte Manufacturer: Wilsonart Wilsonart Part #: 7909-60



Color code: **EM** Color name: Empire Mahogany Finish: Fine velvet Manufacturer: Wilsonart Wilsonart Part #: 7122-38

Color code: FE Color name: Field Elm Finish: Softgrain finish with Aeon Manufacturer: Wilsonart Wilsonart Part #: 7999K-12



Color code: UW Color name: Uptown Walnut Finish: Softgrain finish with Aeon Manufacturer: Wilsonart Wilsonart Part #: 7971K-12



Color code: DT Color name: Daintree Finish: Timbergrain finish with Aeon Manufacturer: Wilsonart Wilsonart Part #: 8235K-05



Color code: FW Color name: Florence Walnut Finish: Fine Velvet Manufacturer: Wilsonart Wilsonart Part #: 7993-38

Training Tables Flip Table With A Twist

Zona is a Flip/Nest table with a twist – when nested for storage, Zona's unique design rotates the legs to create a clean, simple profile. Zona brings an elevated aesthetic to the workplace while offering all the design options and performance customers expect.




Ø

Zona™ Complete Table


Complete Quick Ship Table Model # Breakdown Quick Ship TFL Laminates:

ZONA I I a b	- QS - T I I I c d e	
Available Sizes	List	Ava
4824 (Quick Ship)	\$1,192	Fini
4830 (Quick Ship)	\$1,248	• E
6024 (Quick Ship)	\$1,288	
6030 (Quick Ship)	\$1,370	




ailable Base nishes	Available TFL Quick Ship Laminates
Black – B	TFL – T
	🔵 Beigewood – BG
	Black – BK
	🔿 Designer White – DW


Complete Model # Breakdown for Lead Time HPL Laminates:



Available Sizes	List	Available Base
4824 LT	\$1,275	Finishes
4830 LT	\$1,385	Black – B
6024 LT	\$1,445	
6030 LT	\$1,486	




Available HPL laminates (LT)



Complete Model # Breakdown for Lead Time PHPL Laminates:

Available Base

Finishes Black – B



Available Sizes	List
4824 LT	\$1,361
4830 LT	\$1,430
6024 LT	\$1,494
6030 LT	\$1,538

a: series	
b: size	
c: quick ship indicator	
d: laminate material (P	HPL)
e: laminate color	

Available PHPL laminates (LT)
PHPL – P
O Phantom Pearl – PP
🔵 Phantom Ecru – PE
Empire Mahogany – EM
Phantom Charcoal – PC
🔵 Field Elm – FE

Daintree – DT	
Dering Forest – D	F
🛑 Uptown Walnut –	UW
Italian Silvor Ach	c۸



Zona Training Table

Zona™

G5A Schedule,

Light Gray – GR NeoWalnut – NW

Coronado Oak - CO

Pasadena Oak – PO

Fusion Maple – FM

Fawn Cypress – FC

NeoWalnut – NW

Features

Space-saving Flip/Nest tables are a big advantage for teams that need to stay flexible, respond quickly and make the most of their office space. Zona handles all these needs easily, and does it gracefully. A clean alignment of table tops replaces the staggered arrangement most nested table models produce when they are stored.

Whether it's a roomful of trainees or an improvised office, Zona arranges and re-arranges nimbly to create the configurations you need, when you need them.

ge of table top to outside of leg	Area between legs	Front edge of table top to outside of leg
4.00.41		
4.264"	35.627"	10.694"
4.264"	35.627"	13.694"
4.364"	47.427"	10.694"
4.364"	47.427"	13.694"
	4.264" 4.364"	4.264" 35.627" 4.364" 47.427"

Tables with the recommended base/top size combination can support a maximum of 1.5 lb. for each inch of perimeter, evenly distributed.

- Italian Silver Ash SA
- Florence Walnut FW



Training Table Acrylic Modesty Panel

48" × 9": **\$439** 60" × 9": **\$508**

MODEL # TTMODACR489 MODEL # TTMODACR609



Ganging Hardware

\$35

MODEL # TTGHDWR

Includes 2 plates and 4 screws

> Available Finishes: Black – BLK

Engineered for Workspace Maximization

Take work place productivity to the next level by enhancing your workstation. Be inspired to create a unique workspace that maximizes space and embraces flexibility.




MISSION

Lawn jaun dotte st and, conscious labor et diane wel de alaande langer indekter uit alaan et diane mayna alaan. Uit weis aat teien weten spak nostwal aandabar ook alaan dia singke en a convede oorwegad. Date met inve daar in spohendekt in vakptate well wee class daar in spohendekt in calap aj aktie daaarut malt anim it wel laboren Sed al penykinke, waa oorwin bat ante an oor al velaptate al penykinke, waa oorwin bat ante an oor al velaptate al penykinke, waa oorwin bat ante and al alaonen Sed al penykinke, waa oorwin bat ante and alaonen Sed alcouwrium datamenger lautantare, totar spo awrine, seape pan gan die investore writtele st apaal architeken gale welaptas al agemender sud



Fellows DELL 2345 0 n.Q. OFFICE MEETING TUESDAY @ II:00AM CALL SARA @ EXT 3456



Rising Loft™



Statement of Line

Rail






Rising Monitor Arm + Adapter



3-in-1 Feature Integration

Cord Management

Organizes & conceals cables and cords above the worksurface for easy accessibility.





of charging electronics.

Power



Comes with integrated desktop power outlet(s) and USB ports for ease



Glassboard

Sleek glass façade with magnetic back painted marker board.



Rising Loft[™] – Key Features

Rising Loft[™] – Key Features



Rail

24": \$983 48": \$1,295 60": **\$1,427**

MODEL # LOFT-RAIL-24-___ MODEL # LOFT-RAIL-48-___ MODEL # LOFT-RAIL-60-___ See key below for available finish options

Features

Available in three widths:

- 24" (22" actual)
- 48" (46" actual),
- 60" (58" actual)

Each rail includes back painted magnetic glass in Black (BLK), Platinum (PLT), or Designer White (DWT)

Clamps onto desks/surfaces 0"-3.23" thick

Includes a power module with (1) A/C, (1) USB-A, and (1) USB-C installed on right side of the rail standard. Power module can be moved to the left if needed. Additional power can be ordered and installed on 48" and 60" rails only

Rails can be attached to the support legs at three different positions to achieve desired height from the worksurface (3.01", 3.78", 4.56")

Rubber pads under support legs to ensure a tight fit without marring surface

UL and cUL approved

Weight Capacity: 75lbs. max total weight capacity when using monitor arms and/or laptop holders with 2 support legs

85 lbs. max total weight capacity when using monitor arms and/or laptop holders with 3 support legs (support legs can be ordered separately)

Warranty : 10 Years



Shelf

MODEL # LOFT-SHELF- _ _ _ See key below for available finish options

Features

Designed to be used for small accessories and personal items

Easily mounts to front of rail – no tools needed

Includes two integrated magnets to help secure the shelf to the front of the rail

Available in Black, Gray, and White Dimensions: 13"L x 3.4"H x 4.9"D

Warranty : 5 Years



Additional Power Module

\$217

MODEL # LOFT-PWR-___ See key below for available finish options

Features

Power module includes (1) A/C, (1) USB-C Only 48" and 60" rails accept an additional power module

9[°] power cord

Available in Black, Gray, and White

Warranty : 10 Years



Utility Cup

\$25

MODEL # LOFT-UTCUP-___ See key below for available finish options

Features

Conveniently holds pens, pencils, markers, and other writing utensils

Easily mounts to front of rail – no tools needed

Available in Black, Gray, and White

Dimensions: 6" x 2.5" x 4.25"

Warranty : 5 Years

Rail Adapter \$212

MODEL # LOFT-MA-ADP-___ See key below for available finish options

Features

Adapter attaches to Rail and allows SnapKinetic[™] assembly of monitor arm Provides ergonomic positioning

of monitor(s)

easy adjustments

Max weight capacity: 28lbs.

Warranty: Lifetime



Available Colors: 🔘 Gray – GRY Black – BLK White - WHT



\$42



Rising[™] Monitor Arm +

Finger-touch gas spring for

Available in Black or Platinum



Laptop Holder + Rail Adapter \$312

MODEL # LOFT-LTH-ADP-___ See key below for available finish options

Features

Adapter attaches to rail and allows SnapKinect[™] assembly of laptop holder

12.2" laptop tray width

Designed exclusively for use for Loft (not compatible with other products)

Swivels to position laptop to desired angle

Height can be set at any position along the pole

Warranty: Lifetime



Available Colors:	
🔘 Gray – GRY	
🛑 Black – BLK	
◯ White – WHT	

Available Colors: O Platinum – PLT Black – BLK



Kit 1 – Basic Rail + Utility Cup + Shelf

24": \$1,050

48": \$1,362

60": **\$1,494**

MODEL # LOFT-KIT1-24-___ MODEL # LOFT-KIT1-48-___ MODEL # LOFT-KIT1-60-___ See key below for available finish options



Kit 2 – Single Monitor Arm Rail + Utility Cup + Shelf + Rising Monitor Arm

(includes rail adapter) 24": **\$1,369** 48": \$1,681 60": **\$1,813**

MODEL # LOFT-KIT2-24-___ MODEL # LOFT-KIT2-48- _ __ MODEL # LOFT-KIT2-60-___ See key below for available finish options



Kit 3 – Dual Monitor Arm

Rail + Utility Cup + Shelf + Rising Monitor Arm (X2) (includes 2 rail adapters)

48": \$2,000

60": **\$2,132**

MODEL # LOFT-KIT3-48- _ __ MODEL # LOFT-KIT3-60-___ See key below for available finish options

(LOFT-KIT3-60 will include a 3rd support leg)



Kit 4 – Monitor Arm + Laptop Holde

Rail + Utility Cup + Shelf + Rising Monitor Arm + Laptop Holder (includes 2 rail adapters)

48": **\$1,993**

60": **\$2,125**

MODEL # LOFT-KIT4-48- _ __ MODEL # LOFT-KIT4-60-___ See key below for available finish options (LOFT-KIT4-60 will include a 3rd support leg)





Available Colors: O Platinum – PLT Black – BLK

White - WHT



Kit 5 - Complete Workstation

Rail + Utility Cup + Shelf + Rising Monitor Arm (includes 1 rail adapter) + Triumph or Victory Table Base + 60" x 30" Worksurface

Triumph Table Base: \$3,844 Victory Table Base: \$4,074

MODEL # LOFT-KIT5T-60-___-DW MODEL # LOFT-KIT5T-60-___-BG MODEL # LOFT-KIT5VT-60- _ _ _-DW MODEL # LOFT-KIT5VT-60- _ _ _-BG See key below for available finish options (LOFT-KIT5T-60 and LOFT-KIT5VT-60 will include a 3rd support leg) Order RSNG-SLD in addition to make positioning monitors easier.


Rail Kit colors:

O Platinum – PLT Black – BLK White – WHT


Worksurface Laminate Colors:


O Designer White – DW 🔵 Beige – BG

Rising Loft[™] – Measurements



48" Rail





60" Rail




Table Enhancements

Privacy Screens & Modesty Panels



Reversible design for privacy or modesty

Universal mounting system allows brackets to be set for privacy or modesty applications.

Eco-friendly

Centro screens are 100% recyclable and have been made from 60% post-consumer recycled plastic.

Custom options are available

Contact our Customer Service Department for a customized Centro quote. Minimum quantity of four required. Additional costs and lead time may apply.



Privacy Screens



Centro

Privacy/Modesty Screen

22": \$519	LT	46": \$731	LT
28": \$560	LT	58": \$785	LT
34": \$600	LT	70": \$977	LT

MODEL # CENTRO-22-___ MODEL # CENTRO-28-___ MODEL # CENTRO-34-___ MODEL # CENTRO-46-___ MODEL # CENTRO-58-___ MODEL # CENTRO-70- _ _ _ See key below for available finish options

Features

Available lengths: 22", 28", 34", 46", 58", and 70" (Screens are actual size, sizes are designed to accommodate nominal worksurfaces)

25" height

– Privacy application – 18" above/ 6" below – Modesty application – 6" above/ 18" below

0.8" thickness

22", 28", 34" and 46" screens come with two worksurface mounting brackets, 58" and 70" screens come with three brackets

Mounting brackets designed to accommodate 0.5"-1.8" thick worksurfaces

Lightweight screens

Sound level absorption up to .9 NRC rating

Convenient tackable surface

22" and 28" lengths are recommended for side applications. Larger sizes are recommended for the rear applications

VOC-Free

Warranty: 5 Years



Available Fabric Colors: Pear Green – GRN Charcoal – COL Ash – ASH Cobalt Blue – BLU Slate – SLT lced Gray – ICE Sandstone – SND

Modesty Panels



Acrylic Modesty Panels

For use on Training Tables and Height Adjustable Bases

48" × 9": **\$439**

60" × 9": \$508

MODEL # TTMODACR-489-FST MODEL # TTMODACR-609-FST

Features

Provides privacy under the worksurface that accompanies any office design

Available lengths: 48" and 60"

Available height: 9"

All panels include 2 hanging brackets and hardware (silver finish only)

Available panel styles: Frosted


Rounded edges and corners for user safety

Panel thickness: 0.22"

Lead time 48 Hours

Made of general-purpose cast acrylic

Warranty: 5 Years



Wire Management



Wire Management



Mesh Wire Management Channel

Netta™

24": \$161

48": **\$216**

Features

MODEL # NETTA-24-BLK

MODEL # NETTA-24-GRY MODEL # NETTA-48-BLK MODEL # NETTA-48-GRY THEFT FITTE

Conceal

\$88

MODEL # CONCEAL-GRY MODEL # CONCEAL-BLK MODEL # CONCEAL-WHT

Features

53.5" total height 23 links Links are detachable Weighted bottom Warranty: 5 Years

GSA Schedule

Available in 2 colors, black (BLK) and Gray (GRY)

Available in 24" and 48" lengths to adapt

24" includes 3 mounting brackets and 5

velcro straps, 48" includes 4 mounting

include durable grommets and drill templates for easy installation.

brackets and 10 velcro straps. Both sizes

to any worksurface environment

Constructed of durable flame-retardant mesh material

Weight Capacity – 24" : 10 lbs. - 48" : 20 lbs.

Warranty: Lifetime





Trough + Deluxe Trough Kit

Cable Management Undermount Tray

Trough: **\$37** Deluxe Trough Kit: **\$52**

MODEL # TROUGH-18-BLK MODEL # TROUGH-DLX-KIT-BLK

Features

Trough: Mounts to most flat surfaces 18"L x 1.9" W troughs - set of two Mounts using heavy duty double sided tape and/or provided screws The image above shows one piece of the set

Warranty: 5 Years

GSA Schedule

Deluxe Trough Kit: Elegant, sleek design

Mounts to most flat surfaces

18" L x 3" W troughs – set of two

Mounts using heavy duty double sided tape and/or provided screws

The image above shows the set of two pieces

Warranty: 5 Years

Cable Management Spine

Attaches to bottom of worksurface



CPU Holders

CPU Holders



CPU01 Simple CPU Holder

\$233

MODEL # CPU01-BLK

Features

125lb. load capacity 360° swivel 17.8" glide track 12.5" min. CPU depth 8" min. CPU width 24" min. CPU height 60" adjustable straps Nylon security bands Warranty: Lifetime





CPU05 Heavy Duty CPU Holder \$302

MODEL # CPU05

Features 100 lb. load capacity 360° swivel 17.8" glide track 2.5"–8.3" adjustable width 13"–21" adjustable height



Warranty: Lifetime





CPU Mini Small Profile CPU Holder

\$261 MODEL # CPUMINI-SLV

Features 55lb. load capacity 360° swivel 13.4" ball bearing glide track 16"–22" adjustable height Fits CPUs up to 20" in height Warranty: Lifetime





Technology Accessories

Supply & Technology Accessories





AA903

\$251

MODEL # AA903 Not compatible with articulating arms

Features

Warranty:

17" glide track (can be fix-mounted without the glide track if space under worksurface is limited)

4.2" or 4.9" adjustable height below worksurfaces

360° swivel

Tech Dock

Sliding Tech Tray

MODEL # TDOCK-SLV

15" laptop tray width

12"–16" adjustable depth

\$186

Features

20lb. weight capacity Rubber coated grip Convenient cable access

Warranty: Lifetime



























Stow and Go

Gain back up to 25% or your desktop space with this laptop storage solution that easily accommodates a single laptop or a laptop/ docking station combo.

Glide and Swivel

Can swivel 360° under the worksurface for increased accessibility, with or without the glide track attached.



Retracted





Keyboard Drawer Slide Platform

25" width accommodates both keyboard and mouse

Retractable on 15" ball bearing slides

Palm rest for both keying and mousing

Lifetime (Platform), 10 Year (palm rests/mouse pad, glides)





ACDP01 Sliding Pencil Drawer Slide Platform

\$159

MODEL # ACPD01-BLK

Features

Inside drawer dimensions: 20.5"w x 16.3"d x 2"h

Opening requirements: 23"w x 16.3"d x 2"h

Retracts on 16" ball bearing slides

Warranty: 10 Year



Technology Accessories

Technology Accessories



Hana Monitor Riser Monitor Riser

\$409

MODEL # HANA-MR-BLK

Features

Easily accessible fast charging dual USB ports to keep devices powered

Rear facing dual USB data ports to easily connect your mouse and keyboard

Metal base with real wood veneer finish. available in black

Platform Size: (W x D) 15.8"x 7.6"

Number of Height Settings: 3

Height Adjustment Measurements: 4"/5"/6"

USB Connectivity: 2 x USB 2.0 (Type A) / 2 x Quick Charge USB Ports 2.1A (Type A)

Material: Steel / Wood Veneer

Designed for use with monitors up to 40 lbs.

Warranty: 10 Years

Designer wood veneer finish on all Hana series products



Hana Laptop Support Laptop Support

\$413

MODEL # HANA-LTS-BLK

Features

Easily collaborate with colleagues with flexible movement

Easily accessible fast charging dual USB ports to keep devices powered

Rear facing dual USB data ports to easily connect devices such as mouse and keyboard

Built-in cable management Metal base with real wood veneer finish, available in black

Product Dimensions: (H x W x D) 4" x 13.5" x 15.6"

Platform Size: (W x D) 11.8" x 11.4" Height Adjustment Measurements: 4"-16"

Angle Adjustments: Platform tilts +/ 45°

Arm Swivel: +/- 45°

USB Connectivity: 2 x USB 2.0 (Type A) / 2 x Quick Charge USB Ports 2.1A (Type A)

Material: Steel / Wood Veneer

Weight Capacity: 10 lbs. Maximum Laptop Size: 19

Warranty: 10 Years

Designer wood veneer finish on all Hana series products



Hana Adjustable Foot Support Foot Support

\$471

MODEL # HANA-FS-BLK

Features

Promotes motion with the active movement feature, which allows for flexible platform movements

Light or heavy tension setting to adjust the ease of movement

Two height settings for sitting and standing

Change height positions with effortless foot adjustment

Metal base with non-slip real wood veneer finish, available in black

Platform Size: (W x D) 17.7" x 13.8"

Number of Height Settings: 2

Height Adjustment Range: - Low Setting: 4.7"- 6.9" - High Setting: 7"- 8.6"

Angle Adjustments: +/- 5°

Tension Adjustments: Light or heavy

Material: Steel / Wood Veneer

Weight Capacity: 110 lbs.

Warranty: 10 Years

Designer wood veneer finish on all Hana series products



Active Fusion[™] Anti-Fatigue Mat Anti-Fatigue Mat

\$288 LT

MODEL # AFMAT-ACTIV 87071

Features

Stay active and comfortable with this durable floor mat

Unique shape promotes stretching and movement throughout the day

Encourages subtle movement to prevent fatigue

Use with any sit-stand for extra support while standing

Beveled edges help avoid trip hazards

36" x 24"

Warranty: 5 Years



Anti-Fatigue Wellness Mat

Wellness Mat

\$156 LT

MODEL # AFMAT-WLNS 87070

Features

Stand in comfort with this durable floor mat

Encourages subtle movement to prevent fatigue

Use with any sit-stand for extra support while standing

Beveled edges help avoid trip hazards

36" x 24"

Warranty: 5 Years

Storage Solutions What's your Storage Style?

Go classic with our tried-and-true MP Mobile Peds, or shake things up with the fresh and functional Kuva Mobile Storage a stylish solution that doubles as a mobile planter.





MP[™] Series





Slim

\$566

Mobile Storage Pedestal Standard

\$635

MODEL # MP-STD-___ See key below for available finish options

Cabinet measurements 5.4" w x 18.5" h x 19.7" d

Standard & Slim Features

Heavy duty steel construction

Measuring only 18.5" in overall height, Fellowes' mobile ped will remain untouched even at the lowest position of our 3-stage height adjustable tables.

Box/file with full extension ball bearing slides

Locking front casters, stationary rear casters

Anti-tip front stability caster

Adjustable divider to accommodate both letter and legal size files

Ample room for personal items

200lb weight seated capacity

Recessed side pulls for clean aesthetics

Warranty: Lifetime

This product is stocked with three possible key/core variations. Each unit will ship with one randomly selected *key/core set. Selection of a specific key/core is not available* with standard orders.

For keyed-alike or keyed-different requests beyond these three standard options, please contact Customer Service additional charges may apply.



Mobile Storage Pedestal

MODEL # MP-SLIM-___ See key below for available finish options

Cabinet measurements 11.8" w x 18.5" h x 19.7"d

Available in black, silver and white finishes that coordinate with Fellowes table bases


Includes two break-away, anti-bacterial keys with Sanitized[®] coating

Includes repositionable pencil drawer

Peds will clear all Fellowes table feet with glides to allow for extra space under desk

Meets BIFMA X5.9 standards for performance and stabilityw

Ships fully assembled



Mobile Storage Cushion

Standard

\$141

MODEL # MPCUSH-STND-___ See key below for available cushion fabric

Mobile Storage Cushion Slim

\$141

MODEL # MPCUSH-SLIM-___ See key below for available cushion fabric

Features

Provides convenient additional seating

Seat cushion adds approximately 1.2" h to pedestal

Available in seven fabric colors to compliment Centro privacy/modesty panels

Meets CAL-117 flammability standards

EPA TSCA Title VI Compliant

100% Polyester Fabric

100% Polyurethane Foam

Do not wash. Spot clean only using mild soap and water

Warranty: 5 Years

Available Cabinet Finishes:



Available **Cushion Fabric:** Beige – BGE





Storage Solutions Kuva[™]

-



Kuva™



Kuva™ Planter/Storage

Planter: \$825 LT

MODEL # KUVA-PLNTR-___ See key below for available finish options

Storage: **\$1,050** LT

MODEL # KUVA-STRG-___ See key below for available finish options

Features

Constructed of powder coated steel

Includes 4 non-locking casters (Casters are optional – Kuva can be used both as a planter or storage without casters if desired)

Holds up to 100 lbs. of weight

Indoor use only

Dimensions (with casters): 13.2"w x 16.25"h x 13.2"d

Available in eight finishes: black, platinum, designer white, bronze, azure, sage, slate, stardust


For Use as Mobile Storage: - Includes built-in rails for standard-sized hanging folders - Ships with wood lid to conceal items

For Use as Mobile Planter: - Ships with heavy-duty plastic planter tray for water resistance Warranty: Lifetime

LW Lifetime Warrant



Planter Available in 8 Finishes



Storage Available in 8 Finishes

Sit to Stand Move. And Be Moved.

Sit. Stand. Empower your day. Our sit-to-stand workstations move with you, and easily adjust to comfortably fit your needs throughout your workday. They support monitors or laptops and feature built-in keyboard platforms. Best yet, existing fixed-height workstations can be easily retrofitted to offer adjustable height options, offering the utmost in flexibility.





Lotus™ RT1



Lotus RT1 Dynamic Motion Sit-to-Stand Workstation

\$1,902 LT

MODEL # LOTUS-RT1-BLK MODEL # LOTUS-RT1-WHT

Features

Smooth Lift Technology™ with easy dial weight adjustment; patent pending design

TriMotion™ flexibility: 180° rotation at the base, 90° vertical adjustment, 180° platform rotation

Clamp mounts to worksurface (1" to 3.1" thick)

17" height adjustment range

Precision positioning

25 lbs. platform weight capacity (20 lbs. weight capacity for the monitor platform and 5 lbs. weight capacity for the keyboard platform)

28.4"w x 8.3"d top platform

28.4"w x 9.7"d keyboard platform

24" minimum worksurface depth required for the Lotus RT to function properly

Integrated monitor arm mount allows for 75mm/100mm VESA mount

– 16.5" monitor mount height range – Holds 20 lbs. max. monitor weight

Includes integrated cable management

Some assembly required

Waterfall design allows users to prop up a phone, notepad or documents

Warranty: Lifetime



176 Feljowes

Lotus[™] RT2



Lotus RT2 Dynamic Motion Sit-to-Stand Workstation

\$1,976 LT

MODEL # LOTUS-RT2-BLK MODEL # LOTUS-RT2-WHT

Features

Smooth Lift Technology™ with easy dial weight adjustment; patent pending design

TriMotion™ flexibility: 180° rotation at the base, 90° vertical adjustment, 180° platform rotation

Clamp mounts to worksurface (1.0" to 3.1" thick)

17" height adjustment range

Precision positioning

25 lbs. platform weight capacity (20 lbs. weight capacity for the monitor platform and 5 lbs. weight capacity for the keyboard platform)

28.4"w x 8.3"d top platform

28.4"w x 9.7"d keyboard platform

24" minimum worksurface depth required for the Lotus RT to function properly

Integrated monitor arm mount allows for 75mm/100mm VESA mount

– 16.5" monitor mount height range – 10 lbs. each max. monitor weight

- Holds 20 lbs. max. monitor weight
- (bezel measured left to right)

Includes integrated cable management

Assembly required

Waterfall design allows users to prop up a phone, notepad or documents

Warranty: Lifetime

LW

Available

Black – BLK

White - WHT

Colors:

Effortless Adjustability

Smooth Lift Technology

High End Aesthetics

available in black or white.

The Tri-Motion Adjustability of the Lotus

Easily transition from sitting to standing

affords the ability to easily work and

collaborate with ultimate stability.

with Smooth Lift Technology™.

Sturdy wood veneer work surface -

Effortless Adjustability

The Tri-Motion Adjustability of the Lotus affords the ability to easily work and collaborate with ultimate stability.

Smooth Lift Technology

Easily transition from sitting to standing with Smooth Lift Technology™.

High End Aesthetics

Sturdy wood veneer work surface available in black or white.



Lotus[™] DX



Lotus DX Sit-to-Stand Workstation

\$1,941 LT MODEL # LOTUS-DX-BLK

Features

Microban® Antimicrobial surface USB integration and Qi-enabled charging Spring assisted height adjustment Smooth Lift Technology™ with easy dial weight adjustment Sits atop worksurface 17" height adjustment range Incremental positioning 35 lbs. weight capacity 31.8"w x 8.1"d top platform 32.8"w x 12.2"d keyboard platform 24" minimum worksurface depth No assembly required Cable management Compatible with Lotus single or dual monitor arm kits. Kit sold separately Not available on GSA contract Warranty: 5 Years

Lotus™



Lotus Sit-to-Stand Workstation

\$1,502 LT MODEL # LOTUS-BLK

Features

Spring assisted height adjustment Smooth Lift Technology[™] with easy dial weight adjustment Sits atop worksurface 17" height adjustment range Incremental positioning 35 lbs. weight capacity 31.8"w x 8.1"d top platform 32.8"w x 12.2"d keyboard platform 24" minimum worksurface depth Cable management No assembly required Compatible with Lotus single or dual monitor arm kits. Kit sold separately Not available on GSA contract Warranty: 5 Years



Lotus Single Monitor Arm Kit

\$248 LT MODEL # LOTUS-KIT1-SLV

Features

Compatible with Lotus™ and Lotus™ DX Raises monitors to an optimal viewing height to prevent neck strain Easy to mount via grommet hole Height adjusts up to 16" above the top surface Each arm holds a monitor up to 26" Product dimensions: 16.5" x 4.5" x 5.5" Product weight: 1 lb. Weight capacity: 17 lbs. Meets VESA mounting standards Warranty 5 Years

Available Colors: Black – BLK Available Colors: Black - BLK

Lotus[™] Monitor Arm Kits



Lotus Dual

Monitor Arm Kit

\$310 LT

MODEL # LOTUS-KIT2-SLV

Features

Compatible with Lotus™ andLotus™ DX

Raises monitors to an optimal viewing height to prevent neck strain

Easy to mount via grommet hole Height adjusts up to 16.0" above the top surface Each arm holds a monitor up to 26" Product dimensions: 16.5" x 28.5" x 5.5" Product weight: 5 lb. Weight capacity: 13 lbs. per monitor 12.5" retraction Meets VESA mounting Warranty 5 Years

Power Solutions Charge Ahead and Power Through

Get power when and where you need it most: bring outlets to you with the FlexCharge series or wire your work place with the Railway series. Our options make these power source solutions adaptable for virtually any workspace.fixed-height workstations can be easily retrofitted to offer adjustable height options, offering the utmost in flexibility.

24 . 24



Power Solutions Railway™

E 년 8

Versatile Solution

Optimize floor plans with various workspace needs by adding Railway data and power rails. Available in four widths with power and data on both sides.

RR

Visually Clean

The simple, non-panel design keeps all of the electrical and data wiring separated and hidden inside the rail.

Feet

All posts come standard with a T-foot which is ideal for use in open floor plans. Alternatively, the L-foot is available to accommodate applications against a wall or partition.

Railway™



Railway Power and Data Solution

Features

Four available widths: 36", 48", 60", and 72"

18"h x 3.3"w post

3.6"w x 12"d T foot (standard) 3.6"w x 7.8"d L foot (optional)

Power and data can be utilized on both sides of the rail

Cable/data channel

Up to ten rails can be connected to each other (for anything over ten rails, contact a local electrician)

Up to eight 125V AC outlets per rail and four inputs for data

Specify base or ceiling feed

UL listed

20 amps

Four circuits, eight wire Byrne™ 8trac system

Fourth circuit is isolated and dedicated

Optional electric compliance available for municipal standards such as NY Box, California Title 24, and Chicago Please reference the Railway Spec Guide for more details

Warranty: Lifetime





T-foot L-foot standard optional

Available Finishes:

Silver – SLV 48.0*/60.0* ships in 48 hrs. 36.0*/72.0* LT Black – BLK All sizes LT 🔿 White – WHT All sizes LT

All prices are in U.S. dollars


Railway™

Kall MODEL # RAIL-RVY36-DBL-CH \$1.001 LT RAIL-RVY36-DBL-CH \$1.001 LT RAIL-RVY36-DBL-CH \$1.101 LT RAIL-RVY36-DBL-CH \$1.102 LT RAIL-RVY48-DBL-CH \$1.152 LT RAIL-RVY48-DBL-CH \$1.152 LT RAIL-RVY48-DBL-CH \$1.239 LT RAIL-RVY48-DBL-CH \$1.321 LT RAIL-RVY48-DBL-CH \$1.331 LT RAIL-RVY80-DBL-CH \$1.331 LT RAIL-RVY80-DBL-CH \$1.331 LT RAIL-RVY80-DBL-CH \$1.331 LT RAIL-RVY90-DBL-CH \$1.331 LT RAIL-RVY90-DBL-CH \$1.331 LT RAIL-RVY92-DBL-CH \$1.331 LT RAIL-RVY92-DBL-AL \$1.331 LT RAIL-RVY92-DBL-AL \$1.331 LT CellingFeed MODEL # POSTKIT-90-DBL \$372 CellingFeeD-144 \$200 LT IB0° Posts MODEL # ROBEL # ROSTKIT-120-DBL \$372 <th></th> <th></th> <th>End Posts MODEL #</th> <th>+</th> <th></th> <th></th> <th>Ф ► Ф</th>			End Posts MODEL #	+			Ф ► Ф
RAIL-RWY36-DBL-CH \$1.00 LT RAIL-RWY36-DBL-CH \$1.00 LT RAIL-RWY36-DBL-CH \$1.152 LT RAIL-RWY48-DBL-CH \$1.152 LT RAIL-RWY48-DBL-CH \$1.152 LT RAIL-RWY40-DBL-CH \$1.239 LT RAIL-RWY40-DBL-CH \$1.239 LT RAIL-RWY50-DBL-CH \$1.331 LT RAIL-RWY72-DBL-CH \$1.331 LT RAIL-RWY72-DBL-CH \$1.331 LT Celling Feed MODEL # POSTKIT-80-DBL \$372 Celling Feed MODEL # POSTKIT-80-DBL \$372 Power Pole MODEL # POSTKIT-80-DBL \$372 Power Pole MODEL # POSTKIT-80-DBL \$372 Power Pole MODEL # RAIL-RWY72-DBL-CALI \$357 LT Power Pole MODEL # POSTKIT-80-DBL \$372 Power Pole POSTKIT-80-DBL \$372 Power Pole	LT	\$356	POSTKIT-END-DBL				il
RAIL-RWY36-DBL-CH							DDEL #
RAIL-RWY36-DBL-CALL- RAIL-RWY48-DBL-CH- RAIL-RWY48-DBL-CH- S1.152 LT RAIL-RWY48-DBL-CH- S1.152 LT RAIL-RWY48-DBL-CH- S1.152 LT RAIL-RWY48-DBL-CH- S1.253 LT RAIL-RWY48-DBL-CH- S1.253 LT RAIL-RWY48-DBL-CH- S1.253 LT RAIL-RWY48-DBL-CH- S1.253 LT RAIL-RWY48-DBL-CH- S1.253 LT RAIL-RWY48-DBL-CH- S1.253 LT RAIL-RWY48-DBL-CH- S1.253 LT RAIL-RWY48-DBL-CH- S1.253 LT RAIL-RWY48-DBL- S1.253 LT RAIL-RWY48-DBL- S1.253 LT RAIL-RWY48-DBL- S1.253 LT RAIL-RWY48-DBL- S1.253 LT RAIL-RWY48-DBL- S1.253 LT RAIL-RWY48-DBL- S1.253 LT S1.252 LT S1.252 LT RAIL-RWY48-DBL- S1.252 LT RAIL-RWY48-DBL- S1.252 LT RAIL-RWY48-DBL- S1.252 LT RAIL-RWY48-DBL- S1.252 LT RAIL-RWY48-DBL- S1.252 LT RAIL-RWY48-DBL- S1.252 LT RAIL-RWY48-DBL- S1.252 LT RAIL-RWY48-DBL- S1.252 LT RAIL-RW44-CALL S1.252 LT RAIL-RW44-CALL S1.252 LT RAIL-RW44-CALL S1.252 LT RAIL-RW44-CALL S1.252 LT RAIL-RW44-CALL S1.252 LT RAIL-RW44-CALL S1.252 LT RAIL-RW44-CALL S1.252 LT RAIL-RW44-RW44-DBL- S1.252 LT RAIL-RW44-CALL S1.252 LT RAIL-POLE-AL S1.252 LT RAIL-POLE-AL S1.252 LT RAIL-POLE-AL S1.252 LT RAIL-POLE-AL S1.252 LT RAIL-POLE-AL S1.252 LT RAIL-POLE-AL S1.252 LT RAIL-POLE-AL RAIL-POLE-AL S1.252 LT RAIL-POLE-AL S1.252 LT RAIL-POLE-AL S1.252 LT RAIL-RW44-DBL- S1.252 LT RAIL-POLE-AL RAIL-RW44-DBL- S1.252 LT RAIL-RW44-DBL- S1.252 LT RAIL-RW44-DBL- S1.252 LT RAIL-RW44-DBL- S1.252 LT RAIL-RW44-DBL- S1.252 LT RAIL-RW44-DBL- S1.252 LT RAIL-RW44-DBL- S1.252 LT RAIL-RW44-DBL- S1.252 LT RAIL-RW44-DBL- S1.					.т	\$1,101	IL-RWY36-DBL
NALL-RVY-36-DBL \$1.101 UT MODEL # POSTKIT-3WAY-DBL \$387 RALL-RVY-48-DBL \$1.152 UT Image: Control of the state of the sta			2 mars Da sta		.т	\$1,101	IL-RWY36-DBL-CHI
RALLERWARDELCHL \$1.152 LT RALLERWARDELCHL \$1.152 LT RALLERWARDELCHL \$1.152 LT RALLERWARDELCHL \$1.152 LT RALLERWARDEDELCHL \$1.239 LT RALLERWARDEDELCHL \$1.239 LT RALLERWARDEDELCHL \$1.239 LT RALLERWARDEDELCHL \$1.239 LT RALLERWARDEDELCHL \$1.331 LT			-	+ $+$.т	\$1,101	IL-RWY36-DBL-CALI
RAIL-RW4W4B-DBL-CHI		¢207			.т	\$1,152	IL-RWY48-DBL
RAIL-RWY60-DBL-II RAIL-RWY60-DBL-CALL-II SI,239 LT RAIL-RWY60-DBL-CALL-II SI,231 LT RAIL-RWY60-DBL-CALL-II SI,331 LT RAIL-RWY72-DBL-CALL-II SI,331 LT $\begin{array}{c} & & & & & & & & & & & & & & & & & & &$	LT	\$387	POSTKIT-3WAY-DBL		.т	\$1,152	IL-RWY48-DBL-CHI
RAIL-RWY60-DBL-CHI \$1,239 LT RAIL-RWY60-DBL-CHI \$1,331 LT RAIL-RWY72-DBL-CHI \$1,331 LT RAIL-RWY72-DBL-CHI \$1,331 LT RAIL-RWY72-DBL-CHI \$1,331 LT RAIL-RWY72-DBL-CHI \$1,331 LT Ceiling Feed MODEL # MODEL # \$320 LT Ceiling Feed MODEL # MODEL # \$320 LT Ceiling Feed MODEL # MODEL # \$320 LT Ceiling Feed - 144 \$320 LT MODEL # \$3519 LT Ceiling Feed - 144 - CALI \$519 LT MODEL # \$357 LT Power Pole MODEL # \$357 MODEL # Base Feed MODEL # MODEL # S357 LT 120° Posts MODEL # S357 LT MODEL # Base Feed MODEL # S360 LT Base Feed S403 LT S360 MODEL # Base Feed					.т	\$1,152	IL-RWY48-DBL-CALI
RAIL-RWY60-DBL-CALI \$1,239 LT MODEL_# \$1,331 LT RAIL-RWY72-DBL-CALI \$1,331 LT MODEL_# \$1,331 LT Posts MODEL # Posts MODEL # Celling Feed MODEL # MODEL # \$320 LT Celling Feed MODEL # Celling Feed - 144 \$320 LT MODEL # \$372 Celling Feed - 144 \$559 MODEL # \$372 Power Pole MODEL # MODEL # \$357 Power Pole MODEL # MODEL # \$357 Base Feed MODEL # MODEL # \$368 BASEFEED-72-END \$262 BASEFEED-72-END - NY \$408 LT BASEFEED \$408 LT BASEFEED \$408 LT BASEFEED \$363 LT BASEFEED \$364 LT BASEFEED \$363 LT BASEFEED \$363 LT					.т	\$1,239	IL-RWY60-DBL
NALL-RWY60-DBLC-LL			4 were Deste		.т	\$1,239	IL-RWY60-DBL-CHI
RALERWY72-DBL \$1.331 LT RAIL-RWY72-DBL-CALI \$1.331 LT RAIL-RWY72-DBL-CALI \$1.331 LT S1.331 LT					.T	\$1,239	IL-RWY60-DBL-CALI
RAIL-RWY72-DBL-CHL	17	¢404		+ $+$.т	\$1,331	IL-RWY72-DBL
90° Posts MODEL # Celling Feed MODEL # CELINGFEED-144 5320 LT 180° Posts MODEL # CELINGFEED-144.NY 5654 LT 100° Posts MODEL # Power Pole MODEL # RAIL-POLE-142 S357 LT MODEL # POSTKIT-120-DBL S372 POSTKIT-120-DBL S348 BASE Feed MODEL # BASE FEED-72-END 5262 LT 180° Knock Out Posts MODEL # BASE FEED-72-END -NY 5403 BASE FEED-72-END -CALL 5403 Rail jumper MODEL #	LT	\$404	PUSIKII-4WAY-DBL		.т	\$1,331	IL-RWY72-DBL-CHI
Ceiling Feed MODEL # Ceiling Feed MODEL # Ceiling FeeD-144 \$320 LT 180° Posts MODEL # Ceiling FeeD-144-CALI \$519 LT 905TKIT-180-DBL Power Pole MODEL # MODEL # Base Feed MODEL # BASE Feed -72-END S262 LT BASE Feed -72-END \$262 MODEL # BASE Feed -72-END \$262 MODEL # 905TKIT-120-DBL BASE Feed -72-END \$262 MODEL # 905TKIT-180 KO UT Posts MODEL # 905TKIT-180 KO -DBL BASE FEED-72-END - CALI \$403 LT BASE FEED-72-END-CALI \$403 LT MODEL # 905TKIT-180 KO -DBL \$332					.т	\$1,331	IL-RWY72-DBL-CALI
Ceiling Feed MODEL # Ceiling FeeD-144 \$320 LT Ceiling FeeD-144-NY \$654 LT Ceiling FeeD-144-CALI \$519 LT MODEL # POSTKIT-180-DBL \$372 Power Pole MODEL # NODEL # MODEL # S357 LT Image: Constant State	LT	\$372	MODEL #	ŧ			
CELLINGFEED-144 \$320 LT CELLINGFEED-144-NV \$654 LT CELLINGFEED-144-CALI \$519 LT Power Pole MODEL # RAIL-POLE-142 S357 LT LT Base Feed MODEL # BASEFEED-72-END \$262 LT BASEFEED-72-END-NY \$408 LT BASEFEED-72-END-CALI \$403 LT BASEFEED-72-END-CALI \$403 LT		\$57E					iling Feed
CEILINGFEED-144-NY 5654 LT LT MODEL # Power Pole MODEL # RAIL-POLE-142 \$357 LT ADDEL \$348 Base Feed MODEL # BASEFEED-72-END \$262 LT BASEFEED-72-END \$262 LT BASEFEED-72-END \$408 LT BASEFEED-72-END-CALI \$403 LT BASEFEED-72-END-CALI \$403 LT RAILJUMPER MODEL #							DDEL #
CELINGFEED-144-CALI \$519 LT MODEL # Power Pole MODEL # RAIL-POLE-142 \$357 LT MODEL # RAIL-POLE-142 \$357 LT MODEL # POSTKIT-120-DBL \$348 Base Feed MODEL # BASEFEED-72-END SA08 LT BASEFEED-72-END-CALI \$408 LT BASEFEED-72-END-CALI \$408 LT BASEFEED-72-END-CALI \$408 LT BASEFEED-72-END-CALI \$408 LT BASEFEED-72-END-CALI \$408 LT MODEL # POSTKIT-180KO-DBL \$332 C			1000 5		.т	\$320	ILINGFEED-144
CEILINGFEED-144-CALI S519 LT POSTKIT-180-DBL S372 Power Pole MODEL # RAIL-POLE-142 S357 LT S357 LT S357 LT S357 LT S348 Base Feed MODEL # POSTKIT-120-DBL S348 Base Feed MODEL # POSTKIT-120-DBL S348 Base Feed-72-END S262 LT Base Feed-72-END S408 LT Base Feed-72-END-CALI S408 LT S408 LT S332 Rail jumper MODEL #				+ $+$.т	\$654	ILINGFEED-144-NY
MODEL # RAIL-POLE-142 \$357 LT Base Feed MODEL # BASEFEED-72-END \$262 LT BASEFEED-72-END-NY \$408 LT BASEFEED-72-END-CALI \$403 LT BASEFEED-72-END \$405 LT BASEF	LT	\$372			т	\$519	ILINGFEED-144-CALI
MODEL # RAIL-POLE-142 \$357 LT Base Feed MODEL # BASEFEED-72-END \$262 LT BASEFEED-72-END-NY \$408 LT BASEFEED-72-END-CALI \$403 LT BASEFEED-72-END \$405 LT BASEF							wer Pole
RAIL-POLE-142 \$357 LT MODEL # POSTKIT-120-DBL \$348 BaseFeed MODEL # BASEFEED-72-END \$262 LT BASEFEED-72-END-NY \$408 LT BASEFEED-72-END-CALI \$403 LT Rail jumper MODEL #			1200 De ete				
Base Feed model # BASE Feed - 72- END \$262 LT BASE Feed - 72- END - NY \$408 LT BASE Feed - 72- END - CALI \$403 LT BASE Feed - 72- END - CALI \$403 LT BASE Feed - 72- END - CALI \$403 LT BASE Feed - 72- END - CALI \$403 LT BASE Feed - 72- END - CALI \$403 LT BASE Feed - 72- END - CALI \$403 LT BASE Feed - 72- END - CALI \$403 LT BASE Feed - 72- END - CALI \$403 LT BASE Feed - 72 - END - CALI \$403 LT					т	5357	
MODEL # BASEFEED-72-END \$262 LT BASEFEED-72-END-NY \$408 LT BASEFEED-72-END-CALI \$403 LT DOSTKIT-180KO-DBL \$332	LT	\$348		5 X		,,	
BASEFEED-72-END \$262 LT BASEFEED-72-END-NY \$408 LT BASEFEED-72-END-CALI \$403 LT DOSTKIT-180KO-DBL \$332							se Feed
BASEFEED-72-END-NY \$408 LT MODEL # BASEFEED-72-END-CALI \$403 LT POSTKIT-180KO-DBL \$332							DDEL #
BASEFEED-72-END-NY \$408 LT MODEL # BASEFEED-72-END-CALI \$403 LT POSTKIT-180KO-DBL \$332			180° Knock Out Posts		.т	\$262	SEFEED-72-END
BASEFEED-72-END-CALI \$403 LT POSTKIT-180KO-DBL \$332 Rail jumper MODEL #				± ±			SEFEED-72-END-NY
MODEL #	LT	\$332			.т	\$403	SEFEED-72-END-CALI
MODEL #							
MODEL #							11
RAIL-JUMPER-22 \$169 LT					_		

G5A	Schedule		

Railway™

Linear Configurations	
2-pack (up to two users)	
Rail kits include: rails, post kits, jumpers, and basefeed. Refer to Railway Spec Guide for quantities.	
4-pack (up to four users)	
Rail kits include: rails, post kits, jumpers, and basefeed. Refer to Railway Spec Guide for quantities.	
6-pack (up to six users)	
Rail kits include: rails, post kits, jumpers, and basefeed. Refer to Railway Spec Guide for quantities.	
8-pack (up to eight users)	
Rail kits include: rails, post kits, jumpers, and basefeed. Refer to Railway Spec Guide for quantities.	
	Top View 4-Pack Varies by Rail Width
alf Foot Depth 78' Jul Foot Depth	
Half Foot Depth	



Varies by Rail Width



MODEL #		
RAIL-KIT36-2PK-DBL	\$2,024	LT
RAIL-KIT48-2PK-DBL	\$2,075	LT
RAIL-KIT60-2PK-DBL	\$2,159	LT
RAIL-KIT72-2PK-DBL	\$2,253	LT

Posts, rails, and feet will match specified finish

MODEL #	

NODLL #		
RAIL-KIT36-4PK-DBL	\$3,645	LT
RAIL-KIT48-4PK-DBL	\$3,745	LT
RAIL-KIT60-4PK-DBL	\$3,918	LT
RAIL-KIT72-4PK-DBL	\$4,101	LT

Posts, rails, and feet will match specified finish


MO	DE	1 #

MODEL #		
RAIL-KIT36-6PK-DBL	\$5,267	LT
RAIL-KIT48-6PK-DBL	\$5,418	LT
RAIL-KIT60-6PK-DBL	\$5,675	LT
RAIL-KIT72-6PK-DBL	\$5,949	LT

Posts, rails, and feet will match specified finish

MODEL #		
RAIL-KIT36-8PK-DBL	\$6,888	LT
RAIL-KIT48-8PK-DBL	\$7,091	LT
RAIL-KIT60-8PK-DBL	\$7,434	LT
RAIL-KIT72-8PK-DBL	\$7,799	LT

Posts, rails, and feet will match specified finish



When considering space requirements, it is important to remember to include the total combination of rail and post measurements.

Railway[™] – Linear Configurations



Power Solutions

FlexCharge Personal Desktop Power



With 65W of available power output, the new and improved FlexCharge line of personal desktop power will be available to ship Quarter 3, 2025.

Quick Reach

Puts power within reach for any individual desk or benching environment.

Charging

Includes guick-charge USB-A and USB-C ports for powering up phones, tablets or other devices.

Quality Testing

Meets CSA C22.2 No269 surge protection guidelines.

FlexCharge4CX Extended Reach

Six additional AC outlets on the power adapter which mounts below the worksurface for all workstation equipment that needs power, but doesn't need to be seen.


2-Pack (up to two users)



4-Pack (up to four users)



6-pack (up to six users)



8-pack (up to eight users)



Run Includes:

Two – End posts One - Rail in the size of your choosing, double run One – Base feed Two – T-feet Four - Receptacles Two – Data ports

A 2-pack is a one to two user configuration Up to two users can be provided power and data based on specified run Kits not applicable in New York, Chicago, or California

Run Includes:

Two – End posts One – 180° post Two – Rails in the size of your choosing, double run One – Base feed Three – T-feet One – Jumper Eight – Receptacles Four – Data ports

A **4-pack** is a two to four user configuration Up to **four** users can be provided power and data based on specified run Kits not applicable in New York, Chicago, or California

Run Includes:

Two – End posts Two – 180° posts Three – Rails in the size of your choosing, double run One – Base feed Four – T-feet Two - Jumpers Twelve - Receptacles Six – Data ports

A **6-pack** is a three to six user configuration Up to six users can be provided power and data based on specified run Kits not applicable in New York, Chicago, or California

Run Includes:

Two – End posts Three – 180° posts Four – Rails in the size of your choosing, double run One – Base feed Five – T-feet Three - Jumpers Sixteen – Receptacles Eight – Data ports

An 8-pack is a four to eight user configuration Up to eight users can be provided power and data based on specified run Kits not applicable in New York, Chicago, or California

Specications

AC Power Outlet	15A, 120V, 60Hz			
USB Maximum Current Flow	USB Type-A	5V: 2.4A		
	USB Type-C (PD 3.0)	5V: 3A	9V: 3A	12V: 3A
		15V: 3A	20V: 3.25A	
USB Maximum Combined Outlet	65W			

FlexCharge3C-65W complies with UL 962A Standard for Furniture Power Distribution Units and meet respective spill test criteria

FlexCharge[™]4CX-65W

Available August 2025

FlexCharge4CX-65W

Personal Desktop Power

\$488

MODEL # FCH4C-65W-BLK MODEL # FCH4C-65W-WHT

Features

Two AC outlets

One quick-charge USB-A port

One quick-charge USB-C port

Power strip: six AC outlets

Power module: universal mounting bracket that allows for a desk clamp, 2" grommet, or under worksurface mount

Power strip: mounts below the worksurface

Power module meets spillprotection criteria

UL and cUL listed

Chicago Code compliant mounting brackets on power strip

Complies with CAN ICES (B) / NMB (B)

9[·] power cord (black)

28.5" connection cord (color matched to power module)

Indicator light illuminates when built-in surge protection is active

Warranty: 10 Years



Available Finishes: Black – BLK White – WHT

FlexCharge[™]4C-65W



Available August 2025

FlexCharge4C-65W Personal Desktop Power

\$314

MODEL # FCH4C-65W-BLK MODEL # FCH4C-65W-WHT

Features

Two AC outlets

One quick-charge USB-A port

One quick-charge USB-C port (device dependent)

Universal mounting bracket that allows for a desk clamp, 2" grommet, or under worksurface mount

Meets spill-protection criteria

UL and cUL listed

9' power cord

Indicator light illuminates when built-in surge protection is active

Complies with CAN ICES (B) / NMB (B)

Available

Finishes:

Black – BLK

White - WHT

Warranty: 10 Years







Available August 2025

FlexCharge3C-65W Personal Desktop Power

\$225

MODEL # FCH3C-65W-BLK MODEL # FCH3C-65W-WHT

Features

One AC outlet One quick-charge USB-A port One quick-charge USB-C port Mounts with desk clamp Meets spill-protection criteria 9' power cord UL and cUL listed Complies with CAN ICES (B) / NMB (B) Warranty: 10 Years



Available Finishes:

Black - BLK White – WHT

FlexCharge[™] Power Strip



Available August 2025

FlexCharge Power Strip

Personal Desktop Power

\$172

MODEL # FCH-PSTRIP-BLK MODEL # FCH-PSTRIP-WHT

Features

Power strip: six AC outlets

Power strip can be either mounted under the worksurface using provided mounting brackets or used in conjunction with wire management accessories

UL and cUL listed

Chicago Code Compliant mounting brackets

9' power cord

Indicator light illuminates when built-in surge protection is active

Warranty: 10 Years



Available Finishes: Black - BLK White – WHT

Power Solutions FlexCharge PowerHubs

FlexCharge™ Hub K1



FlexCharge Hub K1

Desktop Charging Station for Single Kata and KataEX Monitor Arms

\$306

MODEL # FCHHUB-K1-SLV MODEL # FCHHUB-K1-BLK MODEL # FCHHUB-K1-WHT

Features

Qi wireless charging pad, 5V-2A (10W Coil)

Two fast charging USB ports:

- (1) USB-A (5V-2.4A charging speed)
- (1) USB-C (5V-2A charging speed)

Power Consumption:

– Max power output: 44W

– No load: 2–3 W

– Full load (all ports used): 40W

Power insert:

– AC Input – 120V – DC Output – 12V, 3A

Built-in surge protection

UL and cUL listed

6' power cord

Warranty: 10 Years

Wireless charging is not compatible with MagSafe technology

Convenient accessibility

PowerHub offers a convenient yet out-of-the-way place to charge personal devices keeping the worksurface environment clear.

Charging options PowerHub offers 3 charging options, USB-A, USB-C and Qi Wireless.

Quality testing Meets UL 62368-1 and CAN/CSA C22.2 No. 62368-1:2014

FlexCharge[™] Hub K2



FlexCharge Hub K2

Desktop Charging Station for Dual Kata and Kata2-MS Monitor Arms

\$306

MODEL # FCHHUB-K2-SLV MODEL # FCHHUB-K2-BLK MODEL # FCHHUB-K2-WHT

Features

Qi wireless charging pad, 5V-2A (10W Coil)

Two fast charging USB ports:

- (1) USB-A (5V-2.4A charging speed)
- (1) USB-C (5V-2A charging speed)

Power Consumption:

- Max power output: 44W
- No load: 2–3 W
- Full load (all ports used): 40W

Power insert:

- AC Input 120V
- DC Output 12V, 3A

Built-in surge protection

UL and cUL listed

6[°] power cord

Warranty: 10 Years

Wireless charging is not compatible with MagSafe technology

Available Finishes:

Silver – SLV Black – BLK White - WHT

Markerboards The Ultimate Canvas

Quality materials and forward thinking design working together to deliver a simple, yet effective collaboration tool that get your ideas moving.



0

Solo Framed Blush / Coral


• •	



Solo Flush Black / Anodized

Solo Flush Rose / Anodized





Markerboards – Wall Mount



SOLO Framed Glass Markerboard

Standard Frame: \$1,192+ Colored Frame: \$1,743+

MODEL # SO-____-CA MODEL # SO-____ See key below for available finish options

Features

8 Standard Sizes and Custom Full Frame Premium, 4mm, low-iron glass Non-ghosting Gloss and SatinEtch (Non-glare) Magnetic and non-magnetic Glass and Frame Colors: 12 Coordinating Colors Specify vertical or horizontal Made in USA Warranty: Lifetime



SOLO Key SO-3624-GL-N-FF-WHT-CA a b c d e

a. Product Group b. Size (W"XH") c. Glass Finish d. Magnetic (Non-magnetic e. Frame Option f. Glass Color g. Frame Color

VITA Frameless Glass Markerboard Standard: \$961+

MODEL # VI-___-

Features

Frameless Non-ghosting Magnetic and non-magnetic 12 Glass Colors Specify vertical or horizontal Made in USA Warranty: Lifetime



Quickship options available ready to ship in 48 hours

VITA Key VI-3624-GL-N-WHTa b c d e a. Product Group b. Size (W"XH") c. Glass Finish

- d. Magnetic (Non-magnetic
- e. Glass Color

Available Glass + Frame Colors:

White – WHT	🔵 Blush – BLH
Black – BLK	Rose - ROS
Cool Gray - CGY	Coral – COR

OGlacier – GLA Pacific - PAC O Leaf - LEF



MURO

Fully Framed Porcelain Markerboard Standard Finishes: \$1,068+ With Pen Tray: \$1,164+ Quickship: \$685

MODEL # MU-____GL-M-WHT MODEL # MU-___-GL-M-WHT-PT MODEL # MU-QS-___-GL-M-WHT See key below for available finish options

Features

6 Standard Sizes and Custom

Full Frame

High Performance Porcelain Writing Surface

Non-Ghosting

White, High Gloss

Magnetic

Specify vertical or horizontal

Optional, full width Pen Tray

Made in USA

Warranty: Lifetime



Quickship options available – ready to ship in 48 hours

MURO Key $\underbrace{\frac{MU-3624}{a}-\frac{GL}{b}-\frac{M}{c}-\frac{WHT}{d}-\frac{PT}{f}}_{a}$

- a. Product Group
- b. Size (W"XH")
- c. Finish
- d. Magnetic
- e. Porcelain Color
- f. Optional Pen Tray

Please visit Fellowes.com for an extensive overview of wall-mount markerboards.

Quickship: \$728+

MODEL # VI-QS-___-GL-M-WHT See key below for available finish options

8 Standard Sizes and Custom

Premium, 4mm, low-iron glass

Gloss and SatinEtch (Non-glare)





Markerboards

Mobile

Markerboards - Mobile



Mobile Markerboard

White Frame: \$8,025+

Quickship: **\$7,469**

Colored Frame: \$8,346+

MODEL # AX-GL-N-___-WHT-WHT

MODEL # AX-QS-GL-M-WHT-WHT-WHT

MODEL # AX-GL-N-____

See key below for available finish options

39.37" W X 73.83" H X 22.52" D

Premium, 4mm, low-iron glass

Gloss and SatinEtch (Non-glare)

Magnetic and non-magnetic

Glass and Frame Colors:

3 caster colors: Hub with

Quickship options available –

ready to ship in 48 hours

AX-GL-N-WHT-WHT-WHT

AX Key

12 coordinating colors

matching stem

Warranty: Lifetime

GSA Schedule

Dual sided writing surface

AX

Features

Full Frame

Non-ghosting



Q! Mobile Markerboard White Frame: \$13,108+ Colored Frame; \$13,643+

MODEL # QP-GL-N-____

Features

Frameless Non-ghosting Dual sided writing surface Non-magnetic Glass and frame colors: 12 coordinating colors Made in USA Warranty: Lifetime GSA Schedule



 $\begin{array}{c} \textbf{Q! Key} \\ \textbf{QP-GL-N-WHT-WHT-WHT} \\ a \\ b \\ c \\ c \\ d \\ c \\ d \\ e \\ f \end{array}$ a. Product Group

- b. Finish c. Non-magnetic
- d. Glass Color e. Frame Color
- f. Caster Color
- a b c d e a. Product Group b. Finish c. Magnetic (Non

e i	
,	a. Glass Color
	b. Frame Color
-magnetic)	c. Caster Color

Available Glass + Frame Colors:

🔿 White – WHT 🔵 Blush – BLH Rose - ROS Black – BLK Cool Gray - CGY Coral – COR

Glacier – GLA Pacific - PAC O Leaf – LEF

fellowes.com 800.833.3746



See key below for available finish options

Portrait: 39.4" W X 75.2" H X 22.1" D Landscape: 70.87" W X 72.15" H X 24" D

Premium, 4mm, low-iron glass

Gloss and SatinEtch (Non-glare)

3 caster colors: Hub with matching stem



AF Mobile Markerboard

\$12,305

MODEL # AF-SE-M-FE-WHT MODEL # AF-SE-M-NW-WHT

Features

36"W x 75"H x 24"D Solid wood construction Dual sided writing surface High Performance, whte, matte finish Non-Glare, Non-ghosting Ample storage 2 Interior Finishes: Field Elm, Neo Walnut In stock, ready to ship in 48 hours Made in North America Warranty: Lifetime



- AF Key $\underbrace{\text{AF-SE-M-FE-WHT}}_{a b c d e}$ a. Product Group b. Finish
- c. Magnetic
- d. Interior Finish
- e. Writing Surface Color



Please visit Fellowes.com for an extensive overview of mobile markerboards.

Markerboards Accessories

Markerboards – Accessories





\$1,017

MODEL # AC-SET-MPL

Includes 1 Maple Pen Holder 6 Maple Magnets 1 Black Dry Erase Microfiber Cloth Warranty: 5 Years



\$1,017

Includes

1 Walnut Pen Holder 6 Walnut Magnets Warranty: 5 Years





Black Deluxe **Accessory Set** Markerboard Accessories Set

\$405

MODEL # AC-SET-BLK

Includes

1 Black Aluminum Pen Holder 6 Magnets 1 Eraser with 3 Replacement Pads Warranty: 5 Years

Silver or Black Pen Tray Silver: **\$289** Black: **\$289** MODEL # AC-TRY-SLV

Solid Walnut Set Markerboard Accessories Set

MODEL # AC-SET-WAL

1 Black Dry Erase Microfiber Cloth



White Accessory Set Markerboard Accessories Set

\$289 MODEL # AC-SET-WHT

Includes 1 White Pen Holder 6 Magnets 1 Eraser with 3 Replacement Pads Warranty: 5 Years



Aluminum Pen Tray

MODEL # AC-TRY-BLK Warranty: 5 Years



Dry Erase Microfiber Cloth

Markerboard Accessories Set

\$8

MODEL # AC-CLT-BLK Warranty: 5 Years

Markerboards

Markerboard ID[™] **Custom Color & Design Program**

Make your Mark

With Fellowes Markerboard ID™ Custom Color and Design Program, you can create unique and purposeful markerboards that engage the workspace. Choose striking material colors, add your own graphics to create personalized and functional markerboards that inspire your people to make their mark.

Markerboard ID™



Process

To get started, contact your Fellowes sales rep. Our team will work with you on customization choices, logos, quantities, and timing.

Timeline

Once the custom design is approved and we have received a clean Purchase Order, lead time will be approximately 6-8 weeks.

A Fellowes customer service contact will be assigned to communicate with directly throughout this process.

A Project Dashboard outline will also be provided so expectations and delivery dates are clearly communicated.

This Process Flow Chart outlines each step that is necessary for successful completion.


How it Works

Fellowes direct-to-glass printing is the latest, state-of-the art technology. We can easily print your vibrant images, graphics, and charts directly onto

our mobile and select glass markerboards, ensuringlonglasting, fade-free results. No minimum quantities required.

Contact a Fellowes customer service representative for current pricing at 800-833-3746.





Keyboard Managers A (Key)Stroke of Genius

112000011


Beat fatigue and boost your productivity with a simple solution — maximizing your keyboard. Our keyboard solutions feature built-in elements like tilt adjustment, palm rest, and glide track to elevate your comfort, and are highly adaptable to fit your specific needs.



H INTERIOR







Combo Solutions



Solution Ultra Keyboard Combo Solution

\$635

MODEL # SOLUTION ULTRA

Features

Recommended for radius corner worksurfaces

PL217 keyboard platform

18.8" keyboard platform with 9.3" switch-n-click mousing platform

AA360 articulating arm

Lift-and-lock adjustment

21" glide track

21" clearance required for full retraction

±15° tilt adjustment

7" adjustment range – 2.5" height above track – 4.5" height below track

360° glide track rotation

Positions flush with worksurface

Warranty:

- Lifetime (Articulating Arm/Platform) – 10 Year (Palm Rest.Mouse Pads)





Solution All-Fit

Keyboard Combo Solution

\$594

MODEL # SOLUTION ALL-FIT

Features

Recommended for shallow worksurfaces, or benching applications

PL003-27N keyboard platform

27" keyboard platform with notch (etracts at two points to achieve full clearance under worksurfaces as shallow as 13")

Retracts at two points to achieve full clearance under worksurfaces as shallow as 13"

AA100-PTLO articulating arm

Lift-and-lock adjustment

12.3" glide track

13" clearance required for full retraction

+22.6°/-12.4° tilt adjustment

6" height adjustment range

- 2.4" height above track
- 3.6" height below track

360° glide track rotation

Positions flush with worksurface

Warranty:

- Lifetime (Articulating Arm/Platform)
- 10 Year (Palm Rest.Mouse Pads)



Combo Solutions

Combo Solutions



Solution 1 Solution 1CC

Keyboard Platform Combo

\$435

MODEL # SOLUTION 1 MODEL # SOLUTION 1CC

Features

Recommended for straight edge worksurfaces (Solution 1) or diagonal corner worksurfaces (Solution 1CC)

PL003-25 or PL003CC-25 keyboard platform

25" keyboard platform, rectangle or cut corner

AA260 articulating arm

Spring assisted adjustment

17" glide track

6.3" adjustment range

– 1.3" height above track – 5" height below track

360° glide track rotation

Positions flush with worksurface

Warranty:

- Lifetime (Articulating Arm/Platform) – 10 Year (Palm Rest.Mouse Pads)





Solution 2 Solution 2CC

Keyboard Platform Combo

\$561

MODEL # SOLUTION 2 MODEL # SOLUTION 2CC

Features

Recommended for straight edge worksurfaces (Solution 2) or diagonal corner worksurfaces (Solution 2CC)

PL003-25 or PL003CC-25 keyboard platform

25" keyboard platform, rectangle or cut corner

AA360 articulating arm

Lift-and-lock adjustment

21" glide track

21" clearance required for full retraction

±15° tilt adjustment

7" adjustment range – 2.5" height above track

– 4.5" height below track

360° glide track rotation

Positions flush with worksurface

Warranty:

- Lifetime (Articulating Arm/Platform)

- 10 Year (Palm Rest.Mouse Pads)





Solution 3 Keyboard Platform Combo

\$628

MODEL # SOLUTION 3

Features

Recommended for radius corner worksurfaces

PL215 keyboard platform

18.8" keyboard platform with swivel mouse-below platform

AA360 articulating arm

Lift-and-lock adjustment

21" glide track

21" clearance required for full retraction

±15° tilt adjustment

7" adjustment range - 2.5" height above track – 4.5" height below track

360° glide track rotation

Positions flush with worksurface

- Warranty:
- Lifetime (Articulating Arm/Platform)
- 10 Year (Palm Rest.Mouse Pads)





Solution Ultra

Keyboard Platform Combo

\$635

MODEL # SOLUTION ULTRA

Features

Recommended for radius corner worksurfaces

PL217 keyboard platform

18.8" keyboard platform with 9.3" switch-n-click mousing platform

AA360 articulating arm

Lift-and-lock adjustment

21" glide track

21" clearance required for full retraction

±15° tilt adjustment

7" adjustment range

- 2.5" height above track
- 4.5" height below track

360° glide track rotation

Positions flush with worksurface

Warranty:

- Lifetime (*Articulating Arm/Platform*)
- 10 Year (Palm Rest.Mouse Pads)



Combo Solutions



Solution 6 Solution 6CC

Keyboard Platform Combo

\$596

MODEL # SOLUTION 6 MODEL # SOLUTION 6CC

Features

Recommended for straight edge worksurfaces (*Solution 6*) or diagonal corner worksurfaces (*Solution 6CC*)

PL003-27 or PL003CC-27 keyboard platform

27" keyboard platform, rectangle or cut corner

AA750DAT articulating arm

Lift-and-lock and dial-a-tilt adjustment

21.8" glide track

22" clearance required for full retraction

+10°/-15° tilt adjustment

7.2" adjustment range – 2.3" height above track

– 4.9" height below track

360° glide track rotation

Positions flush with worksurface

Warranty:

- Lifetime (Articulating Arm/Platform)
 10 Year (Palm Rest.Mouse Pads)
- 10 Year (Palm Rest.Mouse Pads





Solution 7 Keyboard Platform Combo

\$659

MODEL # SOLUTION 7

Features

Recommended for radius corner worksurfaces

PL217 keyboard platform

18.8" keyboard platform with 9.3" switch-n-click mousing platform

AA750DAT articulating arm

Lift-and-lock and dial-a-tilt adjustment

21.8" glide track

22" clearance required for full retraction

+10°/-15° tilt adjustment

7.2" adjustment range

- 2.3" height above track- 4.9" height below track

360° glide track rotation

Positions flush with worksurface

Warranty:

- Lifetime (Articulating Arm/Platform)
- 10 Year (Palm Rest.Mouse Pads)





Keyboard Managers

Keyboard Platforms & Articulating Arms



TITITI

Keyboard Platforms

Keyboard Platforms



PL003 Rectangle Platform

25" wide (shown): \$210

27" wide: \$221

27" wide notched: \$221

MODEL # PLOO3-25 MODEL # PLOO3-27 MODEL # PL003-27N

Features

For use with straight edge worksurfaces Accommodates left or right-handed users

Palm rest for both keying and mousing

PL003-27N can only be used in the Solution All-Fit for complete retraction

Warranty:

– Lifetime (Platform) – 10 Year (Palm Rest.Mouse Pads)





PL003CC

Cut corner Platform

25" wide (shown): \$210 27" wide: **\$221**

MODEL # PL003CC-25 MODEL # PL003CC-27

Features

For use with diagonal corner worksurfaces Accommodates left or right-handed users Palm rest for both keying and mousing Warranty:

– Lifetime (Platform)

– 10 Year (Palm Rest.Mouse Pads)





PL215 Swivel Mouse-Below Platform

\$277

MODEL # PL215

Features

Offers a universal fit on virtually any worksurface shape

Accommodates left or right-handed users

Palm rest for both keying and mousing

18.8" platform with a swivel-below mousing platform

Warranty:

– Lifetime (Platform)

– 10 Year (Palm Rest.Mouse Pads)





PL217

Switch-n-Click Platform

\$284

MODEL # PL217

Features

Reversible design; mouse platform mounts on left or right side – no tools required

Independent tilt and swivel mousing platform

Can be used as a mouse in line, mouse over, or mouse forward

Warranty:

- Lifetime (Platform)
- 10 Year (Palm Rest.Mouse Pads)



Articulating Arms

Articulating Arms



AA260 Articulating Arm

\$225

MODEL # AA260

Features

Spring assisted adjustment

17" glide track

No minimum clearance required for full retraction

±15° tilt adjustment

6.3" adjustment range

– 1.3" height above track – 5" height below track

360° glide track rotation

Positions flush with worksurface

Recommended for any platform

Warranty: Lifetime





AA330 Articulating Arm

MODEL # AA330

Features

\$351

Lift-and-lock adjustment

17.8" glide track

No minimum clearance required for full retraction

±15° tilt adjustment 7" adjustment range

– 2.5" height above track – 4.5" height below track

360° glide track rotation

Positions flush with worksurface

Recommended for any platform

Warranty: Lifetime



AA360 Articulating Arm

\$351 MODEL # AA360

Features

Lift-and-lock adjustment

21" glide track

21" minimum clearance required for full retraction

±15° tilt adjustment

7" adjustment range – 2.5" height above track – 4.5" height below track

360° glide track rotation

Positions flush with worksurface

Recommended for any platform

Warranty: Lifetime





AA100-PTLO Articulating Arm

\$373

MODEL # AA100-PTLO

Features

Lift-and-lock adjustment

12.3" glide track

13" minimum clearance required for full retraction

+22.6%/-12.4° tilt adjustment

6" adjustment range – 2.4" height above track – 3.6" height below track

360° glide track rotation

Positions flush with worksurface

Recommended for PL003-27N notched platform Warranty: Lifetime





AA750DAT

Articulating Arm

\$375

MODEL # AA750DAT

Features

Lift-and-lock and dial-a-tilt adjustment

21.8" glide track

22" minimum clearance required for full retraction

+10%-15° tilt adjustment

7.1" adjustment range

– 2.2" height above track – 4.9" height below track

360° glide track rotation

Positions flush with worksurface

Recommended for any platform

Warranty: Lifetime





Positive tilt

Negative tilt

Visit our website for additional specs, dimensional drawings, alternative images and more resources for all of Fellowes' products.

Articulating Arms

Keyboard Accessories



AA370 Articulating Arm with Extended Reach

\$471

MODEL # AA370

Features

Lift-and-lock adjustment

24.8" glide track

25" minimum clearance required for full retraction

±15° tilt adjustment

16" adjustment range – 8" height above track

– 8" height below track

360° glide track rotation

Positions flush with worksurface Recommended for any platform

Warranty: Lifetime



AA780DAT

Articulating Arm with Dial-a-Tilt Adjustment

\$554

MODEL # AA780DAT

Features

Lift-and-lock and dial-a-tilt adjustment 21.8" glide track

22" minimum clearance required for full retraction

+10°/-15° tilt adjustment

12.9" adjustment range – 8.2" height above track

– 4.7" height below track 360° glide track rotation

Positions flush with worksurface

Recommended for any platform Warranty: Lifetime

GSA Schedule. Lifetime Warranty



Spacer Kit Spacer Kit

\$91

MODEL # SPACERKIT-KBD-BLK

Features

Ideal for height adjustable tables and benching systems, the kit creates a flat mounting surface for keyboard arms and glide tracks where cross channels typically prevent installations

Attaches between underside of worksurface and a keyboard arm or glide track

Includes mounts for benching systems and height adjustable tables

Powder coated steel construction

Two sets of spacers included to accommodate needed spacing between 1"-2.2"

Includes installation hardware

Warranty: Lifetime





Positive tilt

Negative tilt

Visit our website for additional specs, dimensional drawings, alternative images and more resources for all of Fellowes' products.

Lighting Shine On

Cast light where it's needed — after all, your work deserves to be seen. Our desktop task lighting and under-cabinet lighting feature a variety of options, like dimming, occupancy sensors, flexible tilt and rotation, and energy-saving enhancements.



12 1 888 1 3

Lighting Glimor™





Glimor™ Single Arm LED Task Light

\$575 LT

MODEL # GLIMOR-___ See key below for available finish options

Features

LED

3,000K color temperature

924 lumens

84+ CRI

18-watt wall transformer with 9' black cord

> 36,000 hrs. lamp life

60' power cord

ETL listed: compliant to UL153/8750; CSA C22.2 No.250.4; TAA; BAA; FCC Part 15 Class B

Touch sensor for on/off and dimming functions

100%–15% continuous dimming with last state memory

Auto shut-off after 10 hours

Available in eight finishes: black, platinum, designer white, bronze, azure, sage, slate, stardust

Made with fully-recyclable aluminum, steel, and plastic

Low power consumption (9.4 system watts)

Mercury-free

Warranty: 10 Years











Storage Available in 8 Finishes

Silver



Stardust



Designer White







Lustre



Lustre Telescoping LED Task Light with USB-A Port

\$648

MODEL # LUSTRE-___ See key below for available finish options

Features

LED 3500 K color temperature 350 lumens 83 CRI 4.8 watts 50,000 hrs. lamp life Occupancy sensor Built-in dimmer 12[·] power cord Power source is UL listed USB-A charging port Telescoping arm reach Warranty: 10 Years





Available Finishes: O Silver – SLV ◯ White – WHT



Lily™ Series



Lily LEDX Single Arm LED Task Light with USB-A Port

\$328

MODEL # LILY-LEDX-___ See key below for available finish options

Features

LED 5000 K color temperature 900 lumens 90 CRI 8 watts 90,000 hrs. lamp life 6 hr. auto shut-off Built-in dimmer 6[·] power cord Power source and light is ETL listed USB-A charging port 16.0" arm reach Warranty: 10 Years





Lily LED

Single Arm LED Task Light

\$246

MODEL # LILY-LED-___ See key below for available finish options

Features

LED 5000 K color temperature 900 lumens 90 CRI 8 watts 90,000 hrs. lamp life Built-in dimmer 6[:] power cord Power source and light is ETL listed 16.0" arm reach Warranty: 10 Years





Black – BLK

All prices are in U.S. dollars

Lighting Lucera Series

5

Lucera Series

Lucera - 36" Under Cabinet LED Lighting Track

Individual: \$600 Set of two: **\$1,226** Set of three: **\$1,252** Set of four: **\$2,478**

MODEL # LUCERA-36-SLV MODEL # LUCERA-36X2-SLV MODEL # LUCERA-36X3-SLV MODEL # LUCERA-36X4-SLV Sets of 2, 3,+ 4 Include 24" jumper cord(s)

Features

31.7"w x 0.8"d x 0.5"h unit size 420 lumens 7.1 watts 3500 K color temperature 85 CRI 50,000 hrs. lamp life Continuous dimmer 9[°] power cord Power source is UL listed Combination wood and magnet mounting hardware Occupancy sensor sold separately

GSA Schedule

Warranty: 10 Years



Individual: \$437 Set of two: **\$1,363** Set of three: **\$1.826** Set of four: **\$2,289**

MODEL # LUCERA-24-SLV MODEL # LUCERA-24X2-SLV MODEL # LUCERA-24X3-SLV MODEL # LUCERA-24X4-SLV Sets of 2, 3,+ 4 Include 24" jumper cord(s)

Features

250 lumens 4.4 watts 3500 K color temperature 85 CRI 50,000 hrs. lamp life Continuous dimmer 9[°] power cord

Power source is UL listed Combination wood and magnet mounting hardware Occupancy sensor sold separately Warranty: 10 Years

GSA Schedule

Under Cabinet LED Lighting Track

20.1"w x 0.8"d x 0.5"h unit size



Occupancy Sensor

\$179

MODEL # LUCERA-OS

One occupancy sensor controls every daisy chained Lucera light, shutting-off all connected lights simultaneously. When motion is detected, lights resume the last brightness setting.

Seating

Sit Comfortably. Move Naturally. Be Well.

Embrace comfortable stability with the chair designed to move with you. Elea has a revolutionary designed curved chassis provides the support and comfort needed to carry you through your day for years to come.



Seating Elea®

Breathable Mesh

Seat and back provide relaxing and airy support with poly-elastomeric mesh.

Plush Arm Pads Self-skinned urethane arm pads.

Balanced Motion Alloy steel rods and engineered mechanism to stabilize motion.

Omni-Kinetic Suspension Technology™ Seat Patent-pending suspended seat pan encourages natural movements.

Revolutionary Base Cast aluminum chassis provides stability.

Tilt Control

Italian designed synchro tilt control mechanism.

Height Adjustable

5" pneumatic cylinder enhances suspended comfort with compressed air cushioning.

Smooth Movement

60mm hubless castors roll quietly and smoothly on hard or carpeted surfaces.

Elea®



Elea

Seating

\$2,674

MODEL # ELEA-___ See key below for available finish options

Features

Patent-pending OmniKinetic suspension seat

Alloy steel rods and suspended seat pan supports and responds to your every move

Aluminum chassis design provides support to carry you through your day

Breathable mesh seat and back provides enhanced air flow for comfort


Adjustable tension to customize tilt movement for posture and lumbar support, with tilt lock lever to set any


Height adjustable with gas shock suspension for comfort

hubless casters

Warranty:

- Lifetime (Frame)
- 5 Year (Mesh)





of 3 favorite recline positions

360-degree swivel and aluminum five-star base with multi-surface

Supports up to 275 lbs.



Monitor Arm Measurement Standards Find the Right Fit


Use this section to ensure our monitor arms are the correct dimensions for your space.


·= ·= /=




NTERIORS

aagaaagaagaa 7-----/////






232 Feljowes





Measure distance from the stem pivot point's centerline up to the VESA plate.

Monitor Arm Measurement Standards



Monitor Arm Measurement Standards







Terms & Conditions Let's Get On the Same Page

The following pages demonstrate how Fellowes strives to deliver best-in-class quality products, with a commitment to Unleashing WorkLife Potential while backing our products.



Terms & Conditions

These terms shall be considered to be an inseparable part of any additional terms between the applicable Fellowes entity and Customer and are collectively referred to herein as the Terms and Conditions. To the extent that any terms provided by Customer conflict with the terms and conditions that follow, these Terms and Conditions shall govern that transaction.

Acceptance; Entire Agreement.

Acceptance by Customer of delivery of goods constitutes acceptance by Customer of the following terms and conditions. Any additional or different terms proposed by Customer shall be deemed to have been objected to by the Fellowes entity ("Fellowes" or "Seller"), shall be of no force or effect, and shall not be binding upon or enforceable against Seller. These terms and conditions constitute the entire agreement and understanding between the parties and supersede any and all prior agreements, understandings and communications with Customer, oral or written, relating to the goods that Seller or any of its subcontractors may provide (collectively, the "Goods"). No course of dealing or course of performance, either prior to, during or after the delivery of the Goods, shall be relevant or admissible by Customer to supplement, explain or vary these Terms and Conditions. The invalidity or unenforceability of any Terms and Conditions shall not affect the validity or enforceability of any other term or condition, and the remaining terms and conditions shall remain in full force and effect. No waiver, amendment or modification of these Terms and Conditions shall be binding upon or enforceable against Seller until approved in writing by a Fellowes Authorized Signatory.

Proprietary Information; Confidentiality.

Advertising. Customer shall consider all information furnished by Fellowes, as well as information learned about Fellowes' business or products, to be confidential and shall not disclose any such information to any other person or entity or use such information itself for any purpose other than performing hereunder, unless Customer obtains written permission from Fellowes to do so. This paragraph shall apply to drawings, specifications, or other documents prepared by Customer or Fellowes in connection with this order as well as observations of Customer while receiving goods or services. Customer shall not advertise or publish the fact that Fellowes has contracted to sell goods or services to Customer, nor shall any information relating to the order be disclosed without Fellowes' written permission unless otherwise agreed in writing, no commercial financial or technical information disclosed in any manner or at any time by Customer to Fellowes shall be deemed secret or confidential and Customer shall have no rights against Fellowes with respect thereof except such rights as may exist under patent or copyright laws.

Trademark Rights.

Fellowes grants Customer a non-exclusive, royalty-free license to use the Fellowes' trademarks included on any goods purchased hereunder (the "Licensed Marks") in connection with Customer's sale or marketing of goods in the course of Customer's business. The license granted herein does not include a right to sublicense. Customer acknowledges that Fellowes is the owner of the Licensed Marks, and nothing herein shall grant to Customer any right, title or interest in the Licensed Marks, except as specifically set forth herein. Customer shall use Fellowes' trademarks in a manner that is consistent with Fellowes' standards. This includes

using the ® designation adjacent to registered trademarks, and the TM designation adjacent to unregistered trademarks, where practicable. Customer shall cooperate with Fellowes' requests to ensure that Fellowes' trademarks are used in this manner. Fellowes shall have the right to review and inspect any marketing or promotional materials relating to the Licensed Products and, in its sole discretion, to prohibit the use of any such materials that do not meet Fellowes' standards. If Customer becomes aware of any infringing products, Customer will promptly notify Fellowes, which reserves the right to take any action. This trademark license is revocable at Fellowes' sole discretion.

Prices.

Prices quoted by Fellowes are subject to change without notice. Prices billed on invoice at time of shipment shall govern. Unless otherwise stated, all prices are quoted in U.S. Dollars. Seller will not accept or process purchase orders that contain pricing different from the standard prices. Fellowes reserves the right to revise all pricing, discounts, and freight terms, at any time, without notice. Current product pricing is included on product pages at Fellowes. com. Prices which are in effect at the time of order shall apply. Listed prices exclude additional fees applicable to special services requested by Customer (e.g., special cutting).

Taxes.

The prices for the Goods do not include sales, use and other taxes, duties and other governmental fees and charges that may be applicable to the Goods, and Customer shall be responsible for and pay upon demand all such taxes, duties and other governmental fees and charges (other than income taxes of Seller), notwithstanding that responsibility for collection or payment of such taxes, duties and other governmental fees and charges may be imposed by law on Seller or any of its subcontractors. All authorized dealers should ensure that a resale tax exemption certificate is on file with Fellowes.

Discontinued products.

Due to changing market demands, Fellowes may periodically discontinue certain products. Fellowes reserves the right to change and/or discontinue products at any time without notice.

Credit.

Fellowes may, in its sole discretion, extend credit to the Customer. For credit limits in excess of \$100,000, Fellowes requires audited financial statements prior to initial credit approval and on an annual basis thereafter. Fellowes shall perform periodic credit reviews using credit reporting agencies, trade references, industry trade groups and banks. In the event of a material adverse change in Customer's credit standing or in the event that Customer does not comply with the terms of these provisions, Fellowes shall have the right to change terms of payment, and Fellowes obligation to provide Products will be subject to reaching mutual agreement on revised terms

To establish an account, Customer must complete and submit Fellowes' New Account Application (signed by company officer of Customer), Federal Taxpayer ID (Form W-9) and State Resale Certificate. Subject to sales, credit history, and credit lines, a deposit or advance payment may be required to process large orders.

Terms & Conditions

Date or Ship To address. Order changes that result in a quantity reduction may be subject to an adjustment in pricing. Change or cancellation requests are not considered accepted until Fellowes provides a revised Sales Order Acknowledgment. Changes may result in processing delays or shipping delays. Under no circumstances will changes or cancellations be accepted on any special order, custom product, or worksurface order without the express written consent of Fellowes. All such custom and special orders are non-returnable.

Once credit is approved, payment terms are net 30 days. Prior to Customer's credit approval (with receipt of required documents), prepayment of orders may be made by corporate check, wire transfer or ACH or for convenience, credit cards (Visa and Mastercard) are accepted. Fellowes reserves the right to amend account terms, at any time, based on account history. Deposits: Subject to sales, credit history, and credit lines, a deposit

may be required to process large orders.

Payment.

Unless otherwise agreed in writing or stated on the Invoice, all payments are to be made in US Dollars and all amounts payable by Customer shall be due and payable in full 30 days after invoice. Fellowes will not accept the unilateral assessment of any fee, marketing support, co-op or other advertising, expense reimbursement, rebate, offset or any other financial or marketing support not explicitly authorized in writing by an authorized officer of Seller.

Any amounts not paid in full within 30 days after invoice shall be subject to a late payment charge of $1\frac{1}{2}$ % per month (or, if less, the maximum amount permitted by law) from the date due until paid. Fellowes' obligation to provide Products is subject to receipt of prompt payment of all invoices pursuant to the terms of this and other agreements we may have with Customer. Progress billing of interest due or a failure to bill for interest due shall not constitute a waiver of Fellowes' right to charge interest on all amounts past due to the date payment is received. Should any portion of an invoice become disputed you agree to pay the undisputed portion according to its terms, and you will notify us promptly of the dispute.

Both parties agree to use their best efforts to resolve the disputed portion of such invoice within 30 days. Fellowes shall have the right to set off against any amount that Fellowes may be obligated to pay to Customer any amounts due or to become due to Fellowes from Customer and its divisions, subsidiaries and affiliated companies. Fellowes may assign payments due to a wholly-owned subsidiary without consent.

Order Placement and Confirmation.

Orders are to be submitted via e-mail to ci-orders@Fellowes.com. Orders must include "Ship To" and "Bill To" information along with complete Fellowes product model numbers and Customer cost. Government orders require a copy of the agency PO at the time the order is placed with Fellowes. All orders shall be subject to written acceptance by an authorized representative of Fellowes. Incomplete orders or changes will delay processing and shipment until receipt of all necessary information and Fellowes issuance of revised Sales Order Acknowledgment.

Order changes or cancellations.

All Customer cancellations and changes must be submitted to Fellowes in writing to ci-orders@Fellowes.com. Any request for cancellation or change to an order must be submitted within twenty-four (24) hours of receipt of order acknowledgment by Fellowes. Any requested cancellation or change received thereafter will incur a fee. Order changes include the addition/ deletion of line items or changes in quantity or requested Ship

Lead-Times and Delays.

Fellowes reserves the right to alter lead times as demand for products fluctuate. Stated lead- times begin after a complete order is entered and scheduled. Shipments are subject to product availability. Special products and larger orders may entail extended lead-times. Orders placed by dealers without a requested delivery date will be assigned a delivery date for custom product orders as currently published at www.fellowes.com. Please contact your customer service representative for estimated lead-times. If unforeseen circumstances occur, Fellowes may postpone delivery of orders and will notify Customer when such postponement occurs.

Fellowes shall not be liable for loss or damage due to delay in manufacturing or delivery resulting from any cause beyond Fellowes' reasonable control. This includes, but is not limited to, compliance with any regulations, orders, or instructions of any Federal, State, or Municipal Government, or any department or agency thereof, acts of God, acts or omissions of Customer, acts of civil or military authority, fires, strikes, disease or pandemic, factory shutdowns or alterations, embargoes, war, riot, delays in transportation or inability due to causes beyond Fellowes' reasonable control to obtain necessary labor, manufacturing facilities, or material from Fellowes' usual sources. In no event shall Fellowes be liable for special or consequential damages for any delay for any cause.

Shipping and Transportation. (a)For Stocked Finished Goods 48-hour shipping program

Fellowes offers 48-hour shipping on the majority of finished goods that are in stock. Unless otherwise requested, these products are shipped from multiple shipping points throughout the U.S., within two business days of receiving the PO, depending on quantity ordered and available inventory. Orders that include products with longer lead times including special orders, custom products, or worksurface orders, are designated as "LT" (lead time) and therefore excluded from the 48-hour shipping program. Large orders may also require additional lead time. Products designated as LT could take up to 90 days for delivery after Fellowes' receipt of Customer's order. Call for on-hand availability.

Please note:

- 1. For the order to gualify for 48-hour shipping, all products on the PO must be available under the 48-hour shipping program
- 2. POs that include LT designated products will be shipped based on the lead time of the LT designated products unless otherwise

Terms & Conditions

requested

- 3. 48-hour orders will be shipped out within two business days of Fellowes' receipt of Customer's order unless otherwise specified on the PO
- 4. Worksurfaces, Motific, Centro, and Railway may arrive on a date different than the other items on the order

For all other purchases, delivery dates for the Goods shall be established by mutual agreement of Fellowes and Customer. The minimum order size is \$1,500. Fellowes may at its option accept orders not meeting the minimum order size with a \$75 handling fee. Customer shall provide any special shipping or labeling requirements to Fellowes for consideration prior to the first shipment.

Freight terms for all Contract Interiors products except for Markerboards are as follows:

- Orders under \$3,500 list will incur a flat \$35 net fee
- Orders over \$3,501 list ship free
- Residential freight deliveries will incur a flat \$70 net fee

For Canada:

- Orders under \$4,725 (CAD) list will incur a flat \$70 (CAD) net fee
- Orders over \$4,726 (CAD) list ship free
- Residential freight deliveries will incur a flat \$140 (CAD) net fee

Freight terms for Markerboards are as follows:

Freight Terms for Markerboards

QuickShip Wall-Mounted Markerboards & Accessories (U.S. Orders):

- Orders over \$3,501 (list): Ship free
- Orders under \$3,500 (list): \$35 flat fee
- Residential deliveries: \$70 flat fee

Mobile, Custom, and Non-QuickShip Wall-Mounted Markerboards:

- Orders over \$15,000 (list): Ship free
- Orders \$7,501-\$14,999 (list): \$350 flat fee
- Orders \$50-\$7,500 (list): \$200 flat fee

Crate Fees for Markerboards:

Non-QuickShip Wall-Mounted Markerboards (VITA & MURO made-to-order):

- \$40 per markerboard
- Q! Portrait and Landscape & AX Mobile Markerboards:
- 1 unit: \$300 each
- 2-3 units: \$225 each
- 4+ units: \$150 each
- VITA QS & MURO QS (QuickShip):
- No crate fees (ship in cartons)
- AF Mobile Markerboards:
- No crate fees (ship on individual pallets)

For US purchase orders including InStock Wall Mounted, Mobile Markerboards and Markerboard Accessories, but no other Contract Interiors products included on the order:

- Orders over \$15,000 list ship free
- Orders \$7.501 List thru \$14,999 List will incur a flat fee of \$350 net
- Orders \$50 List thru \$7.500 List will incur a flat fee of \$200 net
- Markerboards (domestic and non-in stock items) requiring a wood crate will incur the following crate fees:
- Wall Mounted Markerboards will incur a flat \$40 net fee
- Mobile Markerboards will incur the following fees based on quantities ordered:
- 1 Unit: \$300 net fee (each)
- 2-3 Units: \$225 net fee (each)
- 4+ Units: \$150 net fee (each)

Fellowes ships orders by way of standard ground carrier service dock-to-dock within the contiguous 48 states of the United States. Special requests such as "call before delivery", "delivery lift gate required", residential delivery, re-routed deliveries, or specific delivery date/time requests may be subject to additional charges or may not be available. Contact our Customer Service Department for expedited delivery requests or deliveries outside of the contiguous 48 states. Customers will be charged additional fees for changes made to orders that have already departed the facility, resulting in re-delivery or re-consignment.

Fellowes accepts requests for expedited freight at the customer's expense. Please contact our Customer Service Department at 800.833.3746 and provide your preferred carrier account number in which to charge the expedited freight.

Unless an Invoice expressly specifies otherwise, all Goods shall be delivered F.O.B. the shipping platform at the shipping facility, and all shipping and transportation costs from the shipping platform at such facility shall be borne by Customer and all risk of loss, damage or late delivery shall pass to Customer upon loading at the shipping platform at such facility. Seller shall have no responsibility for any failure of or delay in delivery caused by or attributable to war, sabotage, riot, civil disorder, fire, flood, earthquake, explosion, accident, natural or manmade disaster, governmental action, shortage or interruption of supply of materials, supplies, equipment or energy, transportation problem, strike, labor stoppage or slowdown, or other cause beyond the reasonable control of Seller

(b)For Made-to-Order, Special, and Custom Products

All orders shipped to any destination within the contiguous United States, will be F.O.B. origin, freight prepaid. Except as noted above, title and risk of loss or damage shall pass to Customer upon delivery to carrier. Fellowes shall retain a Purchase Money Security Interest in all such goods until payment is received in full and reserves the right to file and perfect the same. Fellowes will determine the method and agency of transportation to be used.

Exceptions to standard prepaid freight are as follows:

 Customer directed expedites (Air Freight, Team Hauls) will be prepaid by Fellowes and Customer will be billed the difference between standard and expedited freight

Terms & Conditions

- Truckload deliveries that are requested to deliver on weekends, Holidays or after 12:00 noon EST on Fridays will have an additionalcharge of \$450 per truck
- Excessive unloading (in excess of 2 hours) will be billed at \$50 per hour after the initial 4 hour unloading period
- LTL shipments normally deliver between 8:00 am and 5:00 pm, Monday through Friday. A specific delivery time on your assigned delivery date can be requested for an additional charge of \$150. This charge does not apply to full-truckload shipments. Requests for specific dates/times falling outside standard delivery timeframe for the carrier serving your area constitute Expedites (see Customer-Directed Expedites, above). Expedite charges do apply to full-truckload shipments
- · Lift gate service will have an additional charge of \$85 for an LTL carrier. For lift gate service on a truckload, contact Customer Service
- Inside delivery service starts at \$50. Call Customer Service for auote
- Reconsignment cost after shipment starts at \$50. Call Customer Service for auote
- Special equipment requirements call for a quote

If delivery is made on Fellowes owned or leased equipment, Customer or its authorized representative is responsible for noting any freight damage or shortage on the freight bill of lading at time of delivery and must notify Fellowes within five (5) days of delivery day of any such damage or shortage. Assistance in a concealed damage claim will be provided by Fellowes only if the product has been immediately unpacked and both the carrier and Fellowes have been promptly notified of resultant damage so the proper inspection can be made.

Damage and Shortage.

Fellowes is not responsible for shipped products when the common carrier is in receipt of the material. Fellowes expects all customers to thoroughly inspect orders on receipt regardless of point of delivery. Clear receipt should not be given on the material until it has been checked for damage in transit. All claims for noted damaged material must be made by the Customer to Fellowes Customer Service. Concealed damage or damage not noted at time of delivery shall be made by the Customer to the common carrier within five (5) days after receipt. Fellowes assumes no liability for such damage. Shortage on ordered products must be reported to Fellowes within five (5) days of product delivery and must be noted on the bill of lading at time of delivery.

Storage.

When shipment is delayed by the Customer, Fellowes reserves the right to place the goods in storage at Customer's risk and cost. Fellowes charges ¹/₄ of 1% of list price per week to cover storage. All terms and conditions of the sale, including but not limited to invoicing and payment, will continue to apply to Customer's confirmed order; except that title shall remain with Fellowes. Fellowes reserves the right to modify payment terms to assure recovery of any additional cost incurred.

Returned Goods.

To receive authorization to return goods, please contact Fellowes Customer Service Department at ci-customerservice@fellowes. com. All Returned Materials Authorizations expire thirty (30) days from date of issue. Any product returned after thirty (30) days will be refused and returned to sender collect. Electrical components, nonstandard items and fabric-covered goods may not be returned. Replacement products will be billed to you with credit being issued upon return of the product in good condition. All goods returned must be in the original Fellowes packaging. Goods will be inspected for damage upon return. No credit will be issued for goods which are damaged. A return authorization will not be issued for items unless they are Fellowes stock items. If material is authorized for return because of Fellowes error, shipment may be made freight collect. Any other goods that Fellowes authorizes a return will be sent prepaid and a restocking charge of 35% will apply.

> Fellowes offers free returns for any accessory product returned in the original Fellowes packaging.

Fellowes does not accept returns of any made to order, special or custom product.

Product Usage and Compliance.

Customer assumes full responsibility for the application of Fellowes' product to Customer's use and compliance with Fellowes installation and maintenance instructions and reasonable load restrictions. Compliance to local code restrictions regarding fire, electrical, and building codes are the responsibility of the Customer or its authorized agent.

Limited Warranty; Limitations on Liability.

Fellowes grants a limited warranty to the end-users of its Goods, the terms of which are included with each product. Fellowes warrants to the Customer solely that, subject to the terms, conditions and limitations hereof, the Goods conform to the specifications set forth in the Fellowes catalog and will be transferred to customer free and clear of any and all encumbrances. This warranty supersedes all previously printed Fellowes warranties. **FELLOWES MAKES NO OTHER WARRANTIES** AND GIVES NO OTHER ASSURANCES OR GUARANTEES, EXPRESS OR IMPLIED, WITH RESPECT TO ANY GOODS, INCLUDING, WITHOUT LIMITATION, ANY WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE.

FELLOWES' SOLE LIABILITY IN CONNECTION WITH ANY GOODS THAT ARE DEFECTIVE OR DELIVERED LATE SHALL BE LIMITED TO EITHER (i) REFUNDING TO THE CUSTOMER A PERCENTAGE OF THE TOTAL PRICE (EXCLUSIVE OF TAXES, SHIPPING AND OTHER SEPARATE CHARGES) THAT THE CUSTOMER HAS PAID TO FELLOWES FOR ALL GOODS PROVIDED EQUAL TO THE PERCENTAGE OF ALL GOODS PROVIDED THAT ARE DEFECTIVE OR DELIVERED LATE DUE TO THE SOLE FAULT OF FELLOWES AND ITS SUBCONTRACTORS, OR (ii) AT FELLOWES' OPTION, REPLACING FOR THE CUSTOMER, AT NO CHARGE TO THE CUSTOMER, THE GOODS THAT ARE DEFECTIVE OR DELIVERED LATE DUE TO THE SOLE FAULT OF FELLOWES AND ITS SUBCONTRACTORS.

Terms & Conditions

IN NO EVENT SHALL FELLOWES OR ANY OF ITS SUBCONTRACTORS BE LIABLE FOR (i) ANY INCIDENTAL, INDIRECT. EXEMPLARY, SPECIAL OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, INTEREST, LOST PROFITS OR INTERRUPTION OF BUSINESS). EVEN IF FELLOWES HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES OR IF SUCH DAMAGES RESULT FROM ANY RECOMMENDATIONS MADE BY FELLOWES, OR (ii) ANY LOSSES, DAMAGES, LIABILITIES, SUITS OR CLAIMS THAT ARE COVERED BY ANY INSURANCE MAINTAINED BY OR ON BEHALF OF THE CUSTOMER OR ARE OTHERWISE **RECOVERABLE FROM THIRD PARTIES.**

IN ADDITION, THE LIABILITY OF FELLOWES AND ITS SUBCONTRACTORS FOR LOSSES, DAMAGES, LIABILITIES, SUITS AND CLAIMS, REGARDLESS OF THE FORM OF ACTION (WHETHER BASED ON CONTRACT, ON NEGLIGENCE, ON STRICT LIABILITY OR OTHERWISE) AND THE PERSON OR ENTITY BRINGING SUCH ACTION, SHALL NOT EXCEED, IN THE AGGREGATE, THE TOTAL AMOUNT (EXCLUSIVE OF TAXES, SHIPPING, AND OTHER SEPARATE CHARGES) ACTUALLY PAID TO SELLER BY THE CUSTOMER FOR THE GOODS AT ISSUE. ANY ACTION AGAINST SELLER MUST BE BROUGHT WITHIN ONE YEAR OF THE CAUSE OF ACTION FIRST ARISING.

Lifetime Warranty.

Fellowes warrants to the original purchaser that the goods described in its price lists, sold after March 3, 2025, will be free from defects in materials and workmanship commencing with the date of initial purchase and continuing for as long as the original owner uses the purchased products. This warranty is non-transferrable and contains the following limitations.

	Products	Components
10 Years	Lighting Power Solutions Hana Series Palm Rests/Mouse Pads/ Pencil Drawers Lotus-DX Power Module Rising Loft	Panel Fabrics Acoustic Tiles
5 Years	Anti-fatigue Mats Markerboard Accessories	Upholstered Cushions PET and Acrylic Screens and Modesties Seating Mesh Plastic Components Paint
Not Covered		Custom Requested Logos Special Paint Textures and Finishes Custom Products (sizes, non-standard models)

Warranty Exclusions.

The following warranty exclusions apply to all Goods:

All Fellowes warranties apply only under typical office use which is defined as an eight (8) hour day, forty (40) hour week, and excludes excessive use.

Damages caused by improper treatment, accident, altercation, transport, misuse, normal wear and tear such as dents, nicks, scratches, fading, and fading of the Goods including exposure to unusual environmental conditions (extreme climates, acids, and moisture) are excluded. No express promise or guarantee is made to an exact color match to any customer-owned product in an existing installation.

Warranties are excluded for Goods purchased for personal, family, or household purposes and for Goods purchased from any source other than Fellowes, its Fellowes-Authorized dealers, or any other such entity that is specifically authorized by Fellowes to sell the Goods.

Fellowes warranties apply only to Goods installed or reconfigured by a Fellowes-authorized installer with an original product label attached to the Good. For Goods that are defective within the period stated above, Fellowes will, at its sole option, repair or replace defective Goods free of charge when such Goods were used under typical office use conditions pursuant to Fellowes published instructions and applicable planning guide information.

All warranties, exclusions, and limitations are express and made a condition of the sale of Goods.

No person is authorized to assume any warranty stated herein for Fellowes, except as expressly set forth in writing by an authorized officer of Fellowes.

Any and all labor chargebacks must be pre-approved by Fellowes Customer Service Manager in writing. Fellowes will reimburse a Fellowes-Authorized dealer and service center with a credit against future orders.

No warranty period is stayed or prolonged by the performance of a service under the terms of the warranty.

If Seller is Fellowes, Inc. or any other subsidiary or joint venture of Fellowes, Inc. not listed below:

The construction, validity and performance of these Terms and Conditions shall be governed and construed according to the internal laws of the State of Illinois. Seller and Customer agree that any legal action arising out of or relating to this agreement or the transactions contemplated by this agreement shall be brought in either the United States District Court in and for the Eastern Division of the Northern District of Illinois or the Circuit Court in and for Du Page County, Illinois, and consents to personal jurisdiction of such courts over them in any such action. Seller and Customer waive any defense of inconvenient forum to the maintenance of any such action or proceeding so brought and waives any bond, surety, or other security that might be required of either Seller and Customer.

If Seller is Fellowes Canada, Ltd.

The construction, validity and performance of these Terms and Conditions shall be governed and construed according to the internal laws of the Province of Ontario, without giving effect to any choice or conflict of law provision or rule that would cause the application of the laws of any jurisdiction other that the Province of Ontario. Each of the Parties agrees that any legal action arising out of or relating to this Agreement shall be brought in Ontario, Canada, and consents to the personal jurisdiction of such courts over the Parties in any such action. Each of the Parties waives any defense of inconvenient forum to the maintenance of any such action or proceeding so brought and waives any bond, surety, or other security that might be required of any Party hereto.

If Seller is Fellowes Ltd, Fellowes Ibérica S.L., Fellowes GmbH, Fellowes Polska S.A., Fellowes RU Ltd, Beswick Office Products (Pty) Ltd., Fellowes Leonardi S.p.A., or Fellowes France SA

Terms & Conditions

The construction, validity and performance of these Terms and Severability. Conditions shall be governed and construed according to the If any clause or portion of these Terms and Conditions shall be laws of England and Wales. Seller and Customer agree that any held by a court of competent jurisdiction to be illegal, invalid, or legal action arising out of or relating to this agreement or the unenforceable, the remaining clauses or portions shall remain in transactions contemplated by this agreement shall be brought full force and effect. in England and Wales, and consents to personal jurisdiction of Force majeure. such courts over them in any such action. Any such action shall Fellowes shall not be liable hereunder for any failure or delay in the be conducted in English. Seller and Customer waive any defense of inconvenient forum to the maintenance of any such action or proceeding so brought and waives any bond, surety, or other including labor disputes, civil commotion, contagion, pandemic, security that might be required of either Seller and Customer.

If Seller is Fellowes (Australia) Pty. Ltd:

The construction, validity and performance of these Terms and Conditions shall be governed and construed according to the laws of Victoria, Australia. Seller and Customer agree that any legal action arising out of or relating to this agreement or the transactions contemplated by this agreement shall be brought in courts of the State of Victoria, and consents to personal jurisdiction of such courts over them in any such action. Any such action shall be conducted in English. Seller and Customer waive any defense of inconvenient forum to the maintenance of any such action or proceeding so brought and waives any bond, surety, or other security that might be required of either Seller and Customer.

If Seller is Fellowes Office Products Suzhou Co. Ltd, Fellowes Singapore, Fellowes Malaysia, Fellowes Korea Ltd:

The construction, validity and performance of these Terms and Conditions shall be governed and construed according to the internal laws of the State of Illinois. Any controversy or claim arising out of or relating to these Terms and Conditions, or the breach thereof, will be determined by arbitration administered by the International Centre for Dispute Resolution ("ICDR") in accordance with its International Arbitration Rules. A request for interim measures addressed by Seller and Customer to a judicial authority will not be deemed incompatible with the agreement to arbitrate or a waiver of the right to arbitrate. The place of arbitration will be Chicago, Illinois, U.S.A. The number of arbitrators shall be three (3) Seller and Customer will each appoint one (1) arbitrator, and ICDR will appoint a third arbitrator, who will be the presiding arbitrator. The language of the arbitration will be English. The arbitration award made by ICDR will be final and binding upon the parties. The costs of arbitration will be borne by the losing party, unless otherwise determined by the arbitration award.

Notwithstanding the forgoing, if Customer is domiciled in the People's Republic of China or any other jurisdiction that does not enforce the judgments from a court of a jurisdiction designated by the foregoing paragraphs, the paragraph calling for arbitration with the ICDR shall apply.

Relationship of parties.

References herein to "Customer" include the person or entity specifically identified in the Invoice as "Customer" and its divisions, subsidiaries and affiliated companies. The relationship of the Parties hereto is that of vendor and purchaser. Nothing in these Terms and Conditions, and no course of dealing between the Parties, shall be construed to create any other type of relationship. Accordingly, Customer shall not be empowered to bind Fellowes in any way, to incur any liability or otherwise act on behalf of Fellowes.

performance of its obligations under these Terms and Conditions, if such failure or delay is on account of causes beyond its control, war, fires, floods, inclement weather, governmental regulations or controls, casualty, government authority, strikes, or acts of God, in which event the Fellowes shall be excused from its obligations for the period of the delay and for a reasonable time thereafter. Fellowes shall use reasonable efforts to notify the other Party of the occurrence of such an event within five business days of its occurrence.

Fellowes Customer Service Contacts:

Contract Interiors Phone: 800-833-3746 Email: ci-customerservice@fellowes.com

Architectural Solutions (Modular Walls and Air Quality Management) Phone: 800-893-8115 Email: as-customerservice@fellowes.com

